



# TOOLS

201 CABLE TOOLS  
207 SOLDERING

To carry out an installation or service, you need the right tools. Our range of cable and soldering tools covers most of the items you need to complete a variety of jobs and tasks. As always, if you would like to order something not listed here, please call us on 01763 274185





[www.dun-bri.com/catalogue/electrical-wiring](http://www.dun-bri.com/catalogue/electrical-wiring)

FIND BY PRODUCT TYPE



**Cable tools**  
Page 201

Terminal crimping, cable cutting, stripping and other hand tools. Includes cable tie tensioners and heavy duty tools for large power installations



**Soldering**  
Page 207

From tinmans solder sticks to piezo ignition gas soldering irons, we have a complementary range of soldering equipment and consumables

For clarity, we have included our most commonly ordered tools in this catalogue. If you can't find what you're looking for or are unsure what you need, or which part number to use, please call us for help and advice on **01763 274185**

### Non-Insulated Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.142	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for non-insulated and insulated terminals. Also features wire stripper for 0.75-6.0mm<sup>2</sup> cable and bolt cutter for M2.5, M3, M3.5, M4 and M5 fixings.

- Black/red
- Not applicable
- CE

### Ratchet Heat Shrink Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141D	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for insulated heat shrink terminals. Has no detrimental effect on the heat shrink prior to heat gun being applied. Crimp range of 1.5-6.0mm<sup>2</sup>.

- Black/blue
- Not applicable
- CE

### Ratchet Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for blue, red and yellow insulated terminals. For general purpose use. Crimp range of 0.5-6.0mm<sup>2</sup>.

- Black/red/yellow
- Not applicable
- CE

### Ratchet Terminal Crimping Tool



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.141M	Crimping tool	1

**i** Crimping tool for blue, red and yellow insulated terminals. Crimp range of 0.5-6.0mm<sup>2</sup>.

- C Black/blue
- X Not applicable
- ✓ CE

### Ratchet Non-Insulated Open Barrel Terminal Crimping Tool



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.141N	Crimping tool	1

**i** Crimping tool for non-insulated terminals. Crimp range of 0.5-6.0mm<sup>2</sup>.

- C Black/blue
- X Not applicable
- ✓ CE

### Ratchet Connector Crimping Tools



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
366.070351	AMP Econoseal/Superseal crimping tool	1
366.070352	Junior Power Timer crimping tool	1
366.070353	Junior Timer crimping tool	1

**i** Crimping tool for either AMP Econoseal/Superseal, Junior Power Timer or Junior Timer terminals. Crimp range of 0.5-2.0mm<sup>2</sup>.

- C Black/grey, black/orange or black/yellow
- X Not applicable
- ✓ CE

## Ratchet Flag Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141A	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for flag terminals. Crimp range of 0.5-6.0mm<sup>2</sup>.

- Blue/red
- Not applicable
- CE

## Ratchet Copper Tube Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141P	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for copper tube terminals. Crimp range of 1.5-16.0mm<sup>2</sup>.

- Black
- Not applicable
- CE

## Copper Tube Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141F	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for copper tube terminals. Crimp range of 6.0-50.0mm<sup>2</sup>.

- Black
- Not applicable
- CE

### Heavy Duty Copper Tube Terminal Crimping Tools



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.141B	Crimping tool for 10-95mm <sup>2</sup> copper tube terminals	1
800.141Q	Crimping tool for 16-120mm <sup>2</sup> copper tube terminals	1
800.141R	Crimping tool for 25-150mm <sup>2</sup> copper tube terminals	1

**i** Crimping tool for copper tube terminals. Crimp range of either 10-95.0mm<sup>2</sup>, 16-120.0mm<sup>2</sup> or 25-150.0mm<sup>2</sup>.

- C Red/yellow
- X Not applicable
- CE

### Ratchet Cord End Terminal Crimping Tool



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.141E	Crimping tool for 4.0-16.0mm <sup>2</sup> cord end terminals	1
800.141J	Crimping tool for 0.5-6.0mm <sup>2</sup> cord end terminals	1

**i** Crimping tool for cord end terminals. Crimp range of either 4-16.0mm<sup>2</sup> or 0.5-6.0mm<sup>2</sup>.

- C Black/red
- X Not applicable
- CE

### Ratchet Cord End Terminal Crimping Tool



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.141K	Crimping tool for 16-35mm <sup>2</sup> cord end terminals	1

**i** Crimping tool for cord end terminals. Crimp range of 16-35.0mm<sup>2</sup>.

- C Blue/green
- X Not applicable
- CE

## Ratchet Twin Cord End Terminal Crimping Tool



Part number	Item description	Quantity supplied
800.141L	Crimping tool	1

SUPPLIED INDIVIDUALLY

**i** Crimping tool for twin cord end terminals. Crimp range of 0.5-16.0mm<sup>2</sup>.

- Blue/black
- Not applicable
- CE

## Heavy Duty Cable Cutters



Part number	Item description	Quantity supplied
800.145C	Cutters for cable up to 80mm <sup>2</sup>	1
800.145B	Cutters for cable up to 250mm <sup>2</sup>	1

SUPPLIED INDIVIDUALLY

**i** Heavy duty cable cutters for cables up to either 80mm or 250mm in diameter.

- Blue/orange
- Not applicable
- CE

## Cable Cutters



Part number	Item description	Quantity supplied
800.145	Cable cutters	1

SUPPLIED INDIVIDUALLY

**i** Cable cutters for cables up to 38mm<sup>2</sup>.

- Red/natural
- Not applicable
- CE



### Cable Stripping Multi-Tool



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.144	Cable stripper	1

**i** Cable stripping tool with stripper jaws for cable ranges 0.15-6mm<sup>2</sup>. Also crimps insulated and non-insulated terminals between 1.5-6mm<sup>2</sup> and auto ignition terminals between 7-8mm<sup>2</sup>.

- C Yellow/black
- X Not applicable
- ✓ CE

### Cable Tie Tensioner



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
460.DTGM1	Cable tie tensioner	1

**i** Cable tie tensioning tool for nylon and polyamide cable ties. Range 2.4mm to 4.8mm in width ties accepted.

- C Black/red
- X Not applicable
- ✓ CE

### Stainless Steel Cable Tie Tensioner



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.144B	Cable tie tensioner	1

**i** Cable tie tensioning tool for stainless steel cable ties. Range 0.3mm thickness to 7.9mm in width ties accepted.

- C Grey/black
- X Not applicable
- ✓ CE

## Portasol Gas Torch 220



SUPPLIED  
INDIVIDUALLY

Part number	Item description	Quantity supplied
812.GT220	Gas torch	1

△ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

<p>ⓘ The GT220 is a professional high performance multi-purpose blow torch with adjustable wind-proof flame. Temperature to 2462F (1350C). Portable and self igniting. Up to 220 Watts of power. Self-Venting refill valve. Refillable in 10 seconds with a 40 minute run time.</p>	<p><input checked="" type="checkbox"/> Grey/orange</p> <p><input checked="" type="checkbox"/> Not applicable</p> <p><input checked="" type="checkbox"/> CE</p>
---	--

## Portasol Gas Torch 820



SUPPLIED  
INDIVIDUALLY

Part number	Item description	Quantity supplied
812.HP820	Gas torch	1

△ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

<p>ⓘ High power butane torch with massive 2,797 BTU/h flame power, extra strong welded stainless steel head built to protect the burner. Made with butane compatible plastics and ultrasonically welded tank - prevents gas leaking. Adjustable power between 50-820w equivalent.</p>	<p><input checked="" type="checkbox"/> Grey/orange</p> <p><input checked="" type="checkbox"/> Not applicable</p> <p><input checked="" type="checkbox"/> CE</p>
---	--

## Pro Piezo 75 Soldering Iron



SUPPLIED  
INDIVIDUALLY

Part number	Item description	Quantity supplied
812.PP1	Pro Piezo 75 soldering iron	1

△ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

<p>ⓘ The Pro Piezo provides a full professional capability in a pocket-size tool. Power output is adjustable, equivalent to 15-75w at 580°C. In addition to core soldering application, there are tips for flame, hot knife and hot air applications. There is an all weather 'turbo' flame providing intense heat.</p>	<p><input checked="" type="checkbox"/> Black/orange</p> <p><input checked="" type="checkbox"/> Not applicable</p> <p><input checked="" type="checkbox"/> CE</p>
---	---

### Pro Piezo 75 Soldering Iron Kit



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
812.PP1K	Pro Piezo 75 soldering iron kit	1

⚠ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

- i** Pro Piezo 75 soldering iron supplied with 1x 2.4 double flat tip; 1x hot blower; 1x hot knife tip; 1x deflector; 1x flame tip and a cleaning sponge and cup.
- C** Black/orange
- X** Not applicable
- ✓** CE

### Super Pro 125 Soldering Irons



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
812.SP1/2.4	Super Pro 125 soldering with 2.4mm tip	1
812.SP1/4.8	Super Pro 125 soldering with 4.8mm tip	1

⚠ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

- i** The SuperPro comes with Piezo ignition for total user convenience. Switch on and ignition are accomplished in two smooth ergonomic movements. Power adjustment, is by rotational control at the end of the tool. Nothing could be easier or more convenient. Max temperature 580°C.
- C** Black/orange
- X** Not applicable
- ✓** CE

### Super Pro 125 Soldering Iron Kit



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
812.SP1K	Super Pro 125 soldering iron kit	1

⚠ Manufacturer recommends cigarette lighter quality butane lighter fuel only.

- i** SuperPro 125 soldering iron supplied with 1x 2.4, 1x 3.2mm, 1x 4.8 single and double flat tips; 1x hot air blower; 1x hot knife tip; 1x deflector and 1x flame tip. Recommended to use cigarette lighter butane.
- C** Black/orange
- X** Not applicable
- ✓** CE

## Super Pro 125 Soldering Iron Tips



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
812.SPT02	2.4mm single flat tip	1
812.SPT03	3.2mm single flat tip	1
812.SPT04	4.8mm single flat tip	1
812.SPT06	2.4mm double flat tip	1
812.SPT07	3.2mm double flat tip	1
812.SPT08	4.8mm double flat tip	1
812.SPT09	Hot air blower tip	1
812.SPT10	Hot knife tip	1

**i** Replacement/additional tips for Super Pro 125 soldering irons.

- Natural
- Not applicable
- CE

## Maxi Butane Heating Torch



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.MBHT	Maxi Butane heating torch	1
810.BUTANE	Self-sealing butane cartridge	1

**i** Impact-resistant, contoured grip torch with stainless steel burner nozzle for professional use. Anti-flare features enables use of the gun at any angle - even upside down. 1300°C maximum flame temperature.

- Grey/orange
- Not applicable
- CE

## Standard Solder Wire (Sn/Pb 40/60) WS-Z-3282 A Class



SUPPLIED INDIVIDUALLY

Part number	Item description	Quantity supplied
800.003	Solder wire (16 SWG/1.6mm)	1
800.002	Solder wire (10 SWG/3.25mm)	1

**i** Standard solder wire. WS-Z-3282 A Class. 500g reel. Available in two gauges.

- Natural
- Not applicable
- CE; ANSI; IPC; DIN; ISO

### Lead-free Solder Wire (JIS-Z-3282) A Class



Part number	Item description	Quantity supplied
800.001LF	Solder wire (22 SWG/0.71mm)	1
800.002LF	Solder wire (18 SWG/1.22mm)	1
800.003LF	Solder wire (16 SWG/1.63mm)	1
800.004LF	Solder wire (10 SWG/3.25mm)	1

SUPPLIED INDIVIDUALLY

**i** Lead-free solder wire. JIS-Z-3282 A Class. 500g reel. Available in four wire gauges.

- C Natural
- X Not applicable
- ✓ CE; JIS; ANSI; IPC; DIN; ISO

### Standard Solder Wire (Sn/Pb 40/60) JIS-Z-3282 A Class



Part number	Item description	Quantity supplied
800.006	Solder wire (22 SWG/0.8mm)	1
800.005	Solder wire (18 SWG/1.2mm)	1
800.009	Solder wire (14 SWG/2.0mm)	1

SUPPLIED INDIVIDUALLY

**i** Standard solder wire. JIS-Z-3282 A Class. 500g reel. Available in three gauges.

- C Natural
- X Not applicable
- ✓ CE; JIS; ANSI; IPC; DIN; ISO

### Ultra-low Residue Solder Wire JIS-Z-3282 A Class



Part number	Item description	Quantity supplied
800.015	Solder wire (26 SWG/0.46mm) (250g)	1
800.016	Solder wire (22 SWG/0.71mm) (500g)	1
800.017	Solder wire (18 SWG/1.22mm) (500g)	1

SUPPLIED INDIVIDUALLY

**i** Ultra-low residue solder wire. JIS-Z-3282 A Class. 250g or 500g reel. Available in three gauges.

- C Natural
- X Not applicable
- ✓ CE; JIS; ANSI; IPC; DIN; ISO

## Tinmans Solder Stick



250G

Part number	Item description	Quantity supplied
800.004	Tinmans solder stick	1

**i** Tinmans solder stick. Tin/lead composition (40/50). 250g per pack.

- Natural
- Not applicable
- CE

## Body Solder Stick



500G

Part number	Item description	Quantity supplied
800.010	Body solder stick	1

**i** Body solder stick. Tin/lead composition (40/50). 500g per pack.

- Natural
- Not applicable
- CE