VEHICLE PARTS

215 AERIALS 216 HAND WASHES 217 HORNS 218 VENTILATION

We stock a select range of aerials for vehicles; hand washing systems to maintain roadside health and hygiene; horns and ventilation products including intake and extraction systems. For more help and advice, including for items not listed in this catalogue, please contact us.







FIND BY PRODUCT TYPE



Aerials Page 215



Hand washes Page 216

save lives by reducing disc, trumpet or air the risk of infection and horns for cars, vans,



Horns Page 217



Ventilation

Page 218

For clarity, we have included our most commonly ordered parts in this catalogue. If you can't find what you're looking for or are unsure what you need, or which part number to use, please call us for help and advice on 01763 274185

Roof Aerials



Part number	Item description	Quantity supplied
800.157B	Standard roof aerial	1
800.157C	Black rubber roof aerial	1



Choice of standard or black rubber roof mounted aerials for motor vehicles.

C Natural

× Not applicable

✓ CE

Pillar Aerial



Part number	Item description	Quantity supplied
800.157E	Pillar aerial	1



① Chrome plated pillar aerial with mounting base.

C Chrome

× Not applicable

✓ CE

Aerial Extension Cable



Part number	Item description	Quantity supplied	
800.161A	Aerial extension cable	1	



(1) 4.5m aerial extension cable pre-fitted with connectors.

C Black

× 4.5m (l)

✓ CE

www.dun-bri.com / 01763 274185

Handeman Classic Compact Hand Washes



D. d	Туре			0
Part number	Voltage	Voltage Sensitive	ltem description	Quantity supplied
876.CPLB/12	12v	Yes	Classic hand wash system	1
876.CPLB/24	24v	Yes	Classic hand wash system	1
876.CPLBNV/12	12v	No	Classic hand wash system	1
876.CPLBNV/24	24v	No	Classic hand wash system	1



D Self-contained Classic hand wash system with internal water tank, provides 4-6 hand washes per filling. 180w rated, takes up to 40 minutes to heat full tank to 45°C. Stainless steel bowl can be removed to dispose of waste water. Supplied with fittings and correct fuse.

C Natural

315mm (w) x 330mm (h) x 220/360mm (d) (closed/open)

✓ ECE R10; RoHS; CE

Handeman Hand Wash Basin



Part number	Туре		la un el convinti un	
	Voltage	Voltage Sensitive	Item description	Quantity supplied
876.HANDEMAN12V	12v	N/A	Handeman hand wash system	1
876.HANDEMAN24V	24v	N/A	Handeman hand wash system	1



Self-contained Handeman hand wash system with internal water tank and basin, provides 10 hand washes per fill. 180w rated (12v), takes up to 40 minutes to heat full tank to 45°C. System retains dirty water for disposal later on. Supplied with fittings and correct fuse.

C Grey

X 300mm (w) x 312mm (h) x 175/325mm (d) (closed/open)

✓ ECE R10; RoHS; CE

Handeman Xtra Hand Wash Basin



Part number	Туре		h d	
Part number	Voltage	Voltage Sensitive		Quantity supplied
876.HMX12	12v	Yes	Xtra hand wash system	1
876.HMX24	24v	Yes	Xtra hand wash system	1
876.HMX12NV	12v	No	Xtra hand wash system	1
876.HMX24NV	24v	No	Xtra hand wash system	1



50% more washes than other products, with 15x washes.
Unique spray means really effective washing power. Simple, effective 'finger-tip' controlled flip tap. Completely self-contained, with 3 litre 'Waste-Safe' which retains all dirty water and can be removed easily. Fully automatic electronic control.

Grey

X 310mm (w) x 370mm (h) x 220/370mm (d) (closed/open)

✓ ECE R10; RoHS; CE

Handeman Tealwash Hand Wash Basin



	Туре			
Part number	Voltage	Voltage Sensitive	Item description	Quantity supplied
876.TEALWASH12	12v	Yes	Tealwash hand wash system	1
876.TEALWASH24	24v	Yes	Tealwash hand wash system	1
876.TEALWASH12/NV	12v	No	Tealwash hand wash system	1
876.TEALWASH24/NV	24v	No	Tealwash hand wash system	1



Teal hand wash system with internal water tank and basin, provides 20 hand washes per fill. 180w rated (12v), takes up to 40 minutes to heat full tank to 45°C. Requires separate container to collect dirty water for disposal later on. Supplied with fittings and correct fuse.

C Grey

X 300mm (w) x 485mm (h) x 220/360mm (d) (closed/open)

✓ ECE R10; RoHS; CE

Disc Horns



Dart number	Туре		h d	
Part number	Voltage	Note	Item description	Quantity supplied
830.045	12v	High (435Hz)	Disc horn	1
830.046	12v	Low (335Hz)	Disc horn	1
830.047	24v	High (435Hz)	Disc horn	1
830.048	24v	Low (335Hz)	Disc horn	1



(i) Electromagnetic disc horns for vehicles. Available in either high or low notes. 112dB(A) output. Twin pole, complete with mounting hardware.

C Black

× 90mm (dia.)

✓ ECE R10; CE

Trumpet/Air Horns



Part number	Туре		ltem description	Quantity supplied
rait Humber	Voltage	Note	item description	Qualitity supplied
830.051	12v	High (490Hz)	Trumpet horn	1
830.052	24v	Low (410Hz)	Trumpet horn	1
830.053	24v	High (490Hz)	Trumpet horn	1
830.041	24v	Low	Air horn c/w compressor (139dB(A))	1



Trumpet and air homs for vehicles. Available in either high or low notes. 109dB(A) output (trumpet homs only). Twin pole, complete with mounting hardware.

C Blac

X Not applicable

✓ ECE R10; CE

Twin Air Horn Kit



Part number	Туре			
	Voltage	Note	ltem description	Quantity supplied
830.11200022	12v	N/A	Air horn	1



Twin trumpet air horn system for 12v vehicles. Kit includes high and low note trumpets, air tubing, compressor and relay as well as mounting hardware.

C Blue

× Not applicable

✓ ECE R10; CE

AIR2000 Rotary Ventilator



Part number	Item description	Quantity supplied
1035.AIR2000	AIR2000 rotary ventilator	1



High-quality low noise rotatory ventilator. Kit includes ventilator, adaptor, fixings and grille. Construction prevents entry of rain, dust and down-draughts. Air-scoop revolves on two steel bearings and will catch breeze even in stationary (exterior) locations. Works as extractor fan.

C Black

X 240mm (dia) x 120mm (d)

✓ CE

Happich Rotary Ventilator



Part number	Item description	Quantity supplied
1035.500	Happich rotary ventilator	1



High-quality low noise rotatory ventilator. Kit includes ventilator, adaptor, fixings and grille. Construction prevents entry of rain, dust and down-draughts. Air-scoop revolves on two steel bearings and will catch breeze even in stationary (exterior) locations. Works as extractor fan.

C White (RAL 9010)

242mm (dia) x 124mm (h)

✓ CE

Flettner TCX-2 Rotary Air Ventilators



Part number	Colour	Item description	Quantity supplied
1035.TCXBLKNB	Black	TCX-2 rotary air ventilator	1
1035.TCXWHTNB	White	TCX-2 rotary air ventilator	1



Incorporating an integral air concentrator and an ultra-efficient centrifugal fan the Flettner TCX-2" not only leads the way in operational efficiency it is also much simpler to fit than other ventilators – cutting installation times by as much as 50%. Kit includes everything required to fit.

C Black or white

× 260mm (dia) x 98mm (h)



Flettner 2000 Rotary Air Ventilator



Part number	Item description	Quantity supplied
991.FRV2000	2000 rotary ventilator	1



The Flettner 2000 is firmly established as the definitive wind-powered roof ventilator. With a time-proven design and performance, a reputation for toughness, versatility and sheer reliability the Flettner 2000 roof vent is the natural choice where ventilation is required.

C Black

× 226mm (dia) x 105mm (h)

✓ ECE R10; CE

www.dun-bri.com / 01763 27418

Ventfan Intake/Extractor Air Fans



Part number	Туре		ltem description	Quantity supplied
	Voltage	Fan	nem description	Qualitity supplied
1035.001	12v	Extractor	Ventfan extractor fan	1
1035.002	12v	Intake	Ventfan intake fan	1
1035.011	24v	Extractor	Ventfan extractor fan	1
1035.012	24v	Intake	Ventfan intake fan	1





Ultra low-profile intake and extractor fans from Ventfan.
Available with a wide range of fitting accessories to
complement modern vehicles. Designed for applications where
positive ventilation is required enabling aeration when vehicles
are stationary.

C Black

Diac

X 300mm (dia) x 57mm (h)

✓ ECE R10; CE

Ventfan Accessories



Round mushroom external dome 1035.007

320 x 41mm. Impact resistant plastic injection moulded dome. Gloss white finish.



Speed vent external dome

1035.008

362 x 316 x 51mm. Impact resistant plastic injection moulded dome. Gloss white finish.



300 x 10mm internal finishing shroud

1035.004

Impact resistant plastic injection moulded dome. Gloss white finish.



300 x 40mm internal finishing shroud

1035.005

Impact resistant plastic injection moulded dome. Gloss white finish.



300 x 60mm internal finishing shroud

1035.006

Impact resistant plastic injection moulded dome. Gloss white finish.



Jet vent internal cover

1035.003

Fits directly to the 60mm deep finishing shroud (1035.006) - supplied with the cover. Directs airflow in four directions. Gloss white finish.



Cutting template

1035.010

2mm hardboard cutting template to ensure correct roof fitting.



Foam sealing kit

1035.009

Designed to allow for fitment to ribbed roof whilst ensuring leak-free operation.