

INTERIOR LIGHTING

215 INTERIOR LIGHTS
218 STRIP LIGHTS
223 PIR SWITCHES

From ambulances to agricultural machinery, the range of interior lighting available from Dun-Bri Group can be seen across Europe. Ranges include strip lights, interior lighting consisting of a wide range of sizes and shapes, panel luminaires and more specialist lights for trauma and transport applications. For more help and advice, call us on 01763 274185





www.dun-bri.com/catalogue/commercial-vehicle-lighting-accessories

FIND BY PRODUCT TYPE



Interior Lights Page 215

Whether adding to existing lighting, or starting from scratch, we have a huge range of LED interior lights from a range of manufacturers in a variety of styles



Strip Lights Page 218


Ideal for large area internal illumination and many other applications, this range of LED strip lights will be sure to meet your specifications



PIR Switches Page 223

Automate your interior lighting with this select range of PIR switches

FIND BY ILLUMINATION TYPE



LED

Our most extensive ranges of marker lights are in LED, with some brands being stocked exclusively in this technology which lasts longer, uses less energy to keep lit and is less susceptible to vibration



Bulb

While being replaced by newer LED models, we still sell a huge array of bulb marker lights which are stocked to allow for replacement of damaged lights as well as for new build projects

FIND BY BRAND



Dun-Bri Group®

Our own-brand range of commercial vehicle lighting is backed up by our incredible customer service, all of our lights are 'E' type approved too

- Strip lights



Hella®

Known the world over for their manufacturing capability and reliability, our Hella stocked range is made up of the most popular products we currently sell

- Interior lights



Labcraft

With full UK production, commitment to quality and environmentally friendly processes, they make an impressive range of lighting which won't cost the earth

- Interior lights
- Strip lights
- PIR switches



LED Autolamps®

With an all-LED range of lights, they have become a contender to some of the longer established brands. All of their products have a 5 year warranty

- Interior lights
- Strip lights



Truck-lite®

Combining the brands Rubbolite, Truck-Lite and FER, we now have a huge range of LED and bulb marker lights for all applications in 12v and 24v

- Interior lights



WAS

A new addition to Dun-Bri Group's range for 2017, they produce a stylish reliable & comprehensive range of vehicle lighting - all in full LED

- Interior lights
- Strip lights



Labcraft
DESIGN YOUR CONNECTION

160
LUMEN



Labcraft Callisto LED Interior Light

12-24v 391.LD101BCMV

- C** White
- Fly lead connection
- LED
- 58mm (dia) x 14mm (d)
- CE, IP50
- 10 years



Labcraft
DESIGN YOUR CONNECTION

IP66
MODEL



Labcraft Callisto LED Interior Light

12-24v 391.LD10WWBS

- C** White
- Fly lead connection
- LED
- 58mm (dia) x 14mm (d)
- CE, IP66
- 10 years



Labcraft
DESIGN YOUR CONNECTION

640
LUMEN



Labcraft Megalux LED Interior Light

12-24v 391.PD141MV

- C** White
- Fly lead connection
- LED
- 132mm (dia) x 14mm (d)
- ECE R10, IP66
- 10 years



Labcraft
DESIGN YOUR CONNECTION

1150
LUMEN



Labcraft Megalux LED Interior Light

12-24v 391.PD143MV

- C** White
- Fly lead connection
- LED
- 132mm (dia) x 14mm (d)
- ECE R10, IP66
- 10 years



Labcraft
DESIGN YOUR CONNECTION

480
LUMEN



Labcraft Megalux Enviro LED Interior Light

12-24v 391.PD141EMV

- C** White
- Fly lead connection
- LED
- 132mm (dia) x 14mm (d)
- ECE R10, IP66
- 10 years



Labcraft
DESIGN YOUR CONNECTION

WITH
PIR



Labcraft Megalux Enviro LED Interior Light

12v 391.PD141/EPIR 24v 391.PD141/2EPIR

- C** White
- Fly lead connection
- LED
- 132mm (dia) x 14mm (d)
- ECE R10, IP66
- 10 years



Labcraft
DESIGN YOUR CONNECTION

320
LUMEN



Labcraft Microlux LED Interior Light

12-24v 391.089

- C** White
- Fly lead connection
- LED
- 128mm (l) x 100mm (h) x 15mm (d)
- ECE R10, IP67
- 10 years



Labcraft
DESIGN YOUR CONNECTION

568
LUMEN



Labcraft Superlux LED Interior Light

12-24v 391.089H

- C** White
- Fly lead connection
- LED
- 128mm (l) x 100mm (h) x 15mm (d)
- ECE R10, IP67
- 10 years



Labcraft
DESIGN YOUR CONNECTION

1420
LUMEN



Labcraft Hyperlux LED Interior Light

12-24v 391.056H

- C** White
- Fly lead connection
- LED
- 298mm (l) x 100mm (h) x 15mm (d)
- ECE R10, IP67
- 10 years



900 LUMEN



Labcraft Powerlux LED Interior Light

12-24v 391.056

- C White
- ✕ Fly lead connection
- LED
- ✕ 298mm (l) x 100mm (h) x 15mm (d)
- ✓ ECE R10, IP67
- 10 years



WITH PIR



Labcraft Powerlux LED Interior Light

24v 391.056PIR

- C White
- ✕ Fly lead connection
- LED
- ✕ 298mm (l) x 100mm (h) x 15mm (d)
- ✓ ECE R10, IP67
- 10 years



WITH SWITCH



Labcraft Novalux LED Interior Light

12-24v 391.TI321MVS

- C White
- ✕ Fly lead connection
- LED
- ✕ 107mm (l) x 44mm (h) x 14mm (d)
- ✓ ECE R10, IP60
- 10 years



FLUSH MOUNT



Labcraft Novalux LED Interior Light

12-24v 391.TI3R21MW

- C White
- ✕ Fly lead connection
- LED
- ✕ 107mm (l) x 44mm (h) x 2mm (d)
- ✓ ECE R10, IP66
- 10 years



LED autolamps

RE-CESS MOUNT



LED Autolamps LED Interior Light

12-24v 309.146W10

- C White
- ✕ Fly lead connection
- LED
- ✕ 146mm (d) x 41mm (d)
- ✓ CE, IP66
- 3 years



LED autolamps

FLUSH MOUNT



LED Autolamps LED Interior Light

12-24v 309.147W10

- C White
- ✕ Fly lead connection
- LED
- ✕ 146mm (d) x 46mm (d)
- ✓ CE, IP66
- 3 years



LED autolamps



LED Autolamps LED Interior Light

12v 309.148WW12

- C White
- ✕ Fly lead connection
- LED
- ✕ 148mm (l) x 71mm (h) x 20mm (d)
- ✓ CE, IP55
- 2 years



LED autolamps

WHITE & RED



LED Autolamps LED Interior Light

12v 309.7524WR

- C White/Red
- ✕ Fly lead connection
- LED
- ✕ 75mm (dia) x 17mm (d)
- ✓ CE, IP55
- 3 years



LED autolamps

WHITE & BLUE



LED Autolamps LED Interior Light

12v 309.7524WB

- C White/Blue
- ✕ Fly lead connection
- LED
- ✕ 75mm (dia) x 17mm (d)
- ✓ CE, IP55
- 3 years



RED

LED Autolamps LED Interior Light

12v 309.7524RW

- C Red
- ✱ Fly lead connection
- 💡 LED
- ✕ 75mm (dia) x 17mm (d)
- ✓ CE, IP55
- 🕒 3 years



WITH
SWITCH

LED Autolamps LED Interior Light

12v 309.79WWR12

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 75mm (dia) x 17mm (d)
- ✓ CE, IP55
- 🕒 2 years



6W
LED

Truck-lite 707/04/08 LED Interior Light

12-24v 360.7070408

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 250mm (l) x 75mm (h) x 20mm (d)
- ✓ ECE R10, IP67
- 🕒 2 years



15W
LED

Truck-lite 707/01/08 LED Interior Light

12-24v 360.7070108

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 250mm (l) x 75mm (h) x 20mm (d)
- ✓ ECE R10, IP67
- 🕒 2 years



300
LUMEN

Truck-lite 708/03/35 LED Interior Light

12-24v 360.7080335

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 147mm (dia) x 23mm (d)
- ✓ ECE R10, IP68
- 🕒 3 years



WITH
PIR

Truck-lite 708PIR/03/35 LED Interior Light

12-24v 360.708PIR0335

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 147mm (dia) x 23mm (d)
- ✓ ECE R10, IP68
- 🕒 3 years



70
LUMEN

WAS LW07 LED Interior Light

12-24v 335.723

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 84mm (l) x 24mm (h) x 10mm (d)
- ✓ ECE R10, IP68
- 🕒 1 year



126
LUMEN

WAS LW08 LED Interior Light

12v 335.724 24v 335.725

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 84mm (l) x 24mm (h) x 10mm (d)
- ✓ ECE R10, IP68
- 🕒 1 year



125
LUMEN

WAS LW01/2 LED Interior Light

12v 335.LW01 24v 335.LW02

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 333mm (l) x 30mm (h) x 32mm (d)
- ✓ ECE R10, IP68
- 🕒 1 year



Labcraft
DESIGNER LED SOLUTIONS

DUAL
COLOUR



Labcraft LED Map Light

12v 391.ML2271

24v 391.ML2271/2

- C White/Red
- ✱ Fly lead connection
- 💡 LED
- ✕ 460mm (l) x 35mm (h) x 18mm (d)
- ✓ CE, IP40
- 🕒 10 years



HELLA



Hella Map Light

12-24v 365.2AB004532001

- C White
- ✱ Fly lead connection
- 💡 5w W5W wedge bulb
- ✕ 546mm (l) x 46mm (h) x 40mm (d)
- ✓ CE, IP54
- 🕒 1 year



Labcraft
DESIGNER LED SOLUTIONS

562
LUMEN



Labcraft Flux LED Panel Interior Light

12v 391.F250CW24

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 307mm (l) x 90mm (h) x 11mm (d)
- ✓ ECE R10, IP50
- 🕒 10 years



Labcraft
DESIGNER LED SOLUTIONS

WHITE
& RED



Labcraft Flux LED Panel/Trauma Interior Light

12-24v 391.F25024RT

- C White/Red
- ✱ Fly lead connection
- 💡 LED
- ✕ 307mm (l) x 90mm (h) x 11mm (d)
- ✓ ECE R10, IP50
- 🕒 10 years



Labcraft
DESIGNER LED SOLUTIONS

1125
LUMEN



Labcraft Flux LED Panel Interior Light

12-24v 391.F500CW48

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 570mm (l) x 90mm (h) x 11mm (d)
- ✓ ECE R10, IP67
- 🕒 10 years



Labcraft
DESIGNER LED SOLUTIONS

2250
LUMEN



Labcraft Flux LED Panel Interior Light

12-24v 391.F500CW96

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 570mm (l) x 90mm (h) x 11mm (d)
- ✓ ECE R10, IP60
- 🕒 10 years



Labcraft
DESIGNER LED SOLUTIONS

WHITE
& RED



Labcraft Flux LED Panel/Trauma Interior Light

12-24v 391.F500CW96T

- C White/Red
- ✱ Fly lead connection
- 💡 LED
- ✕ 570mm (l) x 90mm (h) x 11mm (d)
- ✓ ECE R10, IP66
- 🕒 10 years



Labcraft
DESIGNER LED SOLUTIONS

320
LUMEN



Labcraft Omega LED Panel Interior Light

12v 391.MX3

24v 391.MX3/2

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 295mm (l) x 60mm (h) x 13mm (d)
- ✓ ECE R10, IP60
- 🕒 10 years



dun-bri
GROUP

320
LUMEN



Dun-Bri Group Valueline LED Strip Light

12v 391.100

- C White
- ✱ Fly lead connection
- 💡 LED
- ✕ 270mm (l) x 18mm (h) x 18mm (d)
- ✓ ECE R10, IP66
- 🕒 3 years



554
LUMEN



Labcraft Apollo LED Strip Light

12v 391.SVCW250/24

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 360mm (l) x 37mm (h) x 16mm (d)
- ✓ ECE R10, IP50
- 🕒 3 years



WITH
SWITCH



Labcraft Apollo LED Strip Light

12v 391.SVCW250/24S

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 360mm (l) x 37mm (h) x 16mm (d)
- ✓ ECE R10, IP50
- 🕒 3 years



1108
LUMEN



Labcraft Apollo LED Strip Light

12v 391.SVCW50048

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 610mm (l) x 37mm (h) x 16mm (d)
- ✓ ECE R10, IP50
- 🕒 3 years



WITH
SWITCH



Labcraft Apollo LED Strip Light

12v 391.SVCW500/48S

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 610mm (l) x 37mm (h) x 16mm (d)
- ✓ ECE R10, IP50
- 🕒 3 years



WITH
SWITCH



Labcraft Power Apollo LED Strip Light

12v 391.SVCW605

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 360mm (l) x 37mm (h) x 16mm (d)
- ✓ ECE R10, IP50
- 🕒 3 years



554
LUMEN



Labcraft Nebula LED Strip Light

12v 391.SI5CW500 **24v** 391.SI5CW500/2

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 624mm (l) x 44mm (h) x 15mm (d)
- ✓ ECE R10, IP66
- 🕒 10 years



WITH
SWITCH



Labcraft Nebula LED Strip Light

12v 391.SI5CW500/S **24v** 391.SI5CW500/2S

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 624mm (l) x 44mm (h) x 15mm (d)
- ✓ ECE R10, IP66
- 🕒 10 years



1108
LUMEN



Labcraft Nebula LED Strip Light

12v 391.SI5CW1000 **24v** 391.SI5CW1000/2

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 1000mm (l) x 44mm (h) x 15mm (d)
- ✓ ECE R10, IP66
- 🕒 10 years



WITH
SWITCH



Labcraft Nebula LED Strip Light

12v 391.SI5CW1000S **24v** 391.SI5CW1000/2S

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 1000mm (l) x 44mm (h) x 15mm (d)
- ✓ ECE R10, IP66
- 🕒 10 years



Labcraft Power Nebula
LED Strip Light

12v 391.SI5605/12v **24v** 391.SI5605/24v

- C** White
- Fly lead connection
- LED
- 624mm (l) x 44mm (h) x 15mm (d)
- ECE R10, IP66
- 10 years



Labcraft Power Nebula
LED Strip Light

12v 391.SI56055/12v **24v** 391.SI56055/24v

- C** White
- Fly lead connection
- LED
- 624mm (l) x 44mm (h) x 15mm (d)
- ECE R10, IP66
- 10 years



Labcraft Power Orizon
LED Strip Light

12v 391.LEDCW605 **24v** 391.LEDCW605/2

- C** White
- Fly lead connection
- LED
- 272mm (l) x 18mm (h) x 11mm (d)
- ECE R10, IP66
- 10 years



Labcraft Orizon
LED Panel Interior Light

12v 391.LEDCW500PVI **24v** 391.LEDCW500PVI/2

- C** White
- Fly lead connection
- LED
- 522mm (l) x 18mm (h) x 11mm (d)
- ECE R10, IP66
- 10 years



Labcraft Orizon
LED Strip Light

12v 391.LEDCW1000PVI **24v** 391.LEDCW1000PVI/2

- C** White
- Fly lead connection
- LED
- 1022mm (l) x 18mm (h) x 11mm (d)
- ECE R10, IP66
- 10 years



Labcraft Power Orizon
LED Strip Light

12v 391.LEDCW1205 **24v** 391.LEDCW1205/2

- C** White
- Fly lead connection
- LED
- 522mm (l) x 18mm (h) x 11mm (d)
- ECE R10, IP66
- 10 years



Labcraft Trilite LED
LED Strip Light

12v 391.KL605 **24v** 391.KL605/2/24v

- C** White
- Fly lead connection
- LED
- 381mm (l) x 78mm (h) x 24mm (d)
- ECE R10, IP50
- 10 years



Labcraft Trilite LED
LED Strip Light

12v 391.KL1205 **24v** 391.KL1205/2

- C** White
- Fly lead connection
- LED
- 381mm (l) x 78mm (h) x 24mm (d)
- ECE R10, IP50
- 10 years



Labcraft Trilite LED
LED Strip Light

12v 391.KL1805

- C** White
- Fly lead connection
- LED
- 381mm (l) x 78mm (h) x 24mm (d)
- ECE R10, IP50
- 10 years



Labcraft Linear LED LED Strip Light

12v 391.DX605 **24v** 391.DX605/2

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 381mm (l) x 78mm (h) x 24mm (d)
- ✓ ECE R10, IP50
- 🕒 10 years



Labcraft Linear LED LED Strip Light

12v 391.DX1205

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 381mm (l) x 78mm (h) x 24mm (d)
- ✓ ECE R10, IP50
- 🕒 10 years



Labcraft Linear LED LED Strip Light

12v 391.DX1805

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 381mm (l) x 78mm (h) x 24mm (d)
- ✓ ECE R10, IP50
- 🕒 10 years



LED Autolamps LED Strip Light

12v 309.101612 **24v** 309.101624

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 100mm (l) x 25mm (h) x 10mm (d)
- ✓ CE, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.103112 **24v** 309.103124

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 150mm (l) x 25mm (h) x 10mm (d)
- ✓ CE, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.106112 **24v** 309.106124

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 300mm (l) x 25mm (h) x 10mm (d)
- ✓ CE, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.1012112 **24v** 309.1012124

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 600mm (l) x 25mm (h) x 10mm (d)
- ✓ CE, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.40260 **24v** 309.4026024

- C White
- ✕ Fly lead connection
- 💡 LED
- ✕ 260mm (l) x 40mm (h) x 11mm (d)
- ✓ ECE R10, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.40410 **24v** 309.4041024

- C White
- ✕ Fly lead connection
- 💡 Not applicable
- ✕ 410mm (l) x 40mm (h) x 11mm (d)
- ✓ ECE R10, IP53
- 🕒 3 years



LED Autolamps LED Strip Light

12v 309.40770 **24v** 309.4077024

- C** White
- Fly lead connection
- LED
- 770mm (l) x 40mm (h) x 11mm (d)
- ECE R10, IP53
- 3 years



LED Autolamps LED Strip Light

12v 309.40310 **24v** 309.4031024

- C** White
- Fly lead connection
- LED
- 310mm (l) x 40mm (h) x 11mm (d)
- ECE R10, IP53
- 3 years



LED Autolamps LED Strip Light

12v 309.40660 **24v** 309.4066024

- C** White
- Fly lead connection
- LED
- 600mm (l) x 40mm (h) x 11mm (d)
- ECE R10, IP53
- 3 years



LED Autolamps Flexible LED Strip Light

12v 309.FSL457W

- C** White
- Fly lead connection
- LED
- 457mm (l) x 12mm (h) x 5mm (d)
- ECE R10, IP67
- 2 years



LED Autolamps Flexible LED Strip Light

12v 309.FSL610W

- C** White
- Fly lead connection
- LED
- 610mm (l) x 12mm (h) x 5mm (d)
- ECE R10, IP67
- 2 years



LED Autolamps Flexible LED Strip Light

12v 309.FSL914W

- C** White
- Fly lead connection
- LED
- 914mm (l) x 12mm (h) x 5mm (d)
- ECE R10, IP67
- 2 years



LED Autolamps Flexible LED Strip Light

12v 309.FSL1140W

- C** White
- Fly lead connection
- LED
- 1140mm (l) x 12mm (h) x 5mm (d)
- ECE R10, IP67
- 2 years



WAS LW08 LED Strip Light

12v 335.728

- C** White
- Fly lead connection
- LED
- 238mm (l) x 21mm (h) x 10mm (d)
- ECE R10, IP68
- 1 year



WAS LW01/2 LED Strip Light

12v 335.728SWITCH

- C** White
- Fly lead connection
- LED
- 238mm (l) x 21mm (h) x 10mm (d)
- ECE R10, IP68
- 1 year



Labcraft

5 MIN.
TIMER



Labcraft Master PIR
PIR Switch

12v 391.TSWP5PIR/4.5 **24v** 391.TSWP5PIR/2

- C** White
- ✕** Fly lead connection
- ⚡** Not applicable
- ✕** 140mm (l) x 100mm (h) x 20mm (d)
- ✓** ECE R10, IP50
- ⌚** 5 years



Labcraft

30 SEC.
TIMER



Labcraft Slimline PIR
PIR Switch

12v 391.TST105PIR

- C** White
- ✕** Fly lead connection
- ⚡** Not applicable
- ✕** 120mm (l) x 44mm (h) x 19mm (d)
- ✓** ECE R10, IP50
- ⌚** 5 years



Labcraft

5 MIN.
TIMER



Labcraft Slimline PIR
PIR Switch

12v 391.TST15PIR

- C** White
- ✕** Fly lead connection
- ⚡** Not applicable
- ✕** 120mm (l) x 44mm (h) x 19mm (d)
- ✓** ECE R10, IP50
- ⌚** 5 years