

LIGHTBARS

56 VISION ALERT
72 BRITAX
78 REDTRONIC
84 911 SIGNAL
86 LAP ELECTRICAL
88 STAR WARNING

We have the most comprehensive range of lightbars in Europe, from all of the big brands, in all types of technology and size. At Dun-Bri we pride ourselves on giving you the right advice when you choose your lightbar and we can even work with you to design the perfect solution to your requirements. Just ask us for this free of charge service





www.dun-bri.com/lightbars-sirens

FIND LIGHTBARS BY RANGE

**Vision Alert 12 Series**

Page 56

New to Vision Alert in 2014, the 12 Series is a low cost, high output all-LED lightbar. Produced using reinforced a polycarbonate chassis and UV-stabilised lenses, the lightbar is available in a range of standard sizes and options

Available in:

- High-power LED

Options include:

- LED alley lights
- LED work lights
- Stop, tail & indicators

**Vision Alert 15 Series**

Page 58

One of the first LED lightbars produced that was under 2" tall, the 15 Series is now popular across the world and is the lightbar of choice for many recovery operators including the AA, highways vehicles and the emergency services

Available in:

- High-power TIR LED
- Lux™ LED

Options include:

- Alley & work lights
- Stop, tail & indicators
- Illuminated centre signage
- Coloured top lenses

**Vision Alert 60 Series**

Page 62

Popular as a medium-profile halogen rotator lightbar with its unique free-form optics, the 60 Series is also highly configurable with warning source choices including xenon strobe and Halo LED. Custom sizes and specifications can be built to order

Available in:

- Halo™ LED
- Halogen rotator
- Xenon strobe

Options include:

- Stop, tail & indicators
- Work lights & alley lights
- Additional alternating lights
- Illuminated centre signage

**Vision Alert 65 Series**

Page 66

A combination of classic styling and modern technology, every model of the 65 Series from Vision Alert is ECE R65 approved making it ideal for all types of customers who require high-performance amber or blue warning

Available in:

- High-power LED

Options include:

- Illuminated centre signage
- Stop, tail & indicators

**Vision Alert 70 Series**

Page 68

Classically styled and incredibly configurable, the 70 Series is Vision Alert's longest serving and Dun-Bri Group's best-selling lightbar that is available in LED, halogen rotator and xenon strobe options. Can be specified with virtually limitless choices

Available in:

- Economy LED
- Halogen rotator
- Xenon strobe

Options include:

- Additional alternating lights
- Centre & LED matrix signs
- Stop, tail & indicators
- Alley & work lights

**Britax Aerolite A6**

Page 72

Used on all types of vehicles up and down the country, the A6 lightbar from Britax is available with halogen rotator, xenon strobe or economy LED technologies. These lightbars are available in a variety of lengths with a set of standard module layouts per length

Available in:

- Economy LED
- High-power LED
- Halogen rotator
- Xenon strobe

Options include:

- Illuminated centre signage
- Stop, tail & indicators
- Work lighting

**Britax Aerolite A13**

Page 76

This low-profile all-LED lightbar is based on the original A6 lightbar but is reinforced and available in high-power LED configurations. Suitable for all types of vehicles, they are available in a selection of lengths to suit your car, van, truck or machine

Available in:

- Economy LED
- High-power LED

Options include:

- Economy or ECE R65 LED
- Clear or coloured lenses

**Redtronic Bullitt**

Page 78

Devised and built in the UK by Redtronic, the Bullitt is a modern, aerodynamic all-LED lightbar available in basic or advanced options. The more advanced version allows for future LED expansion and user reconfiguration at your own site

Available in:

- High-power LED

Options include:

- Stop, tail & indicators
- Work lights & alley lights
- Illuminated centre signage
- Clear or coloured lenses

**Redtronic Mega-flash FX**

Page 80

Revised with newly improved FX Technology LED modules, the Mega-flash from Redtronic is a popular choice for ancillary and emergency service users across Europe. Highly configurable lightbar available in many lengths - built in the UK

Available in:

- High-power LED

Options include:

- Illuminated centre signage
- Stop, tail & indicators
- Work & alley lighting
- Clear or coloured lenses

If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**

FIND LIGHTBARS BY RANGE



911 Signal Warrior
Page 84

Featuring a brand-new design for 2015, the Warrior is incredibly powerful yet sleek and inexpensive. The lightbar is fitted with unique 12-LED modules that are approved to ECE R65. Features aluminium reinforced chassis

Available in:

- High-power LED



LAP Electrical Titan
Page 86

Designed and built in the UK, the Titan is a low-cost lightbar with a traditional appearance and unique LED optics for enhanced warning performance. Can be ordered in standard lengths or customised as per your requirements with ease

Available in:

- High-power LED

Options include:

- LED alley lights
- Stop, tail & indicators
- Additional alternating lights
- Illuminated centre signage



Star Warning Razor
Page 88

Single-deck LED lightbar of the twin range of aerodynamic lightbars available from Star Warning Systems. The Razor features optics enhanced in partnership with Dun-Bri Group to make them all ECE R65 approved

Available in:

- High-power LED

Options include:

- LED alley lights
- LED work lights
- Stop, tail & indicators



Star Warning Sabre
Page 90

This highly configurable dual-deck lightbar from Star Warning, the Sabre can be fitted with multiple options that can be fitted wherever you require according to your specifications. Features ECE R65 approved optics as used in the Razor model

Available in:

- High-power LED

Options include:

- Alley & work lights
- Stop, tail & indicators
- Illuminated centre signage
- Coloured top lenses

FIND BY BRAND



Vision Alert
Pages 56-71

With a commitment to quality and innovation, Vision Alert are known throughout the world with their range of low, medium & high-profile lightbars of all types

- LED lightbars
- Rotating lightbars
- Xenon strobe lightbars



Britax®
Pages 72-77

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- LED lightbars
- Rotating lightbars
- Xenon strobe lightbars



Redtronic®
Pages 78-83

Designed, built and assembled in the UK, the Mega-flash lightbar has become a popular choice for many fleet engineers and is now offered with the Bullitt

- LED lightbars



911 Signal®
Pages 84-85

Low-cost, all-LED high performance warning lightbars from 911 Signal will impress all types of end-users with their output and durability


- LED lightbars



LAP Electrical
Pages 86-87

With exceptional customer service levels, the Titan LED lightbar from LAP is durable and cost-efficient. Made in the United Kingdom

- LED lightbars




Star Warning
Pages 88-91


Developed with us to ensure compliance with ECE R65, the Star range of LED lightbars features a single and dual-deck offering

- LED lightbars

VISION ALERT // 12 SERIES



Powerful LED modules




Stop, tail & indicators



LED alley/work lights

Approvals & warranty




Colour options



- Low-profile, robust all-LED lightbar with aluminium reinforced chassis and clear UV-stabilised polycarbonate top lenses
- Options include LED work & alley lights and stop, tail & indicator modules (available from Qtr 3, 2015)
- Available in 48", 54" and 60" length models
- Customised models available, ask us for details




48" // 1.25m



12-24V 300.1210021V

- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1220mm (l) x 279mm (d) x 64mm (h)


54" // 1.37m



12-24V 300.1210022V



- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1370mm (l) x 279mm (d) x 64mm (h)

60" // 1.52m




12-24V 300.1210023V

- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1520mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210024V

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 10.8A @ 12VDC
- X** 1220mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210025V

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 11.6A @ 12VDC
- X** 1370mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210025V/STI

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights; 2x STI
- A** 13.2A @ 12VDC
- X** 1370mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210027V

- C** Amber (Clear lens)
- M** 16x 3-LED modules
- A** 7.2A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)



12-24v 300.1210026V


- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 11.6A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)



12-24v 300.1210026V/STI

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights; 2x STI
- A** 13.2A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)

VISION ALERT // 15 SERIES



TIR LED module




Optional STI modules



Plug & play electronics

Approvals & warranty




Colour options



- Ultra low-profile, LED lightbar with aluminium chassis and UV-stabilised polycarbonate lenses
- Options include the choice of standard TIR LED or ECE R65 compliant Lux modules; work & alley lights; centre signs; additional alternating lights; stop, tail & indicator modules and coloured top lenses
- Available in 23", 39", 49", 54", 59" and 69" length models



23" // 0.59m



ECE R65

12-24V 300.15L01325V

- C Amber (Clear lens)
- M 12x Lux LED modules
- A 5.6A @ 12VDC
- X 590mm (l) x 310mm (d) x 53mm (h)

39" // 0.98m



ECE R65

12-24V 300.15L01326V

- C Amber (Clear lens)
- M 12x Lux LED modules; Centre sign
- A 5.6A @ 12VDC
- X 980mm (l) x 310mm (d) x 53mm (h)


49" // 1.24m




ECE R65

12-24V 300.15L01327V

- C Amber (Clear lens)
- M 12x Lux LED modules; Centre sign
- A 5.6A @ 12VDC
- X 1240mm (l) x 310mm (d) x 53mm (h)




Lux LED module




12v 300.1500013 **24v** 300.1500046

- C** Amber (Clear lens)
- M** 6x 4-LED modules
- A** 1.2A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500015 **24v** 300.1500047

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500019 **24v** 300.1500048

- C** Amber (Clear lens)
- M** 10x 4-LED modules
- A** 2.0A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500035 **24v** 300.1500174V

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 704.3897732LED/12v **24v** 704.3897732LED/24v

- C** Amber
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 704.3897740LED/12v **24v** 704.3897740LED/24v

- C** Amber
- M** 10x 4-LED modules
- A** 2.0A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 300.1500036 **24v** 300.1500126V

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)



12v 300.1500163 **24v** 300.1500143

- C** Amber (Clear lens)
- M** 12x 4-LED modules
- A** 2.5A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)



12v 704.49124048LED/12v **24v** 704.49124048LED/24v

- C** Amber
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)

VISION ALERT // 15 SERIES



Lux LED module



Optional sign text

54" // 1.37m

ECE
R65

12-24v 300.15L01328V

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01328V/STI

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Sign; Stop, tail & indicators
- A** 8.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01328V/A

- C** Amber
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

59" // 1.5m

ECE
R65


12-24v 300.15L01329V

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01329V/A

- C** Amber
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)



12v 300.1500172V

24v 300.1500173V

- C** Amber (Clear lens)
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)

69" // 1.76m

ECE
R65


12-24v 300.15L01330V

- C** Amber (Clear lens)
- M** 24x Lux LED modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01330V/A


- C** Amber
- M** 24x Lux LED modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)





12v 300.1500330V

24v 300.1500274

- C** Amber (Clear lens)
- M** 16x 4-LED modules
- A** 3.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)




TIR LED module




12v 300.1500038V **24v** 300.1500170V

- C** Amber (Clear lens)
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)




12v 704.54137048LED/12v **24v** 704.54137048LED/24v

- C** Amber
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)




12v 704.59150056LED/12v **24v** 704.59150056LED/24v

- C** Amber
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)




12v 300.1500330V/STI **24v** 300.1500274/STI

- C** Amber (Clear lens)
- M** 16x 4-LED modules; Stop, tail & indicators
- A** 4.0A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)



12v 704.69176064LED/12v **24v** 704.69176064LED/24v


- C** Amber
- M** 16x 4-LED modules
- A** 3.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)



12v 704.69176064LED/STI/12v **24v** 704.69176064LED/STI/24v

- C** Amber
- M** 16x 4-LED modules; Stop, tail & indicators
- A** 4.0A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)

VISION ALERT // 60 SERIES



Optional dual alley light



Optional alternating lights

Approvals & warranty

3

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED

Colour options

AMBER

DIN BLUE


GREEN

RED

- Mid-profile lightbar in halogen rotator, xenon strobe and Halo™ LED technologies with aluminium chassis and UV-stabilised polycarbonate lenses
- Can be heavily customised to include work & alley lights; centre signs; additional alternating lights; stop, tail & indicator modules; driving lamps and more
- Available in 22", 29", 39", 48", 54", 60" and 72" length models as standard



22" // 0.57m



ECE R65

12v 300.6000424 24v 300.6000465

- C Amber (Clear lens)
- M 2x Halo LED modules
- A 2.4A @ 12VDC
- X 570mm (l) x 210mm (d) x 108mm (h)

29" // 0.74m



ECE R65

12v 300.6000425 24v 300.6000466

- C Amber (Clear lens)
- M 2x Halo LED modules; Centre sign
- A 3.4A @ 12VDC
- X 742mm (l) x 210mm (d) x 108mm (h)


39" // 1.0m



ECE R65

12v 300.6000426 24v 300.6000467

- C Amber (Clear lens)
- M 2x Halo LED modules; Centre sign
- A 3.4A @ 12VDC
- X 1000mm (l) x 210mm (d) x 108mm (h)




Xenon strobe module

ECE
R65


12v 300.600AA01 24v 300.600AA02/24v

- C Amber
- M 2x Halogen rotator modules
- A 9.2A @ 12VDC
- X 570mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12-24v 300.6F0AA00

- C Amber
- M 2x ECE R65 xenon strobe modules
- A 3.8A @ 12VDC
- X 570mm (l) x 210mm (d) x 108mm (h)



12-24v 300.6A0AA00

- C Amber
- M 2x Xenon strobe modules
- A 3.8A @ 12VDC
- X 570mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6023A01/12v 24v 300.6023A02

- C Amber
- M 2x Halogen rotator modules; Centre sign
- A 10.2A @ 12VDC
- X 742mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6F23A01 24v 300.6F23A02

- C Amber
- M 2x ECE R65 xenon strobe modules; Centre sign
- A 4.8A @ 12VDC
- X 742mm (l) x 210mm (d) x 108mm (h)



12v 300.6A23A01 24v 300.6A23A02

- C Amber
- M 2x Xenon strobe modules; Centre sign
- A 4.8A @ 12VDC
- X 742mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6033A01 24v 300.6033A02

- C Amber
- M 2x Halogen rotator modules; Centre sign
- A 10.2A @ 12VDC
- X 1000mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6033A01AAAAAB 24v 300.6033A02AAAAAB

- C Amber
- M 2x Halogen rotator modules; 4x LED modules; Centre sign
- A 11.0A @ 12VDC
- X 1000mm (l) x 210mm (d) x 108mm (h)




12v 300.6A33A01 24v 300.6A33A02

- C Amber
- M 2x Xenon strobe modules; Centre sign
- A 4.8A @ 12VDC
- X 1000mm (l) x 210mm (d) x 108mm (h)

VISION ALERT // 60 SERIES



Rotator module



Clear/coloured lenses

48" // 1.21m

ECE
R65

12v 300.6000427V 24v 300.6000468V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6043A01 24v 300.6043A02

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6043A01 CAAA 24v 300.6043A02 CAAA

- C** Amber
- M** 2x Halogen rotator modules; 2x Worklamps; Centre sign
- A** 19.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)

54" // 1.37m

ECE
R65

12v 300.6000429V 24v 300.6000470V

- C** Amber (Clear lens)
- M** 4x Halo LED modules; Centre sign
- A** 5.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6000428V 24v 300.6000469V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6001008V 24v 300.6001009V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; 2x VigiLED; Centre sign
- A** 5.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)

60" // 1.52m

ECE
R65

12v 300.6000527V 24v 300.6000528V

- C** Amber (Clear lens)
- M** 4x Halo LED modules; Centre sign
- A** 5.8A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)

ECE
R65


12v 300.6053A01 24v 300.6053A02

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)


ECE
R65

12v 300.6053A01 CAAA 24v 300.6053A02 CAAA

- C** Amber
- M** 2x Halogen rotator modules; 2x Worklamps; Centre sign
- A** 19.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)



Halo™ LED module

ECE
R65

12v 300.6043A01ACAA 24v 300.6043A02ACAA

- C** Amber
M 2x Halogen rotator modules; 2x LED Stop/tail/indicators; Centre sign
A 11.2A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)



12v 300.6240A01 24v 300.6240A02

- C** Amber
M 4x Halogen rotator modules
A 19.4A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65


12-24v 300.6G40A00

- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6083A01 24v 300.6083A02

- C** Amber
M 2x Halogen rotator modules; Centre sign
A 10.2A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)



12v 300.6280A01 24v 300.6280A02

- C** Amber
M 4x Halogen rotator modules
A 19.4A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)



12-24v 300.6B80A00

- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)




12v 300.6253A01ACAA 24v 300.6253A02ACAA

- C** Amber
M 2x Halogen rotator modules; 2x LED Stop/tail/indicators; Centre sign
A 20.6A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)



12v 300.6253A01AAAA9R 24v 300.6253A02AAAA9R


- C** Amber
M 4x Halogen rotator modules; 4x LED modules; Centre sign
A 21.5A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)



12-24v 300.6B50A00

- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)

VISION ALERT // 65 SERIES



Powerful LED modules

Approvals & warranty

3
YEAR
WARRANTY

ECE R10
APPROVED

ECE R65
APPROVED

CE
APPROVED

Colour options


AMBER

DIN BLUE

- Low-profile, robust all-LED lightbar with aluminium chassis and clear UV-stabilised polycarbonate top lenses
- Options include work & alley lights; centre signs and stop, tail & indicator modules
- Available in 24", 41", 49", 56", 62", 74" and 85" models
- Customised models available, ask us for details



24" // 0.63m



ECE
R65

300.6500001V

- C Amber (Clear lens)
- M 8x 6-LED modules
- A 6.4A @ 12VDC
- X 630mm (l) x Xmm (d) x Xmm (h)

49" // 1.27m



ECE
R65

300.6500003V

- C Amber (Clear lens)
- M 8x 6-LED modules
- A 6.4A @ 12VDC
- X 1275mm (l) x Xmm (d) x Xmm (h)


62" // 1.59m



ECE
R65

300.6500005V

- C Amber (Clear lens)
- M 8x 6-LED modules
- A 6.4A @ 12VDC
- X 1590mm (l) x Xmm (d) x Xmm (h)



Stop, tail & indicators



41" // 1.06m

ECE
R65

12-24V 300.6500002V

- C** Amber (Clear lens)
M 8x 6-LED modules; Centre sign
A 6.4A @ 12VDC
X 1060mm (l) x Xmm (d) x Xmm (h)

ECE
R65


12-24V 300.6500100REC

- C** Amber (Clear lens)
M 8x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 9.0A @ 12VDC
X 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500103REC

- C** Amber (Clear lens)
M 10x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 10.2A @ 12VDC
X 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65


12-24V 300.6500057REC

- C** Amber (Clear lens)
M 12x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 11.0A @ 12VDC
X 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65


12-24V 300.6500101REC

- C** Amber (Clear lens)
M 8x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 9.0A @ 12VDC
X 1590mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500104REC

- C** Amber (Clear lens)
M 10x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 10.2A @ 12VDC
X 1590mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500058REC

- C** Amber (Clear lens)
M 12x 6-LED modules; 2x Stop, tail & indicators; Centre sign
A 11.0A @ 12VDC
X 1590mm (l) x Xmm (d) x Xmm (h)

VISION ALERT // 70 SERIES



Xenon strobe module



Clear/coloured baffles

Approvals & warranty

3

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED

Colour options

AMBER

DIN BLUE

GREEN

RED

- High-profile lightbar in halogen rotator, xenon strobe and economy LED technologies with aluminium chassis and UV-stabilised polycarbonate lenses
- Can be heavily customised to include work & alley lights; centre signs; additional alternating lights; stop, tail & indicators; driving lamps; message signs and more
- Available in 22", 29", 39", 48", 54", 60" and 72" length models as standard



22" // 0.57m



12-24v 300.7000324V

C Amber

M 2x Economy LED modules

A 2.0A @ 12VDC

X 570mm (l) x 210mm (d) x 147mm (h)

29" // 0.74m



12v 300.702001 24v 300.702002/24v

C Amber

M 2x Halogen rotator modules; Centre sign

A 10.2A @ 12VDC

X 742mm (l) x 210mm (d) x 147mm (h)



39" // 1.0m



12-24v 300.7000325V

C Amber


M 2x Economy LED modules

A 2.0A @ 12VDC

X 1000mm (l) x 210mm (d) x 147mm (h)



Halogen rotator module




SURVEYING

ECE
R65


12v 300.700001/12v 24v 300.700002/24v

- C** Amber
- M** 2x Halogen rotator modules
- A** 9.2A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12-24v 300.7F0000

- C** Amber
- M** 2x ECE R65 xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)



12-24v 300.710000

- C** Amber
- M** 2x Xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.7F2001 24v 300.7F2002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 147mm (h)



12v 300.712001 24v 300.712002

- C** Amber
- M** 2x Xenon strobe modules
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 147mm (h)



12-24v 300.7000328V

- C** Amber
- M** 2x Economy LED modules; 2x VigilLED modules
- A** 3.4A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.703001/12v 24v 300.703002/24v


- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.7F3001 24v 300.7F3002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)


VISION ALERT // 70 SERIES



Optional dual alloy lights

Optional sign text

48" // 1.21m



12-24v 300.7000326V

- C** Amber
- M** 2x Economy LED modules
- A** 2.0A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



ECE R65

12v 300.704001/12v 24v 300.704002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



12v 300.704501 24v 300.704502

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)


54" // 1.37m



ECE R65

12v 300.708001/12v 24v 300.708002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



ECE R65

12v 300.708901AAW 24v 300.709902AAW

- C** Amber
- M** 2x Halogen rotator modules; LED message sign
- A** 15.0A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



12v 300.728001 24v 300.728002

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)

60" // 1.52m



12-24v 300.7000327V

- C** Amber
- M** 2x Economy LED modules
- A** 2.0 @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



ECE R65


12v 300.705001/12v 24v 300.705002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



12v 300.725001 24v 300.725001/24v

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



Economy LED module

Optional VigilLED



12v 300.714001 24v 300.714002

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



12v 300.714901AAW 24v 300.714902AAW

- C** Amber
- M** 2x Xenon strobe modules; LED message sign
- A** 10.6A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



12-24v 300.734000

- C** Amber
- M** 4x Xenon strobe modules
- A** 9.6A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



12v 300.7F8001 24v 300.7F8002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



12v 300.718001 24v 300.718002

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



12v 300.738001 24v 300.738002

- C** Amber
- M** 4x Xenon strobe modules; Centre sign
- A** 10.6A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



12v 300.7F5001 24v 300.7F5002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



12v 300.7G5001 24v 300.7G5002


- C** Amber
- M** 4x ECE R65 xenon strobe modules; Centre sign
- A** 10.6A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



12v 300.7G5901AAW 24v 300.7G5902AAW

- C** Amber
- M** 4x Xenon strobe modules; LED message sign
- A** 15.4A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)

BRITAX // AEROLITE A6




Xenon strobe module



Optional worklamps

Approvals & warranty




Colour options



- Rugged and inexpensive lightbar with reinforced plastic chassis and UV-stabilised polycarbonate lenses
- Choice of halogen rotator, xenon strobe and ECE R65 approved or economy LED modules
- Custom features include rear work lights; centre signs and stop, tail & indicator modules
- Available in 20", 29", 30", 39", 49" and 59" length models as standard



20" // 0.52m		
	12-24v 305.A6602000LDV	
	C Amber	
	M 2x ECE R65 LED modules	
	A 5.4A @ 12VDC	
	X 520mm (l) x 200mm (d) x 165mm (h)	
29" // 0.75m		
	12-24v 305.A6612200DV	
	C Amber	
	M 2x ECE R65 LED modules; Centre sign	
	A 5.4A @ 12VDC	
	X 750mm (l) x 200mm (d) x 165mm (h)	
30" // 0.77m		
	12-24v 305.A6624000LDV	
	C Amber	
	M 4x ECE R65 LED modules	
	A 9.0A @ 12VDC	
	X 770mm (l) x 200mm (d) x 165mm (h)	



12-24v 305.A6702000DV


- C** Amber
- M** 2x Economy LED modules
- A** 2.0A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)



ECE
R65


12v 305.A620200012V 24v 305.A620200024V

- C** Amber
- M** 2x Halogen rotator modules
- A** 10.2A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)




12-24v 305.A6302000DV

- C** Amber
- M** 2x Xenon strobe modules
- A** 2.1A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6712200DV


- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)



ECE
R65

12v 305.A621220012V 24v 305.A621220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6312200DV

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 2.1A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)



12-24v 300.A6724000DV

- C** Amber
- M** 4x Economy LED modules
- A** 3.4A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)



ECE
R65

12v 305.A622400012V 24v 305.A622400024V

- C** Amber
- M** 4x Halogen rotator modules
- A** 19.8A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6324000DV

- C** Amber
- M** 4x Xenon strobe modules
- A** 4.2A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)

BRITAX // AEROLITE A6



Halogen rotator module



Optional sign text

39" // 1.0m

ECE
R65


12-24v 305.A6334200DV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6637200LDV

- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6642200LDV

- C** Amber
M 2x ECE R65 LED modules; Centre sign
A 5.4A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

49" // 1.25m

ECE
R65

12-24v 305.A6654200LDV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6657200LDV


- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6656300LDV


- C** Amber
M 2x ECE R65 LED modules; 2x LED worklamps; STI modules
A 7.4A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)

59" // 1.5m

ECE
R65


12-24v 305.A6674200DV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0 @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6676300DV

- C** Amber
M 2x ECE R65 LED modules; 2x LED worklamps; STI modules
A 7.4A @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)


ECE
R65

12-24v 305.A6677200LDV

- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)




Economy LED module



12-24v 305.A6742200DV


- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



ECE R65

12v 305.A623420012V 24v 305.A623420024V


- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.8A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



ECE R65


12v 305.A624220012V 24v 305.A624220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6762200DV


- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



ECE R65


12v 305.A626220012V 24v 305.A626220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6362100DV


- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 2.1A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



ECE R65


12-24v 305.A6682200LDV

- C** Amber
- M** 2x ECE R65 LED modules; Centre sign
- A** 5.4A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6774200DV

- C** Amber
- M** 4x Economy LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)



12v 305.A627420012V 24v 305.A627420024V

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.8A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)

BRITAX // AEROLITE A13



Economy LED module

Approvals & warranty

2

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED


Colour options

AMBER

- Rugged and inexpensive all-LED lightbar with reinforced plastic chassis and UV-stabilised clear or amber polycarbonate lenses
- Choice of ECE R65 approved configurations or economy LED options
- Available in 30", 39", 49" and 59" length models



30" // 0.77m



ECE R65

305.A1372000DV


C Amber

M 12x ECE R65 LED modules

A 2.5A @ 12VDC

X 770mm (l) x 200mm (d) x 105mm (h)

39" // 1.0m



ECE R65

305.A13730100DV


C Amber

M 12x ECE R65 LED modules

A 2.5A @ 12VDC

X 1000mm (l) x 200mm (d) x 105mm (h)

49" // 1.25m



ECE R65


305.A13750240DV

C Amber (Clear lens)

M 16x ECE R65 LED modules


A 2.8A @ 12VDC

X 1250mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13720040DV

- C** Amber (Clear lens)
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13722000LDV

- C** Amber
M 12x Economy LED modules
A 2.0A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13722040LDV

- C** Amber (Clear lens)
M 12x Economy LED modules
A 2.0A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13730200DV

- C** Amber
M 16x ECE R65 LED modules
A 2.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13730240DV

- C** Amber (Clear)
M 16x ECE R65 LED modules
A 2.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13732100LDV

- C** Amber
M 12x Economy LED modules
A 2.0A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13750100DV

- C** Amber
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)

ECE
R65

12-24v 305.A13750140DV


- C** Amber (Clear)
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)



12-24v 305.A13752200LDV

- C** Amber
M 20x Economy LED modules
A 3.8A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)

REDTRONIC // BULLITT



Approvals & warranty

5
YEAR
WARRANTY

ECE R10
APPROVED

ECE R65
APPROVED

CE
APPROVED

Colour options

AMBER

DIN BLUE


GREEN

RED

- Reinforced chassis with polycarbonate lenses, which are available coloured or uncoloured as required
- Incredibly flexible lightbar allows for expansion or re-configuration after purchase, with options including LED alley lights and flood lights; traffic director; stop, tail & indicator lights and illuminated centre signage
- Available in 21.5", 28", 34.5", 41", 47.5", 54", 60.5", 67", 73.5" and 80" length models



21.5" // 0.55m




ECE
R65

12-24v 389.BL255AC

- C Amber (Clear lens)
- M 8x 6-LED modules
- A 6.0A @ 12VDC
- X 550mm (l) x 300mm (d) x 40mm (h)

34.5" // 0.88m




ECE
R65

12-24v 389.BL388AC

- C Amber (Clear lens)
- M 12x 6-LED modules
- A 8.0A @ 12VDC
- X 880mm (l) x 300mm (d) x 40mm (h)

47.5" // 1.21m






ECE
R65

12-24v 389.BL3121AC

- C Amber (Clear lens)
- M 16x 6-LED modules
- A 11.0A @ 12VDC
- X 1210mm (l) x 300mm (d) x 40mm (h)




Coloured top lens

ECE
R65


12-24V 389.BL255AA

- C** Amber
M 8x 6-LED modules
A 6.0A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R65


12-24V 389.BS155AC

- C** Amber (Clear lens)
M 8x 3-LED modules
A 4.6A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R65


12-24V 389.BL155AC

- C** Amber (Clear lens)
M 4x 6-LED modules
A 3.8A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R65


12-24V 389.BL3105AC

- C** Amber (Clear lens)
M 14x 6-LED modules
A 9.4A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R65


12-24V 389.BL3105AA

- C** Amber
M 14x 6-LED modules
A 9.4A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R65

12-24V 389.BL2105AC

- C** Amber (Clear lens)
M 8x 6-LED modules
A 6.0A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R65

12-24V 389.BL3121AA

- C** Amber
M 16x 6-LED modules
A 11.0A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

ECE
R65

12-24V 389.BL2121AC

- C** Amber (Clear)
M 8x 6-LED modules
A 6.0A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

ECE
R65


12-24V 389.BS1121AC

- C** Amber
M 8x 3-LED modules
A 4.6A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

41" // 1,05m



-
- A red and yellow fire truck is shown from a front-three-quarter view. The truck features a blue emergency light bar on its roof. On the side of the cab, the phone number '211-6070' is printed in yellow. The word 'SERVICES' is visible on the side of the truck bed. A circular fire department emblem is located on the front door. The truck is parked in front of a dense forest of tall evergreen trees.




ECE
R65

20" // 0.51m

12-34V 389.FX095AA


C	Amber
M	8x FX 3-LED modules
A	4.6A @ 12VDC
X	510mm (l) x 300mm (d) x 55mm (h)

ECE
B65

35.5" // 0.9m

12-389.FX2105AC


C	Amber (Clear lens)
M	12x FX 3-LED modules
A	7.0A @ 12VDC
X	900mm (l) x 300mm (d) x 55mm (h)

ECE
B65


43" // 1.09m

12-34V 389.FX2108AC

C	Amber (Clear lens)
M	16x FX 3-LED modules
A	9.2A @ 12VDC
X	1090mm (l) x 300mm (d) x 55mm (h)




23.5" // 0,6m

ECE
R65


12-24v 389.FX100AA

- C** Amber
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX100AC

- C** Amber (Clear lens)
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX100AA/MAG

- C** Amber
M 8x FX 3-LED modules; Magnetic fitting kit
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX2105AA

- C** Amber
M 12x FX 3-LED modules
A 7.0A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1105AC

- C** Amber (Clear lens)
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1105AA

- C** Amber
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2108AA

- C** Amber
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2108AA/SIGN


- C** Amber
M 12x FX 3-LED modules; Centre sign
A 9.5A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1107AA/SIGN

- C** Amber
M 8x FX 3-LED modules; Centre sign
A 5.6A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)


REDTRONIC // MEGA-FLASH



Optional black top lens


Stop, tail & indicators

47" // 1.2m

ECE
R65

12-24v 389.FX2110AC

- C** Amber (Clear lens)
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2110AA


- C** Amber
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1109AC/STI


- C** Amber (Clear lens)
M 8x FX 3-LED modules; Stop, tail & indicators
A 6.5A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

54.5" // 1.38m

ECE
R65


12-24v 389.FX2116AC

- C** Amber (Clear lens)
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2116AA


- C** Amber
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2115AC


- C** Amber (Clear lens)
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

59" // 1.5m

ECE
R65


12-24v 389.FX2121AC

- C** Amber (Clear lens)
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)

ECE
R65



12-24v 389.FX2121AA

- C** Amber
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)


ECE
R65

12-24v 389.FX1120AC

- C** Amber (Clear lens)
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)



LED alley lighting

ECE
R65

12-24v 389.FX1109AA/SIGN

- C** Amber
M 8x FX 3-LED modules; Centre sign
A 5.6A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1109AA

- C** Amber
M 8x FX 3-LED modules
A 5.5A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1109AA/AL

- C** Amber
M 8x FX 3-LED modules; Alley lights
A 7.0A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1115AA

- C** Amber
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2115AA/AL

- C** Amber
M 12x FX 3-LED modules; Alley lights
A 10.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1120AA

- C** Amber
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)

911 SIGNAL // WARRIOR





Approvals & warranty



Colour options



- Aerodynamically shaped, low-profile LED lightbar that is inexpensive and unique in appearance
- Features ECE R65 approved high-performance LED modules with reinforced polycarbonate construction and UV-stabilised top lenses
- Available in 29" and 47" length models

29" // 0.75m		
		
47" // 1.19m		
		

12-24v

308.W011605A

C

Amber (Clear lens)

M

8x 12-LED modules

A

4.5A @ 12VDC

X

750mm (l) x 300mm (d) x 57mm (h)

12-24v

308.W011604A

C

Amber (Clear lens)

M

12x 12-LED modules

A

7.0A @ 12VDC

X

1190mm (l) x 300mm (d) x 57mm (h)





Clear top lens

911 SIGNAL

ECE
R65

12-24v 308.W011605A/E1


- C** Amber (Clear lens)
- M** 4x 12-LED modules
- A** 3.5A @ 12VDC
- X** 750mm (l) x 300mm (d) x 57mm (h)

ECE
R65


12-24v 308.W011601A/E1

- C** Amber (Clear lens)
- M** 8x 12-LED modules
- A** 4.5A @ 12VDC
- X** 1190mm (l) x 300mm (d) x 57mm (h)

LAP ELECTRICAL // TITAN



Approvals & warranty




Colour options



- Sleek, medium-profile LED lightbar with unique, powerful ECE R65 approved LED arrays
- Options include clear or coloured lenses; additional alternating LED lights; stop, tail & indicator lights; LED alley lighting and illuminated centre signage
- Available in 24", 36", 48", 60" and 72" length models as standard



24" // 0.6m



12-24v 315.TL242WA

C	Amber
M	2x 9-LED modules
A	4.0A @ 12VDC
X	600mm (l) x 211mm (d) x 65mm (h)

36" // 0.91m



12-24v 315.TL362WA


C	Amber
M	2x 9-LED modules; Centre sign
A	5.0A @ 12VDC
X	915mm (l) x 211mm (d) x 65mm (h)


48" // 1.22m




12-24v 315.TL484WA

C	Amber
M	4x 9-LED modules; Centre sign
A	8.5A @ 12VDC
X	1220mm (l) x 211mm (d) x 65mm (h)



  ECE R65 12-24v 315.TL242AC C Amber (Clear lens) M 2x 9-LED modules (Class II approved) A 4.0A @ 12VDC X 600mm (l) x 211mm (d) x 65mm (h)		
  ECE R65 12-24v 315.TL362AC C Amber (Clear lens) M 2x 9-LED modules; Centre sign A 5.0A @ 12VDC X 915mm (l) x 211mm (d) x 65mm (h)	  ECE R65 12-24v 315.TL362WA/AL C Amber M 2x 9-LED modules; Centre sign; Alley lights A 7.5A @ 12VDC X 915mm (l) x 211mm (d) x 65mm (h)	
  ECE R65 12-24v 315.TL482WA C Amber M 2x 9-LED modules; Centre sign A 5.0A @ 12VDC X 1220mm (l) x 211mm (d) x 65mm (h)	  ECE R65 12-24v 315.TL482WA/REC C Amber M 2x 9-LED modules; Front/rear directional; Centre sign; Alley lights A 9.2A @ 12VDC X 1220mm (l) x 211mm (d) x 65mm (h)	  ECE R65 12-24v 315.TL482AC C Amber (Clear) M 2x 9-LED modules; Centre sign A 5.0A @ 12VDC X 1220mm (l) x 211mm (d) x 65mm (h)

STAR WARNING // RAZOR




M-Tech LED arrays



Additional LED module

Approvals & warranty




Colour options



- Single deck version of the twin range of aerodynamic all-LED lightbars from Star Warning Systems, made exclusively with Dun-Bri Group to comply to ECE R65
- Options include alley lights; work lights; additional directional flashing LED modules and LED stop, tail & indicator modules
- Available in 36", 46" and 56" length models as standard



36" // 0.9m




ECE R65

12-24v 298.2364LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 910mm (l) x 380mm (d) x 70mm (h)

46" // 1.16m




ECE R65

12-24v 298.2464LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1160mm (l) x 380mm (d) x 70mm (h)



56" // 1.42m




ECE R65

12-24v 298.2564LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1420mm (l) x 380mm (d) x 70mm (h)




Clear/coloured lenses

ECE
R65


12-24v 298.2364LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 910mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/C/ST

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/C/4L

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2564LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)

ECE
R65

12-24v 298.2564LEDVAA/C/ST


- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)

ECE
R65

12-24v 298.2564LEDVAA/A/4L

- C** Amber
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)


STAR WARNING // SABRE



M-Tech LED arrays




Additional LED module



Optional spot lights

Approvals & warranty




Colour options



- Highly configurable, powerful dual-deck LED lightbar from Star featuring ECE R65 approved M-Tech LED arrays, designed exclusively with Dun-Bri Group
- Options include clear or coloured lenses; additional alternating lights; stop, tail & indicator lights, work lights and LED alley lighting
- Available in 36", 46" and 56" length models as standard



36" // 0.9m




ECE R65

12-24V 298.5364LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 910mm (l) x 380mm (d) x 110mm (h)

46" // 1.16m




ECE R65

12-24V 298.5464LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1160mm (l) x 380mm (d) x 110mm (h)



56" // 1.42m





ECE R65

12-24V 298.2564LEDVAA/C


- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1420mm (l) x 380mm (d) x 110mm (h)




Clear/coloured lenses

ECE
R6512-
24v 298.5364LEDVAA/A


- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 910mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.5464LEDVAA/A


- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.5464LEDVAA/A/ST


- C** Amber
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.5462LED/C


- C** Amber (Clear lens)
- M** 2x M-Tech LEDs; 2x LED modules; 4x worklights; 2x alleys
- A** 14.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.2564LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.2564LEDVAA/C/ST

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)

ECE
R6512-
24v 298.2564LEDVAA/A/4L

- C** Amber
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)