

# MINI LIGHTBARS

- 39 LED
- 43 ROTATING
- 44 XENON STROBE
- 45 STATIC FLASH

Midway between a beacon and a full-size lightbar is the minibar; up to around 16" in length, they are available in dual halogen rotating, dual xenon strobe, multiple LED and static flash options. Magnetic, single bolt and two bolt versions are available from our own brand, the Vision Alert, Britax, LAP Electrical and Redtronic ranges







[www.dun-bri.com/lightbars-sirens](http://www.dun-bri.com/lightbars-sirens)



FIND BY TECHNOLOGY



**LED**  
Page 39

Seen as the future replacement for xenon strobe minibars, these are reliable, incredibly energy efficient and compact. Some even come with selectable flash patterns to enhance your warning installation



**Rotating**  
Page 43

Still popular today despite newer warning technology, a halogen rotator is a great value product to install and easily helps you conform to Chapter 8 as all of our rotating minibars are ECE R65 approved



**Xenon Strobe**  
Page 44

Longer lasting and more energy efficient than halogen minibars, the xenon variants are very popular with all types of customers. Not to be confused with airport static flash or LED



**Static Flash**  
Page 45

Designed for use on airports and airside areas, static flash minibars are available with halogen tungsten bulb fittings. All of our range are CAP 168 compliant. They emit a low-intensity pulse to avoid dazzling pilots

FIND BY STANDARD MOUNTINGS



**Single Bolt**

Installations are made simple with a single bolt beacon, as the power cable passes through the mounting bolt of the unit. This also reduces damage to lease and hire vehicles maintaining future value



**Twin Bolt**

Used primarily where ribbed roof construction on a vehicle prohibits single bolt mounting, these lightbars are just the same as their one bolt equivalents



**Four Bolt**

The base of these minibars permits four bolt mounting, this is commonly found where the model is a smaller version of a full-size equivalent warning lightbar



**Magnetic**

For temporary use, most of our range of magnetic beacons are all approved for use up to 70mph (motorway speeds) and are fitted with a plug that works from your vehicle's cigarette lighter socket

FIND BY BRAND



**Dun-Bri Group®**

The own-brand range of LED mini lightbars from the Dun-Bri Group are designed to be durable, yet inexpensively priced for all markets

- LED mini lightbars



**Vision Alert®**

Found all over the world, they have a massive range of mini and full-size lightbars in all types of technology. Part of the ECCO Safety Group

- LED mini lightbars
- Rotating mini lightbars
- Xenon strobe mini lightbars
- Static flash mini lightbars



**Britax®**

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- LED mini lightbars
- Rotating mini lightbars
- Xenon strobe mini lightbars
- Static flash mini lightbars



**LAP Electrical**

With our stocked range of LAP mini lightbars made in the UK, they are synonymous with quality and reliability

- Rotating mini lightbars



**Redtronic®**

Specialists in UK-made LED lightbars, their ranges include the Mega-Flash and Bullitt lightbars. We stock all size variants with FX technology

- LED mini lightbars

**dun-bri**  
GROUP



### Dun-Bri Group Single Bolt LED

12-24v 311.014/LEDC

- C** Amber (Clear lens)
- W** 20w LED
- A** 1.1A @ 12VDC
- X** 300mm (l) x 150mm (d) x 80mm (h)
- ✓ ECE R10
- 🕒 1 year

**dun-bri**  
GROUP



### Dun-Bri Group Magnetic LED

12-24v 311.013/LEDC

- C** Amber (Clear lens)
- W** 20w LED
- A** 1.1 @ 12VDC
- X** 300mm (l) x 150mm (d) x 80mm (h)
- ✓ ECE R10
- 🕒 1 year

**VISION ALERT**



### Vision Alert Reflex Single Bolt LED

12-24v 300.5580CAVA

- C** Amber (Clear lens)
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**



### Vision Alert Reflex Single Bolt LED

12-24v 300.5580A

- C** Amber
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**




### Vision Alert Reflex Twin Bolt LED

12-24v 300.5580CAVA2

- C** Amber (Clear lens)
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**



### Vision Alert Reflex Twin Bolt LED

12-24v 300.5580AVA2

- C** Amber
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**



### Vision Alert Reflex Magnetic LED

12-24v 300.5580CAVAMAG

- C** Amber (Clear lens)
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**



### Vision Alert Reflex Magnetic LED

12-24v 300.5580AVAMAG

- C** Amber
- W** 24w LED
- A** 3.5A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10
- 🕒 2 years

**VISION ALERT**



### Vision Alert Reflex Single Bolt High Power LED

12-24v 300.5565CAVA1

- C** Amber (Clear lens)
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

**ECE  
R65**



ECE R65

**Vision Alert Reflex**  
Single Bolt High Power LED

12-24v 300.5565AVA1

- C** Amber
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Vision Alert Reflex**  
Twin Bolt High Power LED

12-24v 300.5565CAVA2

- C** Amber (Clear lens)
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Vision Alert Reflex**  
Twin Bolt High Power LED

12-24v 300.5565AVA2

- C** Amber
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Vision Alert Reflex**  
Magnetic High Power LED

12-24v 300.5565CAVAMAG

- C** Amber (Clear lens)
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Vision Alert Reflex**  
Magnetic High Power LED

12-24v 300.5565AVAMAG

- C** Amber
- W** 72w LED
- A** 5.1A @ 12VDC
- X** 381mm (l) x 229mm (d) x 63mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



**Vision Alert Blaze 2**  
Single Bolt LED

12-24v 300.6500203

- C** Amber
- W** 24w LED
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Vision Alert Blaze 2**  
Twin Bolt LED

12-24v 300.6500202

- C** Amber
- W** 24w LED
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Vision Alert Blaze 2**  
Magnetic LED

12-24v 300.6500204

- C** Amber
- W** 24w LED
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Britax A101**  
Single Bolt LED

12-24v 305.A10100LDV

- C** Amber (Clear lens)
- W** 12w LED
- A** 2.0A @ 12VDC
- X** 278mm (l) x 68mm (d) x 87.5mm (h)
- ✓ ECE R10
- 🕒 2 years



**Britax**

**Britax A100**  
Magnetic LED

12-24v 305.A10000LDV

C	Amber (Clear lens)
W	12w LED
A	2.0A @ 12VDC
X	278mm (l) x 68mm (d) x 87.5mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax A501**  
Single Bolt LED

12-24v 305.A50100LDV

C	Amber (Clear lens)
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax A511**  
Single Bolt LED

12-24v 305.A51100LDV

ECE  
R65

C	Amber
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10, ECE R65
🕒	2 years



**Britax**

**Britax A504**  
Magnetic LED

12-24v 305.A50400LDVKIT

C	Amber (Clear lens)
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax A514**  
Magnetic LED

12-24v 305.A51400LDVKIT

ECE  
R65

C	Amber
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10, ECE R65
🕒	2 years



**Britax**

**Britax Aerolite A451**  
Single Bolt LED

12-24v 305.A45100LMV

C	Amber
W	12w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax Aerolite A454**  
Magnetic LED

12-24v 305.A45400DV

C	Amber
W	12w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax Aerolite A481**  
Single Bolt LED

12-24v 305.A48100LDV

C	Amber
W	32w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10
🕒	2 years



**Britax**

**Britax Aerolite A484**  
Magnetic LED

12-24v 305.A48400LDV

C	Amber
W	32w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10
🕒	2 years



ECE R65

**Britax Aerolite A491**  
Single Bolt High Power LED

12-24v 305.A49140LDV

- C** Amber (Clear lens)
- W** 60w LED
- A** 3.8A @ 12VDC
- X** 420mm (l) x 205mm (d) x 95mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Britax Aerolite A491**  
Single Bolt High Power LED

12-24v 305.A49100LDV

- C** Amber
- W** 60w LED
- A** 3.8A @ 12VDC
- X** 420mm (l) x 205mm (d) x 95mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Britax Aerolite A494**  
Magnetic High Power LED

12-24v 305.A49440LDV

- C** Amber (Clear lens)
- W** 60w LED
- A** 5.1A @ 12VDC
- X** 420mm (l) x 205mm (d) x 125mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Britax Aerolite A494**  
Magnetic High Power LED

12-24v 305.A49400LDV

- C** Amber
- W** 60w LED
- A** 5.1A @ 12VDC
- X** 420mm (l) x 205mm (d) x 125mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Redtronic Mega-Flash FX**  
Four Bolt High Power LED

12-24v 389.FX085A

- C** Amber (Clear lens), DIN Blue, Green, Red
- W** 72w LED
- A** 2.5A @ 12VDC
- X** 300mm (l) x 200mm (d) x 55mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Redtronic Mega-Flash FX**  
Magnetic High Power LED

12-24v 389.FX087A

- C** Amber (Clear lens), DIN Blue, Green, Red
- W** 72w LED
- A** 2.5A @ 12VDC
- X** 300mm (l) x 200mm (d) x 55mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Redtronic Microbar**  
Single Bolt High Power LED

12-24v 389.MB24SBAC

- C** Amber (Clear lens), DIN Blue, Green, Red
- W** 72w LED
- A** 2.5A @ 12VDC
- X** 255mm (l) x 179mm (d) x 47mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

**Redtronic Microbar**  
Magnetic High Power LED

12-24v 389.MB24MGAC

- C** Amber (Clear lens), DIN Blue, Green, Red
- W** 72w LED
- A** 2.5A @ 12VDC
- X** 255mm (l) x 179mm (d) x 55mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



ECE R65

REMOTE CONTROL OPERATED

**Redtronic Microbar**  
Rechargeable High Power LED

12-24v 389.MB24AC/REC

- C** Amber (Clear lens), DIN Blue, Green, Red
- W** 72w LED
- A** Not applicable
- X** 255mm (l) x 179mm (d) x 55mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



VISION ALERT



ECE R65

**Vision Alert Blaze**  
Single Bolt Rotator

12v 300.701001Y    24v 300.701002Y

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

VISION ALERT



ECE R65

**Vision Alert Blaze**  
Twin Bolt Rotator

12v 300.701001/12v    24v 300.701002/24v

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

VISION ALERT



ECE R65

**Vision Alert Blaze**  
Magnetic Rotator

12v 300.701001BAA/12v    24v 300.701002BAA/24v

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

VISION ALERT



ECE R65

**Vision Alert Blaze II**  
Single Bolt Rotator

12v 300.601AA01Y    24v 300.601AA02Y

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

VISION ALERT



ECE R65

**Vision Alert Blaze II**  
Twin Bolt Rotator

12v 300.601AA01    24v 300.601AA02

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

VISION ALERT



ECE R65

**Vision Alert Blaze II**  
Magnetic Rotator

12v 300.601AA01M    24v 300.601AA02M

- C** Amber, DIN Blue, Green, Red
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

Britax



ECE R65

**Britax Aerolite A421**  
Single Bolt Rotator

12v 305.A42100/12v    24v 305.A42100/24v

- C** Amber
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.5A @ 12VDC
- X** 420mm (l) x 205mm (d) x 130mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

Britax



ECE R65

**Britax Aerolite A424**  
Magnetic Rotator

12v 305.A42400/12v    24v 305.A42400/24v

- C** Amber
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.5A @ 12VDC
- X** 420mm (l) x 205mm (d) x 95mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years

LAP



ECE R65

**LAP Electrical**  
Single Bolt Rotator

12-24v 315.CLB55SA

- C** Amber
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 180mm (d) x 134mm (h)
- ✓ ECE R10, ECE R65
- 🕒 1 year





ECE R65

**LAP Electrical**  
Twin Bolt Rotator

12-24v 315.CLB55TA

- C** Amber
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 180mm (d) x 134mm (h)
- ✓ ECE R10, ECE R65
- 🕒 1 year



ECE R65

**LAP Electrical**  
Magnetic Rotator

12-24v 315.CLB55MA

- C** Amber
- W** 2x 55w (12v) or 2x 70w (24v)
- A** 9.2A @ 12VDC
- X** 400mm (l) x 180mm (d) x 150mm (h)
- ✓ ECE R10, ECE R65
- 🕒 1 year



**Vision Alert Blaze**  
Single Bolt Xenon Strobe

12-24v 300.711000Y

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10
- 🕒 2 years



ECE R65

**Vision Alert Blaze**  
Single Bolt High Power Xenon Strobe

12-24v 300.7F1000Y

- C** Amber, DIN Blue, Green, Red
- W** 2x 21w
- A** 3.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



**Vision Alert Blaze**  
Twin Bolt Xenon Strobe

12-24v 300.711000

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10
- 🕒 2 years



ECE R65

**Vision Alert Blaze**  
Twin Bolt High Power Xenon Strobe

12-24v 300.7F1000

- C** Amber, DIN Blue, Green, Red
- W** 2x 21w
- A** 3.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



**Vision Alert Blaze**  
Magnetic Xenon Strobe

12-24v 300.711000BAA

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10
- 🕒 2 years



ECE R65

**Vision Alert Blaze**  
Magnetic High Power Xenon Strobe

12-24v 300.7F1000BAA

- C** Amber, DIN Blue, Green, Red
- W** 2x 21w
- A** 3.0A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, ECE R65
- 🕒 2 years



**Vision Alert Blaze II**  
Single Bolt Xenon Strobe

12-24v 300.611AA00Y

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.8A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Vision Alert Blaze II**  
Twin Bolt Xenon Strobe

12-24v 300.611AA00

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.8A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Vision Alert Blaze II**  
Magnetic Xenon Strobe

12-24v 300.611AA00M

- C** Amber, DIN Blue, Green, Red
- W** 2x 14w
- A** 2.8A @ 12VDC
- X** 400mm (l) x 210mm (d) x 114mm (h)
- ✓ ECE R10
- 🕒 2 years



**Britax Aerolite A431**  
Single Bolt Xenon Strobe

12-24v 305.A43100DV

- C** Amber
- W** 2x 6w
- A** 2.1A @ 12VDC
- X** 420mm (l) x 205mm (d) x 130mm (h)
- ✓ ECE R10
- 🕒 2 years



**Britax Aerolite A434**  
Magnetic Xenon Strobe

12-24v 305.A43400DV

- C** Amber, DIN Blue, Green, Red
- W** 2x 6w
- A** 2.1A @ 12VDC
- X** 420mm (l) x 205mm (d) x 130mm (h)
- ✓ ECE R10
- 🕒 2 years



**Vision Alert Blaze**  
Twin Bolt Static Flash

12-24v 300.7V1001

- C** Amber
- W** 2x 21w (12v or 24v)
- A** 3.5A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, CAP 168, ICAO
- 🕒 2 years



**Vision Alert Blaze**  
Magnetic Static Flash

12-24v 300.7V1001BAAAA

- C** Amber
- W** 2x 21w (12v or 24v)
- A** 3.5A @ 12VDC
- X** 400mm (l) x 210mm (d) x 147mm (h)
- ✓ ECE R10, CAP 168, ICAO
- 🕒 2 years



**Britax Aerolite A441**  
Single Bolt Static Flash

12v 305.A4410012V

- C** Amber
- W** 2x 21w (12v or 24v)
- A** 4.0A @ 12VDC
- X** 420mm (l) x 205mm (d) x 130mm (h)
- ✓ ECE R10, CAP 168
- 🕒 2 years



**Britax Aerolite A444**  
Magnetic Static Flash

12v 305.A4440012V

- C** Amber
- W** 2x 21w (12v or 24v)
- A** 4.0A @ 12VDC
- X** 420mm (l) x 205mm (d) x 130mm (h)
- ✓ ECE R10, CAP 168
- 🕒 2 years