

Dun-Bri Group.

The UK’s largest and only specialist supplier of commercial vehicle lighting systems.



01763 274185
www.dun-bri.com

Dun-Bri Group
Watermill Industrial Estate
Aspenden Road
Buntingford
Hertfordshire
SG9 9JS

01763 274185
sales@dun-bri.com
facebook.com/DunBriGroup

Make the connection.™

Ninth edition - April 2015

Dun-Bri Lancashire
58 Roman Way Industrial Estate
Longbridge Road
Preston
Lancashire
PR2 5BE

01772 651647
lancashire@dun-bri.com
facebook.com/DunBriLancashire

Dun-Bri Yorkshire
4 Eagle Point
Telford Way
Wakefield 41 Industrial Estate
Wakefield
WF2 0XW

01924 577026
yorkshire@dun-bri.com
facebook.com/DunBriYorkshire

3



01763 274185
www.dun-bri.com

VEHICLE WARNING & HAZARD PRODUCTS

VEHICLE WARNING &
HAZARD PRODUCTS



VEHICLE WARNING & HAZARD PRODUCTS

1

BEACONS

Page 6

3

MINI LIGHTBARS

Page 36

5

LIGHTBARS

Page 52

7

DIRECTIONAL WARNING

Page 100

9

REVERSING SAFETY

Page 114

11

SWITCHING & CONTROL PRODUCTS

Page 134

2

BEACON SPARES & ACCESSORIES

Page 30

4

MINI LIGHTBAR SPARES & ACCESSORIES

Page 46

6

LIGHTBAR SPARES & ACCESSORIES

Page 92

8

DIRECTIONAL WARNING ACCESSORIES

Page 108

10

REVERSING SPARES & ACCESSORIES

Page 128

12

GUIDES & INDICES

Page 138



1-2 BEACONS



LED
Page 9



Halogen Rotator
Page 15



Xenon Strobe
Page 19



Static Flash
Page 24



Industrial LED
Page 27



Industrial Xenon
Page 28



Mains-voltage
Page 28



Lenses
Page 33



Bulbs & Tubes
Page 33



Beacon Cages
Page 35



Pole Mounts
Page 35

3-4 MINI LIGHTBARS



LED
Page 39



Halogen Rotator
Page 43



Xenon Strobe
Page 44



Static Flash
Page 45



Lenses
Page 49



Bulbs & Tubes
Page 49



Mounting Kits
Page 50



Power Plugs
Page 39



Power Sockets
Page 43

5-6 LIGHTBARS



Vision Alert 12 Series
Page 56



Vision Alert 15 Series
Page 58



Vision Alert 60 Series
Page 62



Vision Alert 65 Series
Page 66



Vision Alert 70 Series
Page 68



Britax Aerolite A6
Page 72



Britax Aerolite A13
Page 76



Redtronic Bullitt
Page 78



Redtronic Mega-flash
Page 80



911 Signal Warrior
Page 84



LAP Titan
Page 86



Star Warning Razor
Page 88



Star Warning Sabre
Page 90



Lenses
Page 95



Bulbs & Tubes
Page 97




LED Modules
Page 95



Rotator Modules
Page 96



Xenon Modules
Page 96



Mounting Kits
Page 86



Controllers
Page 90



Sign Text
Page 95

7-8 DIRECTIONAL WARNING



LED Heads
Page 103



Covert LEDs
Page 107



LED Messaging
Page 107



Mountings
Page 111

9-10 REVERSING SAFETY



Multi-frequency
Page 117



Standard Alarms
Page 118



Night Silent Alarms
Page 118



Smart Alarms
Page 119



Speaking Alarms
Page 119



Alarm Cut-outs
Page 120



Camera Kits
Page 121



Sensor Systems
Page 124



Radar Systems
Page 126



Reversing Sensors
Page 127



Monitors
Page 131



Cameras
Page 131



DVR Units
Page 131

11 SWITCHING & CONTROL



Switches
Page 136



Switch Boxes
Page 136



Switch Panels
Page 137

KEEPING UP WITH THE DUN-BRI GROUP

All the latest news, products & offers

dun-bri.com/blog

Join the conversation online at

facebook.com/dunbrigroup

Keep up with our tweets, just follow

@DunBriGroup

More information on the entire Dun-Bri Group

dun-bri-group.com

Company, product news and more

linkedin.com/company/dun-bri-group

View product demos, news and more online

youtube.com/c/dunbrigroup

Programmable switches136-137

Radar scanning systems126-127

Redtronic

Bullitt lightbar78-79

LED light head accessories112

LED light heads.....106

Lightbar roof connector51

Lightbar spares98

Mega-flash FX lightbar80-83

Mini lightbar spares.....49

Mini lightbars.....132

Switch panels.....137

Rear view mirror cameras122

Reversing alarm cut-outs120

Reversing alarms117-120

Reversing camera monitors.....131-132

Reversing camera systems.....121-124

Reversing cameras131-133

Reversing sensors126-127

Roof connector51

Rotating beacons.....15-18, 28

Rotating lightbars.....62-65, 68-75

Rotating mini lightbars.....43-44

Scanning systems.....124-127

Sign text99

Spare parts.....33-34, 49-51, 95-99, 131-133

Speaking reverse alarms119

Star Warning Systems

Razor lightbar.....88-89

Sabre lightbar.....90-91

Static flash beacons.....24-26, 28

Static flash mini lightbars45

Strobe beacons.....19-24, 28-29

Strobe lightbars.....62-65, 68-75

Strobe mini lightbars.....44-45

Surface mount LED lights103-107

Switch panels136-137

Switches136-137

Touch-screen monitors131-132

Tungsten bulbs.....33-34, 49, 99

Vision Alert

12 Series lightbars56-57

15 Series lightbars58-61

60 Series lightbars62-65

65 Series lightbars66-67

70 Series lightbars68-71

BeaconsSee ECCO

Blaze mini lightbars.....40, 43-45

LED light heads.....See ECCO

Lightbar spares95-97

Mini lightbar spares.....49

Reflex mini lightbars.....39-40

Waterproof monitors131-132

White noise alarms.....117-118

Wireless camera systems121

Xenon beacons19-24, 28-29

Xenon lightbars62-65, 68-75

Xenon mini lightbars44-45

Xenon strobe tubes.....33-34, 49, 97

Important information

The information given in this catalogue is typical and must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter and/or update specifications and designs whether of the catalogue or product without prior notice.

Lightbar and product layout examples are provided for guidance only, are intended to be representative of a typical product selected during the design of this publication and are not to scale. If you require an engineering/plan drawing of a particular product, please contact us in the first instance.

None of the information should be considered to form part of a formal quotation, product specification or contracts. Although considered to be accurate, to the best of our knowledge, we cannot be held responsible for any errors contained within this publication which would be corrected upon request of a formal quotation. Errors and omissions excepted.

Information provided in guides to legislation and other policies are not to be used to negate proper legal advice where it is suitable. They are guides to the regulations only and were correct at time of publication only. For more information, please contact the Vehicle Certification Agency (VCA) or the Driver & Vehicle Standards Agency (DVSA) at www.gov.uk.

For more help and advice on CAP 168, please contact the Civil Aviation Authority at www.caa.co.uk

© Copyright Dun-Bri Group 2014-2015. All rights reserved.

Dun-Bri Services Limited trading as Dun-Bri Group, registered in England & Wales, 04917414. Registered office: Watemill Industrial Estate, Aspenden Road, Buntingford SG9 9JS, United Kingdom.

All designs, layouts and imagery are copyrighted to the Dun-Bri Group, its suppliers and partners and may have been used with kind permission. The unauthorised use of, dissemination, copying or other reproduction is permitted and will be prosecuted to the maximum extent under law.

Designed and printed in Great Britain.

Trademark information

The Dun-Bri names (all derivatives), the db 'rounded' device, and the Dun-Bri Group logo are registered trademarks of Dun-Bri Services Limited.

Britax name and logo are registered trademarks and are used under license from a member of the Britax group of companies. Their use is granted by Britax PMG Limited, part of the ECCO Group of companies.

Vision Alert, Evolution, Halo, Smart Alarm and ECCO names and logos are trademarks and/or registered trademarks of the ECCO Group of companies.

Redtronic, Bullitt and Mega-Flash names and logos are registered trademarks of Redtronic Ltd and are used with permission.

The '911' logo, Warrior and 911 Signal names and logos are registered trademarks or trademarks of 911 Signal Technology Inc. and appear with kind permission.

The Titan and LAP names and logos are trademarks of LAP Electrical Limited and are used with permission.

Brigade, bbs-tek, White Sound and the Brigade logos are registered trademarks or trademarks of Brigade Electronics plc.

The Lucas name and logo are trademarks of Lucas Industries.

All other product and manufacturer trademarks and/or registered trademarks remain the property of their respective owners and are hereby acknowledged.



There are many ways to
contact Dun-Bri Group

Call us

01763 274185

You can call us anytime between 8am-5pm Monday to
Thursday and 8am-4pm on Fridays

You can email us

sales@dun-bri.com

We'll do our best to get back to you within an hour
during working hours

You can browse or buy online

www.dun-bri.com

With or without an account using our Dun-Bri Online
service

With the Dun-Bri Group we can
offer you more...




Since 2011, we have had a specialist division
which can produce wiring looms and harnesses
in-house. With an ever-expanding team of
engineers, we can provide all of the components
required including switching, panels and electrical
accessories to simplify your installation

They also handle all enquiries for Lite-wire, a
revolution in vehicle wiring using digital technology.
You can find out more by visiting the web site at
www.dun-bri-engineering.co.uk/lite-wire



We have a nationwide fitting service comprised of
qualified and experienced auto-electrical engineers
who can fit, service and transplant equipment from
and to your fleet

Call us for more information or to book your fitting
appointment



Locate your nearest
Dun-Bri Group branch...

1 Dun-Bri Group

Telephone 01763 274185
Email sales@dun-bri.com

Watermill Industrial Estate, Aspenden Road, Buntingford SG9 9JS

2 Dun-Bri Lancashire

Telephone 01772 651647
Email lancashire@dun-bri.com

58 Roman Way Industrial Estate, Longbridge Road, Preston PR2 5BE

3 Dun-Bri Yorkshire

Telephone 01924 577026
Email yorkshire@dun-bri.com

4 Eagle Point, Telford Way, Wakefield 41 Industrial Estate,
Wakefield WF2 0XW




Dun-Bri Group was established in 1989 and is an industry leader in the design, UK manufacture and supply of automotive electrical products including beacons and light bars, commercial vehicle lighting, wiring looms, workshop components and more

We make deliveries across the United Kingdom and into Europe every day from our different divisions, and we are proud to commit to the highest levels of customer service

Find out more at www.dun-bri-group.com





BEACONS

09 LED
15 ROTATING
19 XENON STROBE
24 STATIC FLASH
27 INDUSTRIAL

Beacons are still one of the most frequently purchased and best value warning products available. Our extended range features more models than ever; including all of the technologies and mountings you would expect, from all of the major brands such as ECCO, Britax and LAP as well as our own-brand range too





www.dun-bri.com/beacons

FIND BY TYPE



LED
Page 9

Seen as the future replacement for xenon strobe beacons, these are reliable, incredibly energy efficient and compact. Some even come with selectable flash patterns to enhance your warning installation



Rotating
Page 15

Still popular today despite newer warning technology, a halogen rotator is a great value product to install and easily helps you conform to Chapter 8 as all of our rotating beacons are ECE R65 approved



Xenon Strobe
Page 19

Longer lasting and more energy efficient than halogen beacons, the xenon variants are very popular with all types of customers. Options include single, double and quad flash. Not to be confused with static flash



Static Flash
Page 24

Designed for use on airports and airside areas, static flash beacons are available in halogen tungsten bulb and LED variants. All of our range are CAP 168 compliant. They emit a low-intensity pulse to avoid dazzling pilots

FIND BY STANDARD MOUNTINGS




Single Bolt

Installations are made simple with a single bolt beacon, as the power cable passes through the mounting bolt of the unit. This also reduces damage to lease and hire vehicles maintaining future value



Three Bolt

Ideal where a clean finish is required; for a new installation or where you are looking for the lowest-cost option, the three bolt range of beacons usually require three mounting holes and a fourth for the cable



Magnetic

For temporary use, our range of magnetic beacons are all approved for use up to 70mph (motorway speeds) and are fitted with a plug that works from your vehicle's cigarette lighter socket



DIN Mount

Removed and replaced in seconds using the DIN pole mount. Just unscrew it using the wing nut fitted to the stem to remove - also allows for removal to prevent theft on-site



Flexible DIN Mount

Designed to accept more knocks and bumps than a standard DIN mount beacon, the base is flexible and bends on low-speed contact with overhead obstructions

FIND BY BRAND



Dun-Bri Group®

The own-brand ranges of beacons from the Dun-Bri Group are currently available in rotating and LED technologies

- LED beacons
- Rotating beacons
- Industrial beacons



ECCO®

Formerly branded as Vision Alert beacons, they are recognised for being the first company to introduce free-form optics into their rotators to enhance light output

- LED beacons
- Rotating beacons
- Xenon strobe beacons
- Static flash beacons
- Industrial beacons



Britax®

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- LED beacons
- Rotating beacons
- Xenon strobe beacons
- Static flash beacons



LAP Electrical

With all our stocked ranges of LAP beacons made in the UK, they are synonymous with quality and reliability with an array of warning technologies

- LED beacons
- Rotating beacons
- Xenon strobe beacons
- Static flash beacons
- Industrial beacons



Lucas®

Known internationally, Lucas beacons are still popular with a range of customers. We only stock the LBB287 rotating agricultural beacon

- Rotating beacons



dun-bri
GROUP

Dun-Bri Group Single Bolt LED

12-24v 311.009/LED

C	Amber
W	9w LED
A	1.8A @ 12VDC
X	128mm (dia) x 170mm (h)
✓	ECE R10
🕒	1 year



ECCO

ECCO 400 Series Single Bolt Value LED

12-24v 300.5L1204

C	Amber
W	6w LED
A	0.2A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10
🕒	2 years



ECCO

ECE
R65

ECCO 400 Series Single Bolt High Power LED

12-24v 300.V11052

C	Amber, DIN Blue
W	36w LED
A	1.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECCO Compact Single Bolt Value LED

12-24v 300.100494

C	Amber
W	6w LED
A	0.3A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years



ECCO

ECE
R65

ECCO Compact Single Bolt High Power LED

12-24v 300.47500201

C	Amber
W	36w LED
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

Britax B51 Single Bolt LED

12-24v 305.B5100LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	149mm (dia) x 204mm (h)
✓	ECE R10
🕒	2 years



Britax

Britax B61 Single Bolt LED

12-24v 305.B6100LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	149mm (dia) x 154mm (h)
✓	ECE R10
🕒	2 years



Britax

Britax B91 Single Bolt LED

12-24v 305.B9100LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	149mm (dia) x 206mm (h)
✓	ECE R10
🕒	2 years



Britax

ECE
R65

Britax B311 Single Bolt LED

12-24v 305.B31100LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	149mm (dia) x 172mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

ECE
R65

Britax B321 Single Bolt LED

12-24v 305.B32100LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	149mm (dia) x 145mm (h)
✓	ECE R10, ECE R65
🕒	2 years



LAP

LAP Electrical Single Bolt Compact LED

12-24v 315.LCB060

C	Amber
W	4w LED
A	1.0A @ 12VDC
X	108mm (dia) x 130mm (h)
✓	ECE R10
🕒	2 years



LAP

ECE
R65

LAP Electrical Single Bolt High Power LED

12-24v 315.LFB060

C	Amber
W	40w LED
A	2.5A @ 12VDC
X	137mm (dia) x 125mm (h)
✓	ECE R10, ECE R65
🕒	2 years



**dun-bri
GROUP**

Dun-Bri Group Three Bolt LED

12-24v 311.010/LED

C	Amber
W	9w LED
A	1.8A @ 12VDC
X	140mm (dia) x 170mm (h)
✓	ECE R10
🕒	1 year



ECCO

ECCO 400 Series Three Bolt Value LED

12-24v 300.5L3204

C	Amber, Green, Red
W	6w LED
A	0.2A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10
🕒	2 years



ECCO

ECE
R65

ECCO 400 Series Three Bolt High Power LED

12-24v 300.V11050

C	Amber, DIN Blue
W	36w LED
A	1.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECCO Compact Three Bolt Value LED

12-24v 300.100495

C	Amber, DIN Blue, Green, Red
W	6w LED
A	0.3A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years



ECCO

ECE
R65

ECCO Compact Three Bolt High Power LED

12-24v 300.47500101

C	Amber
W	36w LED
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

Britax B50 Three Bolt LED

12-24v 305.B5000LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	154mm (dia) x 150mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax B60
Three Bolt LED

12-24v 305.B6000LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	154mm (dia) x 122mm (h)
✓	ECE R10
⌚	2 years


Britax

Britax B90
Three Bolt LED

12-24v 305.B9000LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	154mm (dia) x 180mm (h)
✓	ECE R10
⌚	2 years


Britax

Britax B310
Three Bolt LED

12-24v 305.B31000LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	140mm (dia) x 130mm (h)
✓	ECE R10, ECE R65
⌚	2 years

ECE
R65


Britax

Britax B320
Three Bolt LED

12-24v 305.B32000LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	154mm (dia) x 126mm (h)
✓	ECE R10, ECE R65
⌚	2 years


Britax

Britax B350
Three Bolt Mini LED

12-24v 305.B35000LMV

C	Amber, Green
W	10w LED
A	1.9A @ 12VDC
X	130mm (dia) x 52mm (h)
✓	ECE R10
⌚	2 years


LAP

LAP Electrical
Three Bolt Compact LED

12-24v 315.LCB050

C	Amber
W	4w LED
A	1.0A @ 12VDC
X	150mm (dia) x 130mm (h)
✓	ECE R10
⌚	2 years


LAP

LAP Electrical
Three Bolt High Power LED

12-24v 315.LFB050

C	Amber
W	40w LED
A	2.8A @ 12VDC
X	150mm (dia) x 130mm (h)
✓	ECE R10, ECE R65
⌚	2 years


**dun-bri
GROUP**

Dun-Bri Group
Magnetic LED

12-24v 311.008/LED

C	Amber
W	9w LED
A	1.8A @ 12VDC
X	128mm (dia) x 170mm (h)
✓	ECE R10
⌚	1 year


ECCO

ECCO 400 Series
Magnetic High Power LED

12-24v 300.V11054

C	Amber, DIN Blue
W	36w LED
A	1.5A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10, ECE R65
⌚	2 years

ECE
R65


ECCO

ECCO Compact Magnetic Value LED

12-24v 300.100496

C	Amber
W	6w LED
A	0.3A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years


ECCO

ECE
R65

ECCO Compact Magnetic High Power LED

12-24v 300.47500401

C	Amber
W	36w LED
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10, ECE R65
⌚	2 years


Britax

Britax B54 Magnetic LED

12-24v 305.B5470LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	182mm (dia) x 160mm (h)
✓	ECE R10
⌚	2 years


Britax

Britax B64 Magnetic LED

12-24v 305.B6400LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	155mm (dia) x 127mm (h)
✓	ECE R10
⌚	2 years


Britax

Britax B94 Magnetic LED

12-24v 305.B9470LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	182mm (dia) x 189mm (h)
✓	ECE R10
⌚	2 years


Britax

ECE
R65

Britax B314 Magnetic LED

12-24v 305.B31470LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	183mm (dia) x 152mm (h)
✓	ECE R10, ECE R65
⌚	2 years


Britax

ECE
R65

Britax B324 Magnetic LED

12-24v 305.B32470LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	183mm (dia) x 126mm (h)
✓	ECE R10, ECE R65
⌚	2 years


LAP

LAP Electrical Magnetic Compact LED

12-24v 315.LCB020

C	Amber
W	4w LED
A	1.5A @ 12VDC
X	150mm (dia) x 130mm (h)
✓	ECE R10
⌚	2 years


LAP

ECE
R65

LAP Electrical Magnetic High Power LED

12-24v 315.LFB020

C	Amber
W	40w LED
A	2.5A @ 12VDC
X	150mm (dia) x 131mm (h)
✓	ECE R10, ECE R65
⌚	2 years



dun-bri
GROUP

Dun-Bri Group DIN Mount LED

12-24v 311.011/LED

C	Amber
W	9w LED
A	1.8A @ 12VDC
X	128mm (dia) x 190mm (h)
✓	ECE R10
⌚	1 year



ECCO

ECE
R65

ECCO 400 Series DIN Mount High Power LED

12-24v 300.V11056

C	Amber, DIN Blue
W	36w LED
A	1.5A @ 12VDC
X	154mm (dia) x 180mm (h)
✓	ECE R10, ECE R65
⌚	2 years



Britax

Britax B52 DIN Mount LED

12-24v 305.B5200LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	123mm (dia) x 178mm (h)
✓	ECE R10
⌚	2 years



Britax

Britax B92 DIN Mount LED

12-24v 305.B9200LMV

C	Amber
W	6w LED
A	0.9A @ 12VDC
X	149mm (dia) x 236mm (h)
✓	ECE R10
⌚	2 years



Britax

ECE
R65

Britax B312 DIN Mount LED

12-24v 305.B31200LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	149mm (dia) x 198mm (h)
✓	ECE R10, ECE R65
⌚	2 years



Britax

ECE
R65

Britax B322 DIN Mount LED

12-24v 305.B32200LDV

C	Amber
W	36w LED
A	3.0A @ 12VDC
X	149mm (dia) x 172mm (h)
✓	ECE R10, ECE R65
⌚	2 years



LAP Electrical DIN Mount Compact LED

12-24v 315.LCB030

C	Amber
W	4w LED
A	1.5A @ 12VDC
X	108mm (dia) x 171mm (h)
✓	ECE R10
⌚	2 years



ECE
R65

LAP Electrical DIN Mount High Power LED

12-24v 315.LFB030

C	Amber
W	40w LED
A	2.5A @ 12VDC
X	137mm (dia) x 162mm (h)
✓	ECE R10, ECE R65
⌚	2 years



dun-bri
GROUP

Dun-Bri Group Flexible DIN Mount LED

12-24v 311.012/LED

C	Amber
W	9w LED
A	1.8A @ 12VDC
X	128mm (dia) x 250mm (h)
✓	ECE R10
⌚	1 year



ECCO

ECCO 400 Series
Flexible DIN Mount Value LED

12-24v 300.5L4204

- C Amber, Green
- W 6w LED
- A 0.3A @ 12VDC
- X 134mm (dia) x 214mm (h)
- ✓ ECE R10
- ⌚ 2 years



ECCO

ECE
R65

ECCO 400 Series
Flexible DIN Mount High Power LED

12-24v 300.V11055

- C Amber, DIN Blue
- W 36w LED
- A 1.5A @ 12VDC
- X 134mm (dia) x 214mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



Britax

Britax B55
Flexible DIN Mount LED

12-24v 305.B5500LMV

- C Amber
- W 6w LED
- A 0.9A @ 12VDC
- X 148mm (dia) x 257mm (h)
- ✓ ECE R10
- ⌚ 2 years



Britax

Britax B65
Flexible DIN Mount LED

12-24v 305.B6500LMV

- C Amber
- W 6w LED
- A 0.9A @ 12VDC
- X 149mm (dia) x 229mm (h)
- ✓ ECE R10
- ⌚ 2 years



Britax

Britax B95
Flexible DIN Mount LED

12-24v 305.B9570LMV

- C Amber
- W 6w LED
- A 0.9A @ 12VDC
- X 148mm (dia) x 285mm (h)
- ✓ ECE R10
- ⌚ 2 years



Britax

ECE
R65

Britax B315
Flexible DIN Mount LED

12-24v 305.B31500LDV

- C Amber
- W 36w LED
- A 3.0A @ 12VDC
- X 149mm (dia) x 247mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



Britax

ECE
R65

Britax B325
Flexible DIN Mount LED

12-24v 305.B32500LDV

- C Amber
- W 36w LED
- A 3.0A @ 12VDC
- X 149mm (dia) x 221mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



LAP

LAP Electrical
Flexible DIN Mount Compact LED

12-24v 315.LCB040

- C Amber
- W 4w LED
- A 1.5A @ 12VDC
- X 108mm (dia) x 223mm (h)
- ✓ ECE R10
- ⌚ 2 years



LAP

ECE
R65

LAP Electrical
Flexible DIN Mount High Power LED

12-24v 315.LFB040

- C Amber
- W 40w LED
- A 2.5A @ 12VDC
- X 137mm (dia) x 212mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



dun-bri
GROUP

ECE
R65

COMES
WITH 12V &
24V BULBS

Dun-Bri Group Single Bolt Rotator

12-24v 311.001

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	128mm (dia) x 170mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECCO

ECE
R65

ECCO 400 Series Single Bolt Rotator

LB 300.401000 24v 300.401002
12v 300.401001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECE
R65

ECCO 500 Series Single Bolt Rotator

LB 300.501000 24v 300.501002
12v 300.501001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 183mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

ECE
R65

Britax 391 Single Bolt Rotator

LB 305.391000 24v 305.391000/24v
12v 305.391000/12v

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	149mm (dia) x 206mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

ECE
R65

Britax B21 Single Bolt Rotator

LB 305.B2100LB 24v 305.B2100/24v
12v 305.B2100/12v

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	149mm (dia) x 179mm (h)
✓	ECE R10, ECE R65
🕒	2 years



LAP

ECE
R65

LAP Electrical Single Bolt Rotator

LB 315.LAP122 24v 315.LAP122/24v
12v 315.LAP121

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	130mm (dia) x 177mm (h)
✓	ECE R10, ECE R65
🕒	1 year



dun-bri
GROUP

ECE
R65

COMES
WITH 12V &
24V BULBS

Dun-Bri Group Three Bolt Rotator

12-24v 311.002

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	140mm (dia) x 170mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECCO

ECE
R65

ECCO 400 Series Three Bolt Rotator

LB 300.403000 24v 300.403002
12v 300.403001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECE
R65

ECCO 500 Series Three Bolt Rotator

LB 300.503000 24v 300.503002
12v 300.503001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 178mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

Britax 390 Three Bolt Rotator

LB 305.39000 **24v** 305.39000/24v
12v 305.39000/12v

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 179mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

Britax B20 Three Bolt Rotator

LB 305.B2000LB **24v** 305.B2000/24v
12v 305.B2000/12v

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 151mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

LAP Electrical Three Bolt Rotator

LB 315.LAP255 **24v** 315.LAP255/24v
12v 315.LAP254

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 177mm (h)
✓	ECE R10, ECE R65
🕒	1 year


ECE
R65

ECCO Low Power Three Bolt Rotator

12v 300.307000

C	Amber
W	23w (12v)
A	1.9A @ 12VDC
X	120mm (dia) x 126mm (h)
✓	ECE R10, ECE R65
🕒	1 year


ECE
R65

COMES
WITH 12V &
24V BULBS

Dun-Bri Group Magnetic Rotator (70mph)

12-24v 311.003

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	128mm (dia) x 178mm (h)
✓	ECE R10, ECE R65
🕒	1 year


ECE
R65

ECCO 400 Series Magnetic Rotator (70mph)

LB 300.400000 **24v** 300.400002
12v 300.400001

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

ECCO 500 Series Magnetic Rotator (70mph)

LB 300.500000 **24v** 300.500002
12v 300.500001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	200mm (dia) x 190mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

Britax 394 Magnetic Rotator (70mph)

LB 305.39400 **24v** 305.39470/24v
12v 305.39470/12v

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	155mm (dia) x 182mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECE
R65

Britax B24 Magnetic Rotator (70mph)

LB 305.B2470LB **24v** 305.B2470/24v
12v 305.B2470/12v

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	183mm (dia) x 162mm (h)
✓	ECE R10, ECE R65
🕒	2 years

ECE
R65

LAP Electrical Magnetic Rotator (70mph)

LB 315.LAP260 **24v** 315.LAP260/24v
12v 315.LAP259

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 177mm (h)
✓	ECE R10, ECE R65
🕒	1 year

dun-bri
GROUPECE
R65COMES
WITH 12V &
24V BULBS

Dun-Bri Group DIN Mount Rotator

12-24v 311.004

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	140mm (dia) x 190mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECCO

ECE
R65

ECCO 400 Series DIN Mount Rotator

LB 300.402000 **24v** 300.402002
12v 300.402001

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 202mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECE
R65

ECCO 500 Series DIN Mount Rotator

LB 300.502000 **24v** 300.502002
12v 300.502001

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	153mm (dia) x 238mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

ECE
R65

Britax 392 DIN Mount Rotator

LB 305.392000 **24v** 305.392000/24v
12v 305.392000/12v

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	149mm (dia) x 236mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax

ECE
R65

Britax B22 DIN Mount Rotator

LB 305.B2200LB **24v** 305.B2200/24v
12v 305.B2200/12v

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	123mm (dia) x 179mm (h)
✓	ECE R10, ECE R65
🕒	2 years

ECE
R65

LAP Electrical DIN Mount Rotator

LB 315.LAP270 **24v** 315.LAP270/24v
12v 315.LAP269

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	130mm (dia) x 211mm (h)
✓	ECE R10, ECE R65
🕒	1 year

dun-bri
GROUPECE
R65COMES
WITH 12V &
24V BULBS

Dun-Bri Group Flexible DIN Mount Rotator

12-24v 311.005

C	Amber
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	128mm (dia) x 250mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECCO

ECE
R65

ECCO 400 Series Flexible DIN Mount Rotator

LB 300.404000 **24v** 300.404002
12v 300.404001

C	Amber, DIN Blue, Green, Red
W	55w (12v) or 70w (24v)
A	4.6A @ 12VDC
X	134mm (dia) x 214mm (h)
✓	ECE R10, ECE R65
🕒	2 years



ECCO

ECE
R65

ECCO 500 Series
Flexible DIN Mount Rotator

LB 300.504000 24v 300.504002
12v 300.504001

- C Amber, DIN Blue, Green, Red
- W 55w (12v) or 70w (24v)
- A 4.6A @ 12VDC
- X 133mm (dia) x 247mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



Britax

ECE
R65

Britax 395
Flexible DIN Mount Rotator

LB 305.395100 24v 305.395100/24v
12v 305.395100/12v

- C Amber
- W 55w (12v) or 70w (24v)
- A 4.6A @ 12VDC
- X 149mm (dia) x 289mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



Britax

ECE
R65

Britax B25
Flexible DIN Mount Rotator

LB 305.B2500LB 24v 305.B2500/24v
12v 305.B2500/12v

- C Amber
- W 55w (12v) or 70w (24v)
- A 4.6A @ 12VDC
- X 149mm (dia) x 179mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 2 years



LAP

ECE
R65

LAP Electrical
Flexible DIN Mount Rotator

LB 315.LAP272 24v 315.LAP272/24v
12v 315.LAP271

- C Amber
- W 55w (12v) or 70w (24v)
- A 4.6A @ 12VDC
- X 130mm (dia) x 263mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 1 year



ECCO

ECE
R65

ECCO Low Power
Flexible DIN Mount Rotator

12v 300.309000

- C Amber
- W 23w (12v)
- A 1.9A @ 12VDC
- X 120mm (dia) x 139mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 1 year



Lucas

ECE
R65

FITTED
WITH
12V BULB

Lucas LBB287
Flexible DIN Mount Rotator

12-24v 300.LBB287

- C Amber
- W 55w (12v) or 70w (24v)
- A 4.6A @ 12VDC
- X 130mm (dia) x 204mm (h)
- ✓ ECE R10, ECE R65
- ⌚ 1 year


ECCO

ECCO 400 Series

Single Bolt Economy Xenon Strobe

12-24v 300.5E1000

C	Amber
W	7w
A	1.0A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10
⌚	2 years


ECCO
**ECE
R65**

ECCO 400 Series

Single Bolt High Power Xenon Strobe

12-24v 300.571200

C	Amber, DIN Blue, Green, Red
W	14w
A	2.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
⌚	2 years


ECCO

ECCO 500 Series

Single Bolt Xenon Strobe

10-48v 300.5110D0

C	Amber, DIN Blue, Green, Red
W	7w
A	1.0A @ 12VDC
X	153mm (dia) x 183mm (h)
✓	ECE R10
⌚	2 years


ECCO
**ECE
R65**

ECCO Lunar

Single Bolt Xenon Strobe

12-24v 325.493012

C	Amber, DIN Blue
W	15w
A	1.5A @ 12VDC
X	145mm (dia) x 150mm (h)
✓	ECE R10, ECE R65
⌚	2 years


ECCO

ECCO Gamma

Single Bolt Xenon Strobe

12-24v 325.468092

C	Amber, Green
W	6w
A	0.4A @ 12VDC
X	112mm (dia) x 147mm (h)
✓	ECE R10
⌚	2 years


ECCO

ECCO Alpha

Single Bolt Xenon Strobe

12-24v 325.420022

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years


ECCO

ECCO Beta

Single Bolt Xenon Strobe

12-24v 325.468082

C	Amber
W	6w
A	0.6A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years


ECCO

ECCO Delta

Single Bolt Xenon Strobe

12-24v 325.470012

C	Amber, DIN Blue, Green, Red
W	15w
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years


Britax

Britax B11

Single Bolt Xenon Strobe

10-100v 305.B1100MV

C	Amber
W	2w
A	0.2A @ 12VDC
X	149mm (dia) x 154mm (h)
✓	ECE R10
⌚	2 years



Britax 291
Single Bolt Xenon Strobe

12-24v 305.B29100DV

C	Amber
W	6w
A	1.3A @ 12VDC
X	149mm (dia) x 179mm (h)
✓	ECE R10
⌚	2 years



LAP Electrical
Single Bolt Xenon Strobe

12-24v 315.XNB060

C	Amber
W	7w
A	1.6A @ 12VDC
X	130mm (dia) x 186mm (h)
✓	ECE R10
⌚	1 year



LAP Electrical
Single Bolt Compact Xenon Strobe

12-24v 315.XCB0602

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	108mm (dia) x 130mm (h)
✓	ECE R10
⌚	1 year



ECCO 400 Series
Three Bolt Economy Xenon Strobe

12-24v 300.5E3000

C	Amber
W	7w
A	1.0A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10
⌚	2 years



ECE R65

ECCO 400 Series
Three Bolt High Power Xenon Strobe

12-24v 300.573200

C	Amber, DIN Blue, Green, Red
W	14w
A	2.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, ECE R65
⌚	2 years



ECCO 500 Series
Three Bolt Xenon Strobe

12-24v 300.5130D0

C	Amber, DIN Blue, Green, Red
W	7w
A	1.0A @ 12VDC
X	153mm (dia) x 178mm (h)
✓	ECE R10
⌚	2 years



ECE R65

ECCO Lunar
Three Bolt Xenon Strobe

12-24v 325.493002

C	Amber, DIN Blue
W	15w
A	1.5A @ 12VDC
X	145mm (dia) x 150mm (h)
✓	ECE R10, ECE R65
⌚	2 years



ECCO Alpha
Three Bolt Xenon Strobe

12-24v 325.420012

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years



ECCO Beta
Three Bolt Xenon Strobe

12-24v 325.468012

C	Amber, DIN Blue, Green, Red
W	6w
A	0.6A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
⌚	2 years


ECCO

ECCO Delta
Three Bolt Xenon Strobe

12-24v 325.470002

C	Amber, DIN Blue, Green, Red
W	15w
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax B10
Three Bolt Xenon Strobe

10-100v 305.B1000MV

C	Amber
W	2w
A	0.2A @ 12VDC
X	154mm (dia) x 121mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax 290
Three Bolt Xenon Strobe

12-24v 305.B29000DV

C	Amber
W	6w
A	1.3A @ 12VDC
X	154mm (dia) x 178mm (h)
✓	ECE R10
🕒	2 years



LAP Electrical
Three Bolt Compact Xenon Strobe

12-24v 315.XCB0502

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	150mm (dia) x 130mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical
Three Bolt Xenon Strobe

12-24v 315.XNB050

C	Amber
W	7w
A	1.6A @ 12VDC
X	153mm (dia) x 177mm (h)
✓	ECE R10
🕒	1 year


ECCO

ECCO 400 Series
Magnetic Economy Xenon Strobe

12-24v 300.5E0000

C	Amber
W	7w
A	1.0A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10
🕒	2 years


ECCO
ECE R65

ECCO 400 Series
Magnetic High Power Xenon Strobe

12-24v 300.570200

C	Amber, DIN Blue, Green, Red
W	14w
A	2.5A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO 500 Series
Magnetic Xenon Strobe

12-24v 300.5100D0

C	Amber, DIN Blue, Green, Red
W	7w
A	1.0A @ 12VDC
X	200mm (dia) x 190mm (h)
✓	ECE R10
🕒	2 years


ECCO
ECE R65

ECCO Lunar
Magnetic Xenon Strobe

12-24v 325.493022

C	Amber, DIN Blue
W	15w
A	1.5A @ 12VDC
X	145mm (dia) x 150mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO Alpha Magnetic Xenon Strobe

12-24v 325.420042

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	148mm (dia) x 160mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Beta Magnetic Xenon Strobe

12-24v 325.468022

C	Amber, Green
W	6w
A	0.6A @ 12VDC
X	148mm (dia) x 160mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Delta Magnetic Xenon Strobe

12-24v 325.470017

C	Amber, DIN Blue, Green, Red
W	15w
A	1.5A @ 12VDC
X	148mm (dia) x 160mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax B14 Magnetic Xenon Strobe

12-24v 305.B1400MV

C	Amber
W	2w
A	0.2A @ 12VDC
X	155mm (dia) x 127mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax 294 Magnetic Xenon Strobe

12-24v 305.B29400DV

C	Amber
W	6w
A	1.3A @ 12VDC
X	182mm (dia) x 189mm (h)
✓	ECE R10
🕒	2 years


LAP

LAP Electrical Magnetic Compact Xenon Strobe

12-24v 315.XCB0202

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	150mm (dia) x 130mm (h)
✓	ECE R10
🕒	1 year


LAP

LAP Electrical Magnetic Xenon Strobe

12-24v 315.XNB020

C	Amber
W	7w
A	1.6A @ 12VDC
X	153mm (dia) x 177mm (h)
✓	ECE R10
🕒	1 year


ECCO

ECCO 400 Series DIN Mount Economy Xenon Strobe

12-24v 300.5E2000

C	Amber
W	7w
A	1.0A @ 12VDC
X	154mm (dia) x 180mm (h)
✓	ECE R10
🕒	2 years


ECCO
**ECE
R65**

ECCO 400 Series DIN Mount High Power Xenon Strobe

12-24v 300.572200

C	Amber, DIN Blue, Green, Red
W	14w
A	2.5A @ 12VDC
X	154mm (dia) x 180mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO 500 Series DIN Mount Xenon Strobe

12-24v 300.5120D0

C	Amber, DIN Blue, Green, Red
W	7w
A	1.0A @ 12VDC
X	153mm (dia) x 238mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECE
R65

ECCO Lunar DIN Mount Xenon Strobe

12-24v 325.493032

C	Amber, DIN Blue
W	15w
A	1.5A @ 12VDC
X	145mm (dia) x 150mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO Alpha DIN Mount Xenon Strobe

12-24v 325.420002

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Beta DIN Mount Xenon Strobe

12-24v 325.468002

C	Amber, DIN Blue, Green, Red
W	6w
A	0.6A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Delta DIN Mount Xenon Strobe

12-24v 325.470032

C	Amber, DIN Blue, Green, Red
W	15w
A	1.5A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax 292 DIN Mount Xenon Strobe

12-24v 305.B29200DV

C	Amber
W	6w
A	1.3A @ 12VDC
X	149mm (dia) x 236mm (h)
✓	ECE R10
🕒	2 years



LAP Electrical DIN Mount Compact Xenon Strobe

12-24v 315.XCB0302

C	Amber, DIN Blue, Green, Red
W	2w
A	0.2A @ 12VDC
X	108mm (dia) x 171mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical DIN Mount Xenon Strobe

12-24v 315.XNB030

C	Amber
W	7w
A	1.6A @ 12VDC
X	130mm (dia) x 211mm (h)
✓	ECE R10
🕒	1 year


ECCO

ECCO 400 Series Flexible DIN Mount Economy Xenon

12-24v 300.5E4000

C	Amber
W	7w
A	1.0A @ 12VDC
X	134mm (dia) x 214mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO 400 Series

Flexible DIN Mount High Power Xenon

12-24v 300.574200

C	Amber, DIN Blue, Green, Red
W	7w
A	2.5A @ 12VDC
X	134mm (dia) x 214mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO 500 Series

Flexible DIN Mount Xenon Strobe

12-24v 300.5140D0

C	Amber, DIN Blue, Green, Red
W	7w
A	1.0A @ 12VDC
X	133mm (dia) x 247mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECE
R65

ECCO Lunar

Flexible DIN Mount Xenon Strobe

12-24v 325.493042

C	Amber, DIN Blue
W	15w
A	1.5A @ 12VDC
X	145mm (dia) x 185mm (h)
✓	ECE R10, ECE R65
🕒	2 years


ECCO

ECCO Durastrobe

Flexible DIN Mount Xenon Strobe

12-24v 325.466002

C	Amber, Green, Red
W	5w
A	0.4A @ 12VDC
X	112mm (dia) x 175mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax B15

Flexible DIN Mount Xenon Strobe

10-100v 305.B1500MV

C	Amber
W	2w
A	0.2A @ 12VDC
X	149mm (dia) x 229mm (h)
✓	ECE R10
🕒	2 years


Britax

Britax 295

Flexible DIN Mount Xenon Strobe

12-24v 305.B29500DV

C	Amber
W	6w
A	1.3A @ 12VDC
X	148mm (dia) x 285mm (h)
✓	ECE R10
🕒	2 years



LAP Electrical

Flexible DIN Mount Compact Xenon

12-24v 315.XCB0402

C	Amber
W	2w
A	0.2A @ 12VDC
X	108mm (dia) x 223mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical

Flexible DIN Mount Xenon Strobe

12-24v 315.XNB040

C	Amber
W	7w
A	1.6A @ 12VDC
X	154mm (dia) x 180mm (h)
✓	ECE R10
🕒	1 year


ECCO

ECCO 400 Series

Single Bolt Static Flash

12v 300.5C1201 24v 300.5C1202

C	Amber
W	21w
A	1.75A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


ECCO

ECCO 400 Series Single Bolt LED Static Flash

12-24v 300.V11052168

C	Amber
W	36w
A	1.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


ECCO

ECCO 500 Series Single Bolt Static Flash

12v 300.521001 24v 300.521002

C	Amber
W	21w
A	1.75A @ 12VDC
X	153mm (dia) x 183mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


Britax

Britax B331 Single Bolt Static Flash

12v 305.B33100 24v 305.B33100/24v

C	Amber
W	36w
A	3.5A @ 12VDC
X	149mm (dia) x 193mm (h)
✓	ECE R10, CAP 168
🕒	2 years


LAP

LAP Electrical Single Bolt Static Flash

12v 315.LAP225 24v 315.LAP226

C	Amber
W	21w
A	1.0A @ 12VDC
X	130mm (dia) x 203mm (h)
✓	ECE R10, CAP 168
🕒	1 year


ECCO

ECCO 400 Series Three Bolt Static Flash

12v 300.5C3201 24v 300.5C3202

C	Amber
W	21w
A	1.75A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


ECCO

ECCO 400 Series Three Bolt LED Static Flash

12-24v 300.V11050168

C	Amber
W	36w
A	1.5A @ 12VDC
X	153mm (dia) x 143mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


ECCO

ECCO 500 Series Three Bolt Static Flash

12-24v 300.523001 24v 300.523002

C	Amber
W	21w
A	1.75A @ 12VDC
X	153mm (dia) x 183mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years


Britax

Britax B330 Three Bolt Static Flash

12v 305.33000/12v 24v 305.33000/24v

C	Amber
W	36w
A	3.5A @ 12VDC
X	153mm (dia) x 165mm (h)
✓	ECE R10, CAP 168
🕒	2 years


LAP

LAP Electrical Three Bolt Static Flash

12v 315.LAP221 24v 315.LAP222

C	Amber
W	21w
A	1.0A @ 12VDC
X	153mm (dia) x 175mm (h)
✓	ECE R10, CAP 168
🕒	1 year



ECCO

ECCO 400 Series
Magnetic Static Flash

12v 300.5C0201 **24v** 300.5C0202

C	Amber
W	21w
A	1.75A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



ECCO

ECCO 400 Series
Magnetic LED Static Flash

12-24v 300.V11054168 **24v** 300.5C0202

C	Amber
W	36w
A	1.5A @ 12VDC
X	200mm (dia) x 156mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



ECCO

ECCO 500 Series
Magnetic Static Flash

12-24v 300.520001 **24v** 300.520002

C	Amber
W	21w
A	1.75A @ 12VDC
X	200mm (dia) x 190mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



Britax

Britax B334
Magnetic Static Flash

12v 305.33400/12v **24v** 305.33400/24v

C	Amber
W	36w
A	3.5A @ 12VDC
X	155mm (dia) x 170mm (h)
✓	ECE R10, CAP 168
🕒	2 years



LAP

LAP Electrical
Magnetic Static Flash

12v 315.LAP223 **24v** 315.LAP224

C	Amber
W	21w
A	1.0A @ 12VDC
X	153mm (dia) x 177mm (h)
✓	ECE R10, CAP 168
🕒	1 year



ECCO

ECCO 400 Series
Flexible DIN Mount Static Flash

12v 300.5C4201 **24v** 300.5C4202

C	Amber
W	21w
A	1.75A @ 12VDC
X	134mm (dia) x 214mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



ECCO

ECCO 400 Series
Flexible DIN Mount LED Static Flash

12-24v 300.V11055168

C	Amber
W	36w
A	1.5A @ 12VDC
X	134mm (dia) x 214mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



ECCO

ECCO 500 Series
Flexible DIN Mount Static Flash

12v 300.524001 **24v** 300.524002

C	Amber
W	21w
A	1.75A @ 12VDC
X	153mm (dia) x 183mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years



Britax

REQUIRES
TWO 'D' BATTERIES

Britax B364
Magnetic Battery Powered LED Beacon

3v 305.B36400BAT

C	Amber
W	4w
A	Not applicable
X	109mm (dia) x 126mm (h)
✓	Not applicable
🕒	2 years


dun-bri
GROUP

Dun-Bri Group
Three Bolt Low-Profile LED

10-36v 311.007/LED

C	Amber
W	4w
A	0.4A @ 12VDC
X	129mm (dia) x 94mm (h)
✓	ECE R10
🕒	1 year


dun-bri
GROUP

Dun-Bri Group
Two Bolt High-Profile LED

10-48v 311.006/LED

C	Amber
W	4w
A	0.3A @ 12VDC
X	61mm (dia) x 131mm (h)
✓	ECE R10
🕒	1 year


ECCO

ECCO Mini Vision
Three Bolt Low-Profile LED

12-80v 300.6465A

C	Amber
W	4w
A	0.45A @ 12VDC
X	129mm (dia) x 94mm (h)
✓	ECE R10, SAE Class 3
🕒	2 years


ECCO

ECCO Mini Vision
Two Bolt High-Profile LED

12-80v 300.6262A

C	Amber
W	4w
A	0.3A @ 12VDC
X	63mm (dia) x 138mm (h)
✓	ECE R10, SAE Class 3
🕒	2 years


ECCO

ECCO Orion
Three Bolt LED

12-80v 325.498001

C	Amber
W	4w
A	0.35A @ 12VDC
X	147mm (dia) x 108mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Husky
Three Bolt LED

12-80v 325.469087

C	Amber
W	4w
A	0.36A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO Husky
Magnetic LED

10-80v 325.469088

C	Amber
W	4w
A	0.36A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO LP Series
Two Bolt Low-Profile LED

12-24v 300.30000260

C	Amber, Blue, Green, Red, White
W	2w
A	0.1A @ 12VDC
X	78mm (dia) x 44mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO LT Series
Two Bolt High-Profile LED

12-24v 300.31000260

C	Amber, Blue, Green, Red, White
W	3w
A	0.2A @ 12VDC
X	71mm (dia) x 100mm (h)
✓	ECE R10
🕒	2 years



LAP Electrical
Three Bolt Mains Voltage Rotator

110 VAC 315.LAP431 **230 VAC** 315.LAP432

- C** Amber, DIN Blue, Green, Red
- W** 60w
- A** 5.0A @ 230VAC
- X** 153mm (dia) x 190mm (h)
- ✓ CE
- 🕒 1 year



LAP Electrical
Three Bolt Mains Voltage Static Flash

110 VAC 315.LAP411 **230 VAC** 315.LAP412

- C** Amber, DIN Blue, Green, Red
- W** 60w
- A** 5.0A @ 230VAC
- X** 153mm (dia) x 190mm (h)
- ✓ CE
- 🕒 1 year



LAP Electrical
Three Bolt Mains Voltage Xenon Strobe

110 VAC 315.LAP400 **230 VAC** 315.LAP401

- C** Amber, DIN Blue, Green, Red
- W** 14w
- A** 5.0A @ 12VDC
- X** 153mm (dia) x 190mm (h)
- ✓ CE
- 🕒 1 year



ECCO Microstrobe VQ
Flush Mount Xenon Strobe

12-80v 325.425082

- C** Amber, Blue, Red
- W** 1w
- A** 0.19A @ 12VDC
- X** 36mm (dia) x 22mm (h)
- ✓ ECE R10
- 🕒 2 years



ECCO Mini Vision
Three Bolt Low-Profile Xenon Strobe

12-80v 300.6410A

- C** Amber
- W** 2w
- A** 0.3A @ 12VDC
- X** 129mm (dia) x 94mm (h)
- ✓ ECE R10
- 🕒 2 years



ECCO Mini Vision
Two Bolt High-Profile Xenon Strobe

12-80v 300.6220A

- C** Amber
- W** 2w
- A** 0.3A @ 12VDC
- X** 63mm (dia) x 138mm (h)
- ✓ ECE R10
- 🕒 2 years



ECCO Husky Pup
Three Bolt Xenon Strobe

12-80v 325.469040

- C** Amber
- W** 2w
- A** 0.2A @ 12VDC
- X** 148mm (dia) x 120mm (h)
- ✓ ECE R10
- 🕒 2 years



ECCO Husky Pup
Magnetic Xenon Strobe

12-80v 325.469086

- C** Amber
- W** 5w
- A** 4.0A @ 12VDC
- X** 148mm (dia) x 120mm (h)
- ✓ ECE R10
- 🕒 2 years



ECCO Husky Pup
DIN Mount Xenon Strobe

12-80v 325.469082

- C** Amber
- W** 2w
- A** 0.2A @ 12VDC
- X** 148mm (dia) x 120mm (h)
- ✓ ECE R10
- 🕒 2 years


ECCO

ECCO Husky

Three Bolt Xenon Strobe

12-80v 325.469012

C	Amber
W	5w
A	4.0A @ 12VDC
X	148mm (dia) x 120mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO LP Series

Two Bolt Low-Profile Xenon Strobe

12-80v 300.30115270

C	Amber, Blue, Green, Red, White
W	5w
A	0.3A @ 12VDC
X	78mm (dia) x 44mm (h)
✓	ECE R10
🕒	2 years


ECCO

ECCO LT Series

Two Bolt High-Profile Xenon Strobe

12-80v 300.31115270

C	Amber, Blue, Green, Red, White
W	5w
A	0.5A @ 12VDC
X	71mm (dia) x 100mm (h)
✓	ECE R10
🕒	2 years



LAP Electrical DLP Series

Two Bolt Low-Profile Xenon Strobe

10-100v 315.DLP2MVA

C	Amber, Red
W	2w
A	0.2A @ 12VDC
X	77mm (dia) x 45mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical DLP Series

Two Bolt Low-Profile Xenon Strobe

10-100v 315.DLP5MVA

C	Amber, Red
W	5w
A	0.5A @ 12VDC
X	77mm (dia) x 45mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical DLP Series

Two Bolt Mains Voltage Xenon Strobe

110 VAC 315.DLP2110A 230 VAC 315.DLP2230A

C	Amber, Red
W	2w
A	0.2A @ 230VAC
X	77mm (dia) x 45mm (h)
✓	CE
🕒	1 year



LAP Electrical DLT Series

Two Bolt High-Profile Xenon Strobe

10-100v 315.DLT2MVA

C	Amber, Red
W	2w
A	0.2A @ 12VDC
X	77mm (dia) x 95mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical DLT Series

Two Bolt High-Profile Xenon Strobe

10-100v 315.DLT5MVA

C	Amber, Red
W	5w
A	0.5A @ 12VDC
X	77mm (dia) x 95mm (h)
✓	ECE R10
🕒	1 year



LAP Electrical DLT Series

Two Bolt Mains Voltage Xenon Strobe


110 VAC 315.DLT5110A 230 VAC 315.DLT5230A

C	Amber, Red
W	5w
A	0.2A @ 230VAC
X	77mm (dia) x 95mm (h)
✓	CE
🕒	1 year

BEACON SPARES & ACCESSORIES

33 SPARE PARTS 35 ACCESSORIES

We stock a variety of spare parts and accessories for all types of our own-brand beacons and those produced by ECCO, Britax and LAP. These include halogen bulbs, xenon tubes, drive belts, reflectors, replacement lenses, protective cages, mounting accessories and power cables to name a few. If you're not sure what you need, call us for help and advice





www.dun-bri.com/beacons

FIND SPARE PARTS BY BEACON RANGE



ECCO 400 Series
Page 33



ECCO 500 Series
Page 33



ECCO Alpha
Page 33 (Compact)



ECCO Beta
Page 33 (Compact)



ECCO Delta
Page 33 (Compact)



ECCO Gamma
Page 33 (Compact)



ECCO Durastrobe
Page 33 (Compact)



ECCO Lunar
Page 33



ECCO Mini Vision
Page 33



Britax 29x Series
Page 33



Britax 39x Series
Page 33



Britax B9x Series
Page 33



Britax B2x Series
Page 33



Britax B5x Series
Page 33



Britax B1x Series
Page 34



Britax B6x Series
Page 34



Britax B33x Series
Page 34



Britax B31x/B32x
Page 34



LAP - Rotators
Page 34



LAP - XNB
Page 34



LAP - Static Flash
Page 34



Dun-Bri - Rotators
Page 34



Lucas LBB287
Page 34

If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**

ECCO 400 Series



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
LED	-	-	-	-	300.910138	300.910131	300.910321	-	-	-
Rotating	1002.448S	1002.466S	300.999554	300.945034	-	300.910323	300.910321	300.910322	300.910325	300.910324
Eco. Xenon	300.999223		-	-	300.910138	-	300.910284	300.910462	300.910135	300.910133
HP Xenon	300.960055		-	-		300.910131				
Static Flash	100.290S	100.382S	-	-		-				

ECCO 500 Series



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber <small>(RES)</small>	DIN Blue <small>(RES)</small>	Cal. Blue	Green	Red
Rotating	1002.448S	1002.466S	300.999555	300.945034	-	300.910156	300.910154	300.910152	300.910155	300.910153
Xenon	300.999223		-	-	300.910151					
Static Flash	100.290S	100.382S	-	-						

ECCO Compact



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
LED	-	-	-	-	-	325.517002	325.517053	-	325.517005	325.517052
Alpha Xenon	-	-	325.RPK160128	-						
Beta Xenon	-	-	325.RPK160129	-						
Delta Xenon	325.570009		-	-						
Gamma Xenon	-	-	-	-						
Durastrobe	-	-	-	-						

ECCO Lunar



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
Xenon Strobe	325.593001		-	-	-	325.517122	325.517124	-	-	-

ECCO Mini Vision



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
Low Pro LED	-	-	-	-	300.910065	-	-	300.910066	300.910067	300.910068
Low Pro Xen	300.6410FT		-	-						
High Pro LED	-	-	-	-	300.910085	-	-	300.910086	300.910087	300.910088
High Pro Xen	300.R6200FT		-	-						

Britax 39x/29x/B9x





Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
LED	-	-	305.1360650	-	305.1043810	-	-	-	-	-
Rotating	1002.448S	1002.466S	305.1354500	305.1521400	-	305.1043800				
Xenon	-	-	305.1300200	-	305.1043810	-				


Britax B2x/B5x





Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber	Amber (RES)	DIN Blue (RES)	Cal. Blue	Green	Red
LED	-	-	305.1360550	-	305.1051404	-	-	-	-	-
Rotating	1002.448S	1002.466S	-	-	-	305.1051400				


Britax B1x/B6x		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		LED	-	-	305.1360450	-	305.1050300	-	-	-	-	-
		Xenon	-	-	-	-	305.1854400	-	-	-	-	-

Britax B33x		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		Static Flash	305.L2	305.L621	-	-	305.1031800	-	-	-	-	-

Britax B31x/B32x		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		B31x LED	-	-	-	-	-	305.1044950	-	-	-	-
		B32x LED	-	-	-	-	-	305.1044951	-	-	-	-

LAP Elec. LAP/XNB		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		Rotating	1002.448S	1002.466S	-	-	-	315.63200285	315.63200286	-	315.63200288	315.63200287
		Xenon	-	-	-	-	315.63200266	-	-	-	-	-
		Static	100.290S	100.382S	-	-	315.63200266	-	-	-	-	-

Dun-Bri		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		Rotating	1002.448S	1002.466S	-	-	-	-	-	-	-	-

Lucas		Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
			12v	24v			Amber	Amber (R65)	DIN Blue (R65)	Cal. Blue	Green	Red
		300. LBB287	1002.448S	1002.466S	-	-	-	-	-	-	-	-



dun-bri
GROUP

Pole Mount Bracket
Straight Threaded Mount

12-24v 300.100058



dun-bri
GROUP

Pole Mount Bracket
Straight for Welded Mount

12-24v 300.100057



dun-bri
GROUP

Pole Mount Bracket
Horizontal Base Straight Mount

12-24v 300.100056



dun-bri
GROUP

Pole Mount Bracket
Side Fixing Straight Mount

12-24v 300.100059



dun-bri
GROUP

Pole Mount Bracket
Folding Horizontal Base Mount

12-24v 300.100074



Britax

Britax Pole Mount Bracket
Side Fixing Swivel Mount

12-24v 305.1310925



Britax

Britax Pole Mount Bracket
Folded Roof Rack Straight Mount

12-24v 305.1310930



ECCO

ECCO Roofbar Fixing Bracket
Single Beacon Mount

N/A 300.999547



LAP Electrical Power Cable/Plug
Replacement for Beacons

12-24v 315.63200528



dun-bri
GROUP

Dun-Bri Group Protector Guard
For 311.007/LED Beacon

N/A 311.007/C



ECCO

ECCO Protector Guard
For Three Bolt Compact Beacons

N/A 325.521033



ECCO

ECCO Protector Guard
For Lunar Beacons

N/A 325.521053



ECCO

ECCO Protector Guard
For Solar & Turbo Beacons

N/A 325.521021



LAP

LAP Protector Guard
For Three Bolt Compact Beacons

N/A 315.63200656



ECCO

ECCO Mounting Bracket
For Compact & Lunar Beacons

N/A 325.521018

MINI LIGHTBARS

- 39 LED
- 43 ROTATING
- 44 XENON STROBE
- 45 STATIC FLASH

Midway between a beacon and a full-size lightbar is the minibar; up to around 16" in length, they are available in dual halogen rotating, dual xenon strobe, multiple LED and static flash options. Magnetic, single bolt and two bolt versions are available from our own brand, the Vision Alert, Britax, LAP Electrical and Redtronic ranges





www.dun-bri.com/lightbars-sirens

FIND BY TECHNOLOGY



LED
Page 39

Seen as the future replacement for xenon strobe minibars, these are reliable, incredibly energy efficient and compact. Some even come with selectable flash patterns to enhance your warning installation



Rotating
Page 43

Still popular today despite newer warning technology, a halogen rotator is a great value product to install and easily helps you conform to Chapter 8 as all of our rotating minibars are ECE R65 approved



Xenon Strobe
Page 44

Longer lasting and more energy efficient than halogen minibars, the xenon variants are very popular with all types of customers. Not to be confused with airport static flash or LED



Static Flash
Page 45

Designed for use on airports and airside areas, static flash minibars are available with halogen tungsten bulb fittings. All of our range are CAP 168 compliant. They emit a low-intensity pulse to avoid dazzling pilots

FIND BY STANDARD MOUNTINGS



Single Bolt

Installations are made simple with a single bolt beacon, as the power cable passes through the mounting bolt of the unit. This also reduces damage to lease and hire vehicles maintaining future value



Twin Bolt

Used primarily where ribbed roof construction on a vehicle prohibits single bolt mounting, these lightbars are just the same as their one bolt equivalents



Four Bolt

The base of these minibars permits four bolt mounting, this is commonly found where the model is a smaller version of a full-size equivalent warning lightbar



Magnetic

For temporary use, most of our range of magnetic beacons are all approved for use up to 70mph (motorway speeds) and are fitted with a plug that works from your vehicle's cigarette lighter socket

FIND BY BRAND



Dun-Bri Group®

The own-brand range of LED mini lightbars from the Dun-Bri Group are designed to be durable, yet inexpensively priced for all markets

- LED mini lightbars



Vision Alert®

Found all over the world, they have a massive range of mini and full-size lightbars in all types of technology. Part of the ECCO Safety Group

- LED mini lightbars
- Rotating mini lightbars
- Xenon strobe mini lightbars
- Static flash mini lightbars



Britax®

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- LED mini lightbars
- Rotating mini lightbars
- Xenon strobe mini lightbars
- Static flash mini lightbars



LAP Electrical

With our stocked range of LAP mini lightbars made in the UK, they are synonymous with quality and reliability

- Rotating mini lightbars



Redtronic®

Specialists in UK-made LED lightbars, their ranges include the Mega-Flash and Bullitt lightbars. We stock all size variants with FX technology

- LED mini lightbars

dun-bri
GROUP

Dun-Bri Group
Single Bolt LED

12-24v 311.014/LEDC


C	Amber (Clear lens)
W	20w LED
A	1.1A @ 12VDC
X	300mm (l) x 150mm (d) x 80mm (h)
✓	ECE R10
🕒	1 year

dun-bri
GROUP

Dun-Bri Group
Magnetic LED

12-24v 311.013/LEDC


C	Amber (Clear lens)
W	20w LED
A	1.1 @ 12VDC
X	300mm (l) x 150mm (d) x 80mm (h)
✓	ECE R10
🕒	1 year

VISION ALERT

Vision Alert Reflex
Single Bolt LED

12-24v 300.5580CAVA


C	Amber (Clear lens)
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT

Vision Alert Reflex
Single Bolt LED

12-24v 300.5580A


C	Amber
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT

Vision Alert Reflex
Twin Bolt LED

12-24v 300.5580CAVA2


C	Amber (Clear lens)
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT

Vision Alert Reflex
Twin Bolt LED

12-24v 300.5580AVA2


C	Amber
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT

Vision Alert Reflex
Magnetic LED

12-24v 300.5580CAVAMAG

C	Amber (Clear lens)
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT

Vision Alert Reflex
Magnetic LED

12-24v 300.5580AVAMAG

C	Amber
W	24w LED
A	3.5A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT


Vision Alert Reflex
Single Bolt High Power LED

12-24v 300.5565CAVA1

C	Amber (Clear lens)
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

ECE
R65

VISION ALERT

ECE
R65

Vision Alert Reflex Single Bolt High Power LED

12-24v 300.5565AVA1

C	Amber
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

VISION ALERT


ECE
R65

Vision Alert Reflex Twin Bolt High Power LED

12-24v 300.5565CAVA2

C	Amber (Clear lens)
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

VISION ALERT

ECE
R65

Vision Alert Reflex Twin Bolt High Power LED

12-24v 300.5565AVA2

C	Amber
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

VISION ALERT


ECE
R65

Vision Alert Reflex Magnetic High Power LED

12-24v 300.5565CAVAMAG

C	Amber (Clear lens)
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

VISION ALERT

ECE
R65

Vision Alert Reflex Magnetic High Power LED

12-24v 300.5565AVAMAG

C	Amber
W	72w LED
A	5.1A @ 12VDC
X	381mm (l) x 229mm (d) x 63mm (h)
✓	ECE R10, ECE R65
🕒	2 years

VISION ALERT



Vision Alert Blaze 2 Single Bolt LED

12-24v 300.6500203

C	Amber
W	24w LED
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT



Vision Alert Blaze 2 Twin Bolt LED

12-24v 300.6500202

C	Amber
W	24w LED
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT



Vision Alert Blaze 2 Magnetic LED

12-24v 300.6500204

C	Amber
W	24w LED
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

Britax



Britax A101 Single Bolt LED

12-24v 305.A10100LDV

C	Amber (Clear lens)
W	12w LED
A	2.0A @ 12VDC
X	278mm (l) x 68mm (d) x 87.5mm (h)
✓	ECE R10
🕒	2 years



Britax A100
Magnetic LED

12-24v 305.A10000LDV

C	Amber (Clear lens)
W	12w LED
A	2.0A @ 12VDC
X	278mm (l) x 68mm (d) x 87.5mm (h)
✓	ECE R10
🕒	2 years



Britax A501
Single Bolt LED

12-24v 305.A50100LDV

C	Amber (Clear lens)
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10
🕒	2 years



ECE
R65

Britax A511
Single Bolt LED

12-24v 305.A51100LDV

C	Amber
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax A504
Magnetic LED

12-24v 305.A50400LDVKIT

C	Amber (Clear lens)
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10
🕒	2 years



ECE
R65

Britax A514
Magnetic LED

12-24v 305.A51400LDVKIT

C	Amber
W	30w LED
A	4.2A @ 12VDC
X	248mm (l) x 172mm (d) x 79mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax Aerolite A451
Single Bolt LED

12-24v 305.A45100LMV

C	Amber
W	12w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years



Britax Aerolite A454
Magnetic LED

12-24v 305.A45400DV

C	Amber
W	12w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years



Britax Aerolite A481
Single Bolt LED

12-24v 305.A48100LDV

C	Amber
W	32w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10
🕒	2 years



Britax Aerolite A484
Magnetic LED

12-24v 305.A48400LDV

C	Amber
W	32w LED
A	2.0A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10
🕒	2 years


Britax
**ECE
R65**

Britax Aerolite A491 Single Bolt High Power LED

12-24v 305.A49140LDV

C	Amber (Clear lens)
W	60w LED
A	3.8A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10, ECE R65
🕒	2 years


Britax
**ECE
R65**

Britax Aerolite A491 Single Bolt High Power LED

12-24v 305.A49100LDV

C	Amber
W	60w LED
A	3.8A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10, ECE R65
🕒	2 years


Britax
**ECE
R65**

Britax Aerolite A494 Magnetic High Power LED

12-24v 305.A49440LDV

C	Amber (Clear lens)
W	60w LED
A	5.1A @ 12VDC
X	420mm (l) x 205mm (d) x 125mm (h)
✓	ECE R10, ECE R65
🕒	2 years


Britax
**ECE
R65**

Britax Aerolite A494 Magnetic High Power LED

12-24v 305.A49400LDV

C	Amber
W	60w LED
A	5.1A @ 12VDC
X	420mm (l) x 205mm (d) x 125mm (h)
✓	ECE R10, ECE R65
🕒	2 years


REDTRONIC
**ECE
R65**

Redtronic Mega-Flash FX Four Bolt High Power LED

12-24v 389.FX085A

C	Amber (Clear lens), DIN Blue, Green, Red
W	72w LED
A	2.5A @ 12VDC
X	300mm (l) x 200mm (d) x 55mm (h)
✓	ECE R10, ECE R65
🕒	2 years


REDTRONIC
**ECE
R65**

Redtronic Mega-Flash FX Magnetic High Power LED

12-24v 389.FX087A

C	Amber (Clear lens), DIN Blue, Green, Red
W	72w LED
A	2.5A @ 12VDC
X	300mm (l) x 200mm (d) x 55mm (h)
✓	ECE R10, ECE R65
🕒	2 years


REDTRONIC
**ECE
R65**

Redtronic Microbar Single Bolt High Power LED

12-24v 389.MB24SBAC

C	Amber (Clear lens), DIN Blue, Green, Red
W	72w LED
A	2.5A @ 12VDC
X	255mm (l) x 179mm (d) x 47mm (h)
✓	ECE R10, ECE R65
🕒	2 years


REDTRONIC
**ECE
R65**

Redtronic Microbar Magnetic High Power LED

12-24v 389.MB24MGAC

C	Amber (Clear lens), DIN Blue, Green, Red
W	72w LED
A	2.5A @ 12VDC
X	255mm (l) x 179mm (d) x 55mm (h)
✓	ECE R10, ECE R65
🕒	2 years


REDTRONIC
**ECE
R65**
**REMOTE
CONTROL
OPERATED**

Redtronic Microbar Rechargeable High Power LED

12-24v 389.MB24AC/REC

C	Amber (Clear lens), DIN Blue, Green, Red
W	72w LED
A	Not applicable
X	255mm (l) x 179mm (d) x 55mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze
Single Bolt Rotator

12v 300.701001Y 24v 300.701002Y

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze
Twin Bolt Rotator

12v 300.701001/12v 24v 300.701002/24v

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze
Magnetic Rotator

12v 300.701001BAA/12v 24v 300.701002BAA/24v

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze II
Single Bolt Rotator

12v 300.601AA01Y 24v 300.601AA02Y

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze II
Twin Bolt Rotator

12v 300.601AA01 24v 300.601AA02

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Vision Alert Blaze II
Magnetic Rotator

12v 300.601AA01M 24v 300.601AA02M

C	Amber, DIN Blue, Green, Red
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax Aerolite A421
Single Bolt Rotator

12v 305.A42100/12v 24v 305.A42100/24v

C	Amber
W	2x 55w (12v) or 2x 70w (24v)
A	9.5A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10, ECE R65
🕒	2 years



Britax Aerolite A424
Magnetic Rotator

12v 305.A42400/12v 24v 305.A42400/24v

C	Amber
W	2x 55w (12v) or 2x 70w (24v)
A	9.5A @ 12VDC
X	420mm (l) x 205mm (d) x 95mm (h)
✓	ECE R10, ECE R65
🕒	2 years



LAP Electrical
Single Bolt Rotator

12-24v 315.CLB55SA

C	Amber
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 180mm (d) x 134mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECE
R65

LAP Electrical
Twin Bolt Rotator

12-24v 315.CLB55TA

C	Amber
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 180mm (d) x 134mm (h)
✓	ECE R10, ECE R65
🕒	1 year



ECE
R65

LAP Electrical
Magnetic Rotator

12-24v 315.CLB55MA

C	Amber
W	2x 55w (12v) or 2x 70w (24v)
A	9.2A @ 12VDC
X	400mm (l) x 180mm (d) x 150mm (h)
✓	ECE R10, ECE R65
🕒	1 year



VISION ALERT

Vision Alert Blaze
Single Bolt Xenon Strobe

12-24v 300.711000Y

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10
🕒	2 years



VISION ALERT

ECE
R65

Vision Alert Blaze
Single Bolt High Power Xenon Strobe

12-24v 300.7F1000Y

C	Amber, DIN Blue, Green, Red
W	2x 21w
A	3.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



VISION ALERT

Vision Alert Blaze
Twin Bolt Xenon Strobe

12-24v 300.711000

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10
🕒	2 years



VISION ALERT

ECE
R65

Vision Alert Blaze
Twin Bolt High Power Xenon Strobe

12-24v 300.7F1000

C	Amber, DIN Blue, Green, Red
W	2x 21w
A	3.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



VISION ALERT

Vision Alert Blaze
Magnetic Xenon Strobe

12-24v 300.711000BAA

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10
🕒	2 years



VISION ALERT

ECE
R65

Vision Alert Blaze
Magnetic High Power Xenon Strobe

12-24v 300.7F1000BAA

C	Amber, DIN Blue, Green, Red
W	2x 21w
A	3.0A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, ECE R65
🕒	2 years



VISION ALERT

Vision Alert Blaze II
Single Bolt Xenon Strobe

12-24v 300.611AA00Y

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.8A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT



Vision Alert Blaze II
Twin Bolt Xenon Strobe

12-24v 300.611AA00

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.8A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT



Vision Alert Blaze II
Magnetic Xenon Strobe

12-24v 300.611AA00M

C	Amber, DIN Blue, Green, Red
W	2x 14w
A	2.8A @ 12VDC
X	400mm (l) x 210mm (d) x 114mm (h)
✓	ECE R10
🕒	2 years

Britax



Britax Aerolite A431
Single Bolt Xenon Strobe

12-24v 305.A43100DV

C	Amber
W	2x 6w
A	2.1A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years

Britax



Britax Aerolite A434
Magnetic Xenon Strobe

12-24v 305.A43400DV

C	Amber, DIN Blue, Green, Red
W	2x 6w
A	2.1A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10
🕒	2 years

VISION ALERT



Vision Alert Blaze
Twin Bolt Static Flash

12-24v 300.7V1001

C	Amber
W	2x 21w (12v or 24v)
A	3.5A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years

VISION ALERT



Vision Alert Blaze
Magnetic Static Flash

12-24v 300.7V1001BAAAA

C	Amber
W	2x 21w (12v or 24v)
A	3.5A @ 12VDC
X	400mm (l) x 210mm (d) x 147mm (h)
✓	ECE R10, CAP 168, ICAO
🕒	2 years

Britax



Britax Aerolite A441
Single Bolt Static Flash

12v 305.A4410012V

C	Amber
W	2x 21w (12v or 24v)
A	4.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10, CAP 168
🕒	2 years

Britax



Britax Aerolite A444
Magnetic Static Flash


12v 305.A4440012V


C	Amber
W	2x 21w (12v or 24v)
A	4.0A @ 12VDC
X	420mm (l) x 205mm (d) x 130mm (h)
✓	ECE R10, CAP 168
🕒	2 years

MINI LIGHTBAR SPARES & ACCESSORIES

49 SPARE PARTS
50 ACCESSORIES

From halogen bulbs and lenses to replacement xenon strobe tubes, we always have a range of spare parts and accessories in stock for mini lightbars from Vision Alert, Britax and LAP to reduce down-time from accidental damage or general wear and tear not covered by a product's initial warranty period. Remember you can always ask us for help





www.dun-bri.com/lightbars-sirens

FIND SPARE PARTS BY MINI LIGHTBAR RANGE



Vision Alert Blaze
Page 49



Vision Alert Blaze II
Page 49



Vision Alert Reflex
Page 49



Britax Aerolite
Page 49



Britax Aerolite A48x
Page 49



Britax Aerolite A49x
Page 49



LAP CLB
Page 49



Redtronic Microbar
Page 49

FIND BY ACCESSORY TYPE



Power Plug
Pages 50

We stock a range of power plugs that are compatible with a majority of the beacons and mini lightbars we sell, as well as being suitable for new installations or for other electrical accessories



Power Socket
Pages 51

This range is offered for end-users and installers who want to add or replace power sockets fitted within vehicles to power electrical items up to 16A. Available in multi-voltage; 12v or 24v variants



Roofbar Mounts
Pages 50

Suitable for mounting mini lightbars and beacons to vehicle roof bars, these brackets allow for permanent mount items to be installed without the need to drill or damage the roof of the vehicle

If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**

Vision Alert Blaze



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
Rotating	1002.448S	1002.466S	300.999558	300.945035	300.910097	300.910091	300.910093	300.910095	300.910092	300.910096
Xenon	300.999223		300.999662	-						
HP Xenon	300.960055		300.999667	-						
Static Flash	100.290S	100.382S	-	-						

Vision Alert Blaze II



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
LED	-	-	-	-	300.910381	300.910382	300.910385	300.910384	300.910383	300.910386
Rotating	1002.448S	1002.466S	300.999557	300.945035						
Xenon	300.999223		300.999409	-						

Vision Alert Reflex



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
5565 Series	-	-	-	-	TBA	-	-	-	-	TBA
5580 Series	-	-	-	-	300.R5500LA	-	-	-	-	300.R5500LC

Britax Aerolite



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
LED	-	-	305.1360654	-	305.1854514	305.1854302	-	305.1051005	305.1854503	-
Rotating	1002.448S	1002.466S	305.1355104	305.1521400	305.1854500					
Xenon	-	-	305.1300200	-	305.1854700					
Static Flash	100.290S	100.382S	-	-	305.1854514					

Britax Aerolite A48/9x



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
A48x LED	-	-	-	-	305.1057100	-	-	-	-	305.1057150
A49x LED	-	-	-	-						

LAP CLB55



Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
Rotator	1002.448S	1002.466S	-	315.63200756	315.63200728	-	-	-	-	-

Redtronic Microbar




Part Range	Replacement Bulb/Tube		Module Assembly	Drive Belt	Replacement Lens					
	12v	24v			Amber <small>(R65)</small>	DIN Blue <small>(R65)</small>	Cal. Blue	Green	Red	Clear
LED Microbar	-	-	-	-	Call us	Call us	-	-	-	Call us



ECCO

ECCO Roofbar Fixing Bracket
Single Pack for Mini Lightbar Mounting

N/A 300.999547



ECCO

ECCO Roofbar Fixing Bracket
Twin Pack for Mini Lightbar Mounting

N/A 300.999568



PRO-CAR

Pro-car 16A Power Plug
Replacement for Beacons/Mini Lightbars

12-24v 330.497E



PRO-CAR

Pro-car 8A Power Plug
Replacement for Beacons/Mini Lightbars

12-24v 330.497



PRO-CAR

Pro-car 16A Fused Power Plug
Replacement for Beacons/Mini Lightbars

12-24v 300.67712110



PRO-CAR

Pro-car 8A Fused Power Plug
Replacement for Beacons/Mini Lightbars

12-24v 300.67712100



PRO-CAR

Pro-car 12A Standard DIN Plug
Replacement for Beacons/Mini Lightbars

12-24v 330.498D



PRO-CAR

Pro-car 8A Standard Plug
Replacement for Beacons/Mini Lightbars

12-24v 330.497D



LAP

LAP Electrical Power Cable/Plug
Replacement for Beacons/Mini Lightbars

12-24v 315.63200528



PRO-CAR

Pro-car 16A Twin Socket Connector
0.25m Fused Extension Cable

12-24v 330.488



PRO-CAR

Pro-car 8A Single Socket Connector
4.0m Fused Extension Cable

12-24v 300.67814100



PRO-CAR

Pro-car 8A Single Socket Connector
0.6m—3.0m Fused Extension Cable

12-24v 330.489



PRO-CAR

Pro-car 8A Universal Cable/Plug
Replacement for Beacons/Mini Lightbars

12-24v 300.67834000



PRO-CAR

Pro-car 8A Universal Cable/Plug
Replacement for Beacons/Mini Lightbars

12-24v 300.67837000



PRO-CAR

Pro-car 16A Triple DIN Socket
Surface Mount with Integral Panel

12-24v 330.485



PRO-CAR

Pro-car 16A DIN Socket
Standard Socket

12-24v 330.498C



PRO-CAR

Pro-car 16A DIN Socket & Cap
Dust/Splash Proof

12-24v 330.498A



ECCO

ECCO 16A DIN Socket
Surface Mount and Dust/Splash Proof

12-24v 300.57608002



PRO-CAR

Pro-car 8A DIN Socket & Cap
Dust/Water Proof

12-24v 300.52005000



PRO-CAR

Pro-car 16A DIN Socket & Cap
Metal Socket with Spring Loaded Cap

12-24v 330.498



PRO-CAR

Pro-car 20A Power Socket & Cap
Automotive Standard with Cap

12-24v 330.498B



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

12v 331.1206



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

12v 331.1216



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

24v 331.1624



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

12v 331.1218



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

24v 331.1824



SUTARS

Sutars 16A DIN Socket & Cap
Dust/Splash Proof

24v 331.1207



REDTRONIC

Redtronic 14A Lightbar Connector
7-pin Connector

12-24v 389.EM108QRC7



REDTRONIC

Redtronic 14A Lightbar Connector
12-pin Connector

12-24v 389.EM108QRC12

LIGHTBARS

56 VISION ALERT
72 BRITAX
78 REDTRONIC
84 911 SIGNAL
86 LAP ELECTRICAL
88 STAR WARNING

We have the most comprehensive range of lightbars in Europe, from all of the big brands, in all types of technology and size. At Dun-Bri we pride ourselves on giving you the right advice when you choose your lightbar and we can even work with you to design the perfect solution to your requirements. Just ask us for this free of charge service





www.dun-bri.com/lightbars-sirens

FIND LIGHTBARS BY RANGE

**Vision Alert 12 Series**

Page 56

New to Vision Alert in 2014, the 12 Series is a low cost, high output all-LED lightbar. Produced using reinforced a polycarbonate chassis and UV-stabilised lenses, the lightbar is available in a range of standard sizes and options

Available in:

- High-power LED

Options include:

- LED alley lights
- LED work lights
- Stop, tail & indicators

**Vision Alert 15 Series**

Page 58

One of the first LED lightbars produced that was under 2" tall, the 15 Series is now popular across the world and is the lightbar of choice for many recovery operators including the AA, highways vehicles and the emergency services

Available in:

- High-power TIR LED
- Lux™ LED

Options include:

- Alley & work lights
- Stop, tail & indicators
- Illuminated centre signage
- Coloured top lenses

**Vision Alert 60 Series**

Page 62

Popular as a medium-profile halogen rotator lightbar with its unique free-form optics, the 60 Series is also highly configurable with warning source choices including xenon strobe and Halo LED. Custom sizes and specifications can be built to order

Available in:

- Halo™ LED
- Halogen rotator
- Xenon strobe

Options include:

- Stop, tail & indicators
- Work lights & alley lights
- Additional alternating lights
- Illuminated centre signage

**Vision Alert 65 Series**

Page 66

A combination of classic styling and modern technology, every model of the 65 Series from Vision Alert is ECE R65 approved making it ideal for all types of customers who require high-performance amber or blue warning

Available in:

- High-power LED

Options include:

- Illuminated centre signage
- Stop, tail & indicators

**Vision Alert 70 Series**

Page 68

Classically styled and incredibly configurable, the 70 Series is Vision Alert's longest serving and Dun-Bri Group's best-selling lightbar that is available in LED, halogen rotator and xenon strobe options. Can be specified with virtually limitless choices

Available in:

- Economy LED
- Halogen rotator
- Xenon strobe

Options include:

- Additional alternating lights
- Centre & LED matrix signs
- Stop, tail & indicators
- Alley & work lights

**Britax Aerolite A6**

Page 72

Used on all types of vehicles up and down the country, the A6 lightbar from Britax is available with halogen rotator, xenon strobe or economy LED technologies. These lightbars are available in a variety of lengths with a set of standard module layouts per length

Available in:

- Economy LED
- High-power LED
- Halogen rotator
- Xenon strobe

Options include:

- Illuminated centre signage
- Stop, tail & indicators
- Work lighting

**Britax Aerolite A13**

Page 76

This low-profile all-LED lightbar is based on the original A6 lightbar but is reinforced and available in high-power LED configurations. Suitable for all types of vehicles, they are available in a selection of lengths to suit your car, van, truck or machine

Available in:

- Economy LED
- High-power LED

Options include:

- Economy or ECE R65 LED
- Clear or coloured lenses

**Redtronic Bullitt**

Page 78

Devised and built in the UK by Redtronic, the Bullitt is a modern, aerodynamic all-LED lightbar available in basic or advanced options. The more advanced version allows for future LED expansion and user reconfiguration at your own site

Available in:

- High-power LED

Options include:

- Stop, tail & indicators
- Work lights & alley lights
- Illuminated centre signage
- Clear or coloured lenses

**Redtronic Mega-flash FX**

Page 80

Revised with newly improved FX Technology LED modules, the Mega-flash from Redtronic is a popular choice for ancillary and emergency service users across Europe. Highly configurable lightbar available in many lengths - built in the UK

Available in:

- High-power LED

Options include:

- Illuminated centre signage
- Stop, tail & indicators
- Work & alley lighting
- Clear or coloured lenses

If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**

FIND LIGHTBARS BY RANGE



911 Signal Warrior
Page 84

Featuring a brand-new design for 2015, the Warrior is incredibly powerful yet sleek and inexpensive. The lightbar is fitted with unique 12-LED modules that are approved to ECE R65. Features aluminium reinforced chassis

Available in:

- High-power LED



LAP Electrical Titan
Page 86

Designed and built in the UK, the Titan is a low-cost lightbar with a traditional appearance and unique LED optics for enhanced warning performance. Can be ordered in standard lengths or customised as per your requirements with ease

Available in:

- High-power LED

Options include:

- LED alley lights
- Stop, tail & indicators
- Additional alternating lights
- Illuminated centre signage



Star Warning Razor
Page 88

Single-deck LED lightbar of the twin range of aerodynamic lightbars available from Star Warning Systems. The Razor features optics enhanced in partnership with Dun-Bri Group to make them all ECE R65 approved

Available in:

- High-power LED

Options include:

- LED alley lights
- LED work lights
- Stop, tail & indicators



Star Warning Sabre
Page 90

This highly configurable dual-deck lightbar from Star Warning, the Sabre can be fitted with multiple options that can be fitted wherever you require according to your specifications. Features ECE R65 approved optics as used in the Razor model

Available in:

- High-power LED

Options include:

- Alley & work lights
- Stop, tail & indicators
- Illuminated centre signage
- Coloured top lenses

FIND BY BRAND



Vision Alert
Pages 56-71

With a commitment to quality and innovation, Vision Alert are known throughout the world with their range of low, medium & high-profile lightbars of all types

- LED lightbars
- Rotating lightbars
- Xenon strobe lightbars



Britax®
Pages 72-77

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- LED lightbars
- Rotating lightbars
- Xenon strobe lightbars



Redtronic®
Pages 78-83

Designed, built and assembled in the UK, the Mega-flash lightbar has become a popular choice for many fleet engineers and is now offered with the Bullitt

- LED lightbars



911 Signal®
Pages 84-85

Low-cost, all-LED high performance warning lightbars from 911 Signal will impress all types of end-users with their output and durability


- LED lightbars



LAP Electrical
Pages 86-87

With exceptional customer service levels, the Titan LED lightbar from LAP is durable and cost-efficient. Made in the United Kingdom

- LED lightbars




Star Warning
Pages 88-91

Developed with us to ensure compliance with ECE R65, the Star range of LED lightbars features a single and dual-deck offering

- LED lightbars

VISION ALERT // 12 SERIES



Powerful LED modules




Stop, tail & indicators



LED alley/work lights

Approvals & warranty




Colour options



- Low-profile, robust all-LED lightbar with aluminium reinforced chassis and clear UV-stabilised polycarbonate top lenses
- Options include LED work & alley lights and stop, tail & indicator modules (available from Qtr 3, 2015)
- Available in 48", 54" and 60" length models
- Customised models available, ask us for details




48" // 1.25m



12-24V 300.1210021V

- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1220mm (l) x 279mm (d) x 64mm (h)


54" // 1.37m



12-24V 300.1210022V



- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1370mm (l) x 279mm (d) x 64mm (h)

60" // 1.52m




12-24V 300.1210023V

- C Amber (Clear lens)
- M 16x 3-LED modules
- A 7.2A @ 12VDC
- X 1520mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210024V

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 10.8A @ 12VDC
- X** 1220mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210025V

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 11.6A @ 12VDC
- X** 1370mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210025V/STI

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights; 2x STI
- A** 13.2A @ 12VDC
- X** 1370mm (l) x 279mm (d) x 64mm (h)




12-24v 300.1210027V

- C** Amber (Clear lens)
- M** 16x 3-LED modules
- A** 7.2A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)



12-24v 300.1210026V

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights
- A** 11.6A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)



12-24v 300.1210026V/STI

- C** Amber (Clear lens)
- M** 16x 3-LED modules; 2x Work lights; 2x Alley lights; 2x STI
- A** 13.2A @ 12VDC
- X** 1520mm (l) x 279mm (d) x 64mm (h)

VISION ALERT // 15 SERIES



TIR LED module




Optional STI modules



Plug & play electronics

Approvals & warranty



Colour options



- Ultra low-profile, LED lightbar with aluminium chassis and UV-stabilised polycarbonate lenses
- Options include the choice of standard TIR LED or ECE R65 compliant Lux modules; work & alley lights; centre signs; additional alternating lights; stop, tail & indicator modules and coloured top lenses
- Available in 23", 39", 49", 54", 59" and 69" length models



ECE
R65

12-24V 300.15L01325V

C	Amber (Clear lens)
M	12x Lux LED modules
A	5.6A @ 12VDC
X	590mm (l) x 310mm (d) x 53mm (h)



ECE
R65

12-24V 300.15L01326V


C	Amber (Clear lens)
M	12x Lux LED modules; Centre sign
A	5.6A @ 12VDC
X	980mm (l) x 310mm (d) x 53mm (h)




ECE
R65

12-24V 300.15L01327V

C	Amber (Clear lens)
M	12x Lux LED modules; Centre sign
A	5.6A @ 12VDC
X	1240mm (l) x 310mm (d) x 53mm (h)




Lux LED module




12v 300.1500013 **24v** 300.1500046

- C** Amber (Clear lens)
- M** 6x 4-LED modules
- A** 1.2A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500015 **24v** 300.1500047

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500019 **24v** 300.1500048

- C** Amber (Clear lens)
- M** 10x 4-LED modules
- A** 2.0A @ 12VDC
- X** 590mm (l) x 310mm (d) x 53mm (h)




12v 300.1500035 **24v** 300.1500174V

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 704.3897732LED/12v **24v** 704.3897732LED/24v

- C** Amber
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 704.3897740LED/12v **24v** 704.3897740LED/24v

- C** Amber
- M** 10x 4-LED modules
- A** 2.0A @ 12VDC
- X** 980mm (l) x 310mm (d) x 53mm (h)




12v 300.1500036 **24v** 300.1500126V

- C** Amber (Clear lens)
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)



12v 300.1500163 **24v** 300.1500143

- C** Amber (Clear lens)
- M** 12x 4-LED modules
- A** 2.5A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)



12v 704.49124048LED/12v **24v** 704.49124048LED/24v

- C** Amber
- M** 8x 4-LED modules
- A** 1.6A @ 12VDC
- X** 1240mm (l) x 310mm (d) x 53mm (h)

VISION ALERT // 15 SERIES



Lux LED module




Optional sign text

54" // 1.37m

ECE
R65

12-24v 300.15L01328V

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01328V/STI

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Sign; Stop, tail & indicators
- A** 8.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01328V/A

- C** Amber
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)

59" // 1.5m

ECE
R65


12-24v 300.15L01329V

- C** Amber (Clear lens)
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01329V/A

- C** Amber
- M** 16x Lux LED modules; Centre sign
- A** 8.0A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)



12v 300.1500172V 24v 300.1500173V

- C** Amber (Clear lens)
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)

69" // 1.76m

ECE
R65


12-24v 300.15L01330V

- C** Amber (Clear lens)
- M** 24x Lux LED modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)

ECE
R65

12-24v 300.15L01330V/A

- C** Amber
- M** 24x Lux LED modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)




12v 300.1500330V 24v 300.1500274

- C** Amber (Clear lens)
- M** 16x 4-LED modules
- A** 3.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)




TIR LED module




12v 300.1500038V **24v** 300.1500170V

- C** Amber (Clear lens)
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)




12v 704.54137048LED/12v **24v** 704.54137048LED/24v

- C** Amber
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1372mm (l) x 310mm (d) x 53mm (h)




12v 704.59150056LED/12v **24v** 704.59150056LED/24v

- C** Amber
- M** 14x 4-LED modules
- A** 2.8A @ 12VDC
- X** 1500mm (l) x 310mm (d) x 53mm (h)




12v 300.1500330V/STI **24v** 300.1500274/STI

- C** Amber (Clear lens)
- M** 16x 4-LED modules; Stop, tail & indicators
- A** 4.0A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)



12v 704.69176064LED/12v **24v** 704.69176064LED/24v

- C** Amber
- M** 16x 4-LED modules
- A** 3.2A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)



12v 704.69176064LED/STI/12v **24v** 704.69176064LED/STI/24v

- C** Amber
- M** 16x 4-LED modules; Stop, tail & indicators
- A** 4.0A @ 12VDC
- X** 1760mm (l) x 310mm (d) x 53mm (h)

VISION ALERT // 60 SERIES



Optional dual alley light



Optional alternating lights

Approvals & warranty

3

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED

Colour options

AMBER

DIN BLUE

GREEN

RED

- Mid-profile lightbar in halogen rotator, xenon strobe and Halo™ LED technologies with aluminium chassis and UV-stabilised polycarbonate lenses
- Can be heavily customised to include work & alley lights; centre signs; additional alternating lights; stop, tail & indicator modules; driving lamps and more
- Available in 22", 29", 39", 48", 54", 60" and 72" length models as standard



22" // 0.57m



ECE R65

12v 300.6000424 24v 300.6000465

- C Amber (Clear lens)
- M 2x Halo LED modules
- A 2.4A @ 12VDC
- X 570mm (l) x 210mm (d) x 108mm (h)

29" // 0.74m



ECE R65

12v 300.6000425 24v 300.6000466

- C Amber (Clear lens)
- M 2x Halo LED modules; Centre sign
- A 3.4A @ 12VDC
- X 742mm (l) x 210mm (d) x 108mm (h)


39" // 1.0m



ECE R65

12v 300.6000426 24v 300.6000467

- C Amber (Clear lens)
- M 2x Halo LED modules; Centre sign
- A 3.4A @ 12VDC
- X 1000mm (l) x 210mm (d) x 108mm (h)




Xenon strobe module



12v 300.600AA01 **24v** 300.600AA02/24v

- C** Amber
- M** 2x Halogen rotator modules
- A** 9.2A @ 12VDC
- X** 570mm (l) x 210mm (d) x 108mm (h)


ECE R65



12-24v 300.6F0AA00

- C** Amber
- M** 2x ECE R65 xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 108mm (h)

ECE R65



12-24v 300.6A0AA00

- C** Amber
- M** 2x Xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 108mm (h)



12v 300.6023A01/12v **24v** 300.6023A02

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 742mm (l) x 210mm (d) x 108mm (h)

ECE R65



12v 300.6F23A01 **24v** 300.6F23A02

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 108mm (h)

ECE R65



12v 300.6A23A01 **24v** 300.6A23A02

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 108mm (h)



12v 300.6033A01 **24v** 300.6033A02

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 108mm (h)

ECE R65



12v 300.6033A01AAAAAB **24v** 300.6033A02AAAAAB

- C** Amber
- M** 2x Halogen rotator modules; 4x LED modules; Centre sign
- A** 11.0A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 108mm (h)


ECE R65



12v 300.6A33A01 **24v** 300.6A33A02

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 108mm (h)

VISION ALERT // 60 SERIES



Rotator module

Clear/coloured lenses

48" // 1.21m



ECE R65

12v 300.6000427V 24v 300.6000468V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)



ECE R65

12v 300.6043A01 24v 300.6043A02

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)



ECE R65

12v 300.6043A01 CAAA 24v 300.6043A02 CAAA

- C** Amber
- M** 2x Halogen rotator modules; 2x Worklamps; Centre sign
- A** 19.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 108mm (h)

54" // 1.37m



ECE R65

12v 300.6000429V 24v 300.6000470V

- C** Amber (Clear lens)
- M** 4x Halo LED modules; Centre sign
- A** 5.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)



ECE R65

12v 300.6000428V 24v 300.6000469V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)



ECE R65

12v 300.6001008V 24v 300.6001009V

- C** Amber (Clear lens)
- M** 2x Halo LED modules; 2x VigilLED; Centre sign
- A** 5.8A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 108mm (h)

60" // 1.52m



ECE R65

12v 300.6000527V 24v 300.6000528V

- C** Amber (Clear lens)
- M** 4x Halo LED modules; Centre sign
- A** 5.8A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)



ECE R65

12v 300.6053A01 24v 300.6053A02


- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)




ECE R65

12v 300.6053A01 CAAA 24v 300.6053A02 CAAA

- C** Amber
- M** 2x Halogen rotator modules; 2x Worklamps; Centre sign
- A** 19.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 108mm (h)



Halo™ LED module

ECE
R65

12v 300.6043A01ACAA 24v 300.6043A02ACAA

- C** Amber
M 2x Halogen rotator modules; 2x LED Stop/tail/indicators; Centre sign
A 11.2A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)



12v 300.6240A01 24v 300.6240A02

- C** Amber
M 4x Halogen rotator modules
A 19.4A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12-24v 300.6G40A00

- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1212mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6083A01 24v 300.6083A02

- C** Amber
M 2x Halogen rotator modules; Centre sign
A 10.2A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)



12v 300.6280A01 24v 300.6280A02

- C** Amber
M 4x Halogen rotator modules
A 19.4A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)



12-24v 300.6B80A00

- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1372mm (l) x 210mm (d) x 108mm (h)




12v 300.6253A01ACAA 24v 300.6253A02ACAA

- C** Amber
M 2x Halogen rotator modules; 2x LED Stop/tail/indicators; Centre sign
A 20.6A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)

ECE
R65

12v 300.6253A01AAAA9R 24v 300.6253A02AAAA9R

- C** Amber
M 4x Halogen rotator modules; 4x LED modules; Centre sign
A 21.5A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)



12-24v 300.6B50A00


- C** Amber
M 4x Xenon strobe modules
A 9.6A @ 12VDC
X 1524mm (l) x 210mm (d) x 108mm (h)

VISION ALERT // 65 SERIES



Powerful LED modules

Approvals & warranty




Colour options



- Low-profile, robust all-LED lightbar with aluminium chassis and clear UV-stabilised polycarbonate top lenses
- Options include work & alley lights; centre signs and stop, tail & indicator modules
- Available in 24", 41", 49", 56", 62", 74" and 85" models
- Customised models available, ask us for details



24" // 0.63m



ECE
R65

12-24V 300.6500001V

C	Amber (Clear lens)
M	8x 6-LED modules
A	6.4A @ 12VDC
X	630mm (l) x Xmm (d) x Xmm (h)

49" // 1.27m



ECE
R65

12-24V 300.6500003V

C	Amber (Clear lens)
M	8x 6-LED modules
A	6.4A @ 12VDC
X	1275mm (l) x Xmm (d) x Xmm (h)


62" // 1.59m



ECE
R65

12-24V 300.6500005V

C	Amber (Clear lens)
M	8x 6-LED modules
A	6.4A @ 12VDC
X	1590mm (l) x Xmm (d) x Xmm (h)



Stop, tail & indicators



41" // 1.06m

ECE
R65

12-24V 300.6500002V

- C** Amber (Clear lens)
- M** 8x 6-LED modules; Centre sign
- A** 6.4A @ 12VDC
- X** 1060mm (l) x Xmm (d) x Xmm (h)

ECE
R65


12-24V 300.6500100REC

- C** Amber (Clear lens)
- M** 8x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 9.0A @ 12VDC
- X** 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500103REC

- C** Amber (Clear lens)
- M** 10x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 10.2A @ 12VDC
- X** 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500057REC

- C** Amber (Clear lens)
- M** 12x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 11.0A @ 12VDC
- X** 1275mm (l) x Xmm (d) x Xmm (h)

ECE
R65


12-24V 300.6500101REC

- C** Amber (Clear lens)
- M** 8x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 9.0A @ 12VDC
- X** 1590mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500104REC


- C** Amber (Clear lens)
- M** 10x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 10.2A @ 12VDC
- X** 1590mm (l) x Xmm (d) x Xmm (h)

ECE
R65

12-24V 300.6500058REC

- C** Amber (Clear lens)
- M** 12x 6-LED modules; 2x Stop, tail & indicators; Centre sign
- A** 11.0A @ 12VDC
- X** 1590mm (l) x Xmm (d) x Xmm (h)


VISION ALERT // 70 SERIES



Xenon strobe module

Clear/coloured baffles

Approvals & warranty



Colour options



- High-profile lightbar in halogen rotator, xenon strobe and economy LED technologies with aluminium chassis and UV-stabilised polycarbonate lenses
- Can be heavily customised to include work & alley lights; centre signs; additional alternating lights; stop, tail & indicators; driving lamps; message signs and more
- Available in 22", 29", 39", 48", 54", 60" and 72" length models as standard



22" // 0.57m



12-24v 300.7000324V

C	Amber
M	2x Economy LED modules
A	2.0A @ 12VDC
X	570mm (l) x 210mm (d) x 147mm (h)

29" // 0.74m



ECE R65

12v 300.702001 24v 300.702002/24v

C	Amber
M	2x Halogen rotator modules; Centre sign
A	10.2A @ 12VDC
X	742mm (l) x 210mm (d) x 147mm (h)

39" // 1.0m



12-24v 300.7000325V

C	Amber
M	2x Economy LED modules
A	2.0A @ 12VDC
X	1000mm (l) x 210mm (d) x 147mm (h)



Halogen rotator module




SURVEYING

ECE
R65


12v 300.700001/12v 24v 300.700002/24v

- C** Amber
- M** 2x Halogen rotator modules
- A** 9.2A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12-24v 300.7F0000

- C** Amber
- M** 2x ECE R65 xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)



12-24v 300.710000

- C** Amber
- M** 2x Xenon strobe modules
- A** 3.8A @ 12VDC
- X** 570mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.7F2001 24v 300.7F2002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 147mm (h)




12v 300.712001 24v 300.712002

- C** Amber
- M** 2x Xenon strobe modules
- A** 4.8A @ 12VDC
- X** 742mm (l) x 210mm (d) x 147mm (h)



12-24v 300.7000328V

- C** Amber
- M** 2x Economy LED modules; 2x Vigil LED modules
- A** 3.4A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.703001/12v 24v 300.703002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)

ECE
R65

12v 300.7F3001 24v 300.7F3002

- C** Amber
- M** 2x ECE R65 xenon strobe modules; Centre sign
- A** 4.8A @ 12VDC
- X** 1000mm (l) x 210mm (d) x 147mm (h)

VISION ALERT // 70 SERIES



Optional dual alloy lights



Optional sign text

48" // 1.21m



12-24v 300.7000326V

- C** Amber
- M** 2x Economy LED modules
- A** 2.0A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



ECE R65

12v 300.704001/12v 24v 300.704002/24v


- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)



12v 300.704501 24v 300.704502

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1212mm (l) x 210mm (d) x 147mm (h)


54" // 1.37m



ECE R65

12v 300.708001/12v 24v 300.708002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



ECE R65

12v 300.708901AAW 24v 300.709902AAW

- C** Amber
- M** 2x Halogen rotator modules; LED message sign
- A** 15.0A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)



12v 300.728001 24v 300.728002

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1372mm (l) x 210mm (d) x 147mm (h)

60" // 1.52m



12-24v 300.7000327V

- C** Amber
- M** 2x Economy LED modules
- A** 2.0 @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



ECE R65

12v 300.705001/12v 24v 300.705002/24v

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)



12v 300.725001 24v 300.725001/24v

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.5A @ 12VDC
- X** 1524mm (l) x 210mm (d) x 147mm (h)




Economy LED module

Optional VigilLED



12v 300.714001 24v 300.714002

C	Amber
M	2x Xenon strobe modules; Centre sign
A	4.8A @ 12VDC
X	1212mm (l) x 210mm (d) x 147mm (h)




12v 300.714901AAW 24v 300.714902AAW

C	Amber
M	2x Xenon strobe modules; LED message sign
A	10.6A @ 12VDC
X	1212mm (l) x 210mm (d) x 147mm (h)



12-24v 300.734000

C	Amber
M	4x Xenon strobe modules
A	9.6A @ 12VDC
X	1212mm (l) x 210mm (d) x 147mm (h)




12v 300.7F8001 24v 300.7F8002

C	Amber
M	2x ECE R65 xenon strobe modules; Centre sign
A	4.8A @ 12VDC
X	1372mm (l) x 210mm (d) x 147mm (h)



12v 300.718001 24v 300.718002

C	Amber
M	2x Xenon strobe modules; Centre sign
A	4.8A @ 12VDC
X	1372mm (l) x 210mm (d) x 147mm (h)



12v 300.738001 24v 300.738002

C	Amber
M	4x Xenon strobe modules; Centre sign
A	10.6A @ 12VDC
X	1372mm (l) x 210mm (d) x 147mm (h)




12v 300.7F5001 24v 300.7F5002

C	Amber
M	2x ECE R65 xenon strobe modules; Centre sign
A	4.8A @ 12VDC
X	1524mm (l) x 210mm (d) x 147mm (h)



12v 300.7G5001 24v 300.7G5002


C	Amber
M	4x ECE R65 xenon strobe modules; Centre sign
A	10.6A @ 12VDC
X	1524mm (l) x 210mm (d) x 147mm (h)



12v 300.7G5901AAW 24v 300.7G5902AAW

C	Amber
M	4x Xenon strobe modules; LED message sign
A	15.4A @ 12VDC
X	1524mm (l) x 210mm (d) x 147mm (h)

BRITAX // AEROLITE A6



Xenon strobe module



Optional worklamps

Approvals & warranty



Colour options



- Rugged and inexpensive lightbar with reinforced plastic chassis and UV-stabilised polycarbonate lenses
- Choice of halogen rotator, xenon strobe and ECE R65 approved or economy LED modules
- Custom features include rear work lights; centre signs and stop, tail & indicator modules
- Available in 20", 29", 30", 39", 49" and 59" length models as standard



20" // 0.52m




ECE R65

12-24V 305.A6602000LDV

- C Amber
- M 2x ECE R65 LED modules
- A 5.4A @ 12VDC
- X 520mm (l) x 200mm (d) x 165mm (h)

29" // 0.75m




ECE R65

12-24V 305.A6612200DV

- C Amber
- M 2x ECE R65 LED modules; Centre sign
- A 5.4A @ 12VDC
- X 750mm (l) x 200mm (d) x 165mm (h)

30" // 0.77m



ECE R65

12-24V 305.A6624000LDV

- C Amber
- M 4x ECE R65 LED modules
- A 9.0A @ 12VDC
- X 770mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6702000DV


- C** Amber
- M** 2x Economy LED modules
- A** 2.0A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)



12v 305.A620200012V 24v 305.A620200024V


- C** Amber
- M** 2x Halogen rotator modules
- A** 10.2A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)

ECE
R65



12-24v 305.A6302000DV

- C** Amber
- M** 2x Xenon strobe modules
- A** 2.1A @ 12VDC
- X** 520mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6712200DV


- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)



12v 305.A621220012V 24v 305.A621220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 10.2A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)

ECE
R65



12-24v 305.A6312200DV

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 2.1A @ 12VDC
- X** 750mm (l) x 200mm (d) x 165mm (h)



12-24v 300.A6724000DV

- C** Amber
- M** 4x Economy LED modules
- A** 3.4A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)



12v 305.A622400012V 24v 305.A622400024V

- C** Amber
- M** 4x Halogen rotator modules
- A** 19.8A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)

ECE
R65



12-24v 305.A6324000DV

- C** Amber
- M** 4x Xenon strobe modules
- A** 4.2A @ 12VDC
- X** 770mm (l) x 200mm (d) x 165mm (h)


BRITAX // AEROLITE A6



Halogen rotator module


Optional sign text

39" // 1.0m

ECE
R65

12-24v 305.A6334200DV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6637200LDV

- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6642200LDV

- C** Amber
M 2x ECE R65 LED modules; Centre sign
A 5.4A @ 12VDC
X 1000mm (l) x 200mm (d) x 165mm (h)

49" // 1.25m

ECE
R65

12-24v 305.A6654200LDV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6657200LDV

- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6656300LDV

- C** Amber
M 2x ECE R65 LED modules; 2x LED worklamps; STI modules
A 7.4A @ 12VDC
X 1250mm (l) x 200mm (d) x 165mm (h)

59" // 1.5m

ECE
R65

12-24v 305.A6674200DV

- C** Amber
M 4x ECE R65 LED modules; Centre sign
A 9.0 @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6676300DV

- C** Amber
M 2x ECE R65 LED modules; 2x LED worklamps; STI modules
A 7.4A @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)

ECE
R65

12-24v 305.A6677200LDV

- C** Amber
M 2x ECE R65 LED modules; 4x LED modules; Centre sign
A 5.8A @ 12VDC
X 1500mm (l) x 200mm (d) x 165mm (h)




Economy LED module



12-24v 305.A6742200DV

- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



ECE R65

12v 305.A623420012V 24v 305.A623420024V

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.8A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



ECE R65

12v 305.A624220012V 24v 305.A624220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1000mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6762200DV

- C** Amber
- M** 2x Economy LED modules; Centre sign
- A** 2.0A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



ECE R65

12v 305.A626220012V 24v 305.A626220024V

- C** Amber
- M** 2x Halogen rotator modules; Centre sign
- A** 11.2A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6362100DV

- C** Amber
- M** 2x Xenon strobe modules; Centre sign
- A** 2.1A @ 12VDC
- X** 1250mm (l) x 200mm (d) x 165mm (h)



ECE R65

12-24v 305.A6682200LDV

- C** Amber
- M** 2x ECE R65 LED modules; Centre sign
- A** 5.4A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)



12-24v 305.A6774200DV

- C** Amber
- M** 4x Economy LED modules; Centre sign
- A** 3.4A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)



12v 305.A627420012V 24v 305.A627420024V

- C** Amber
- M** 4x Halogen rotator modules; Centre sign
- A** 20.8A @ 12VDC
- X** 1500mm (l) x 200mm (d) x 165mm (h)

BRITAX // AEROLITE A13



Economy LED module

Approvals & warranty

2

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED

Colour options

AMBER


- Rugged and inexpensive all-LED lightbar with reinforced plastic chassis and UV-stabilised clear or amber polycarbonate lenses
- Choice of ECE R65 approved configurations or economy LED options
- Available in 30", 39", 49" and 59" length models



30" // 0.77m		ECE R65
	12-24V 305.A1372000DV	
	C Amber	
	M 12x ECE R65 LED modules	
	A 2.5A @ 12VDC	
	X 770mm (l) x 200mm (d) x 105mm (h)	
39" // 1.0m		ECE R65
	12-24V 305.A13730100DV	
	C Amber	
	M 12x ECE R65 LED modules	
	A 2.5A @ 12VDC	
	X 1000mm (l) x 200mm (d) x 105mm (h)	
49" // 1.25m		ECE R65
	12-24V 305.A13750240DV	
	C Amber (Clear lens)	
	M 16x ECE R65 LED modules	
	A 2.8A @ 12VDC	
	X 1250mm (l) x 200mm (d) x 105mm (h)	




ECE R65 LED module

ECE
R65


12-24v 305.A13720040DV

- C** Amber (Clear lens)
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13722000LDV

- C** Amber
M 12x Economy LED modules
A 2.0A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13722040LDV

- C** Amber (Clear lens)
M 12x Economy LED modules
A 2.0A @ 12VDC
X 770mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13730200DV

- C** Amber
M 16x ECE R65 LED modules
A 2.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)



12-24v 305.A13730240DV

- C** Amber (Clear)
M 16x ECE R65 LED modules
A 2.8A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)



12-24v 305.A13732100LDV

- C** Amber
M 12x Economy LED modules
A 2.0A @ 12VDC
X 1000mm (l) x 200mm (d) x 105mm (h)

ECE
R65


12-24v 305.A13750100DV

- C** Amber
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)



12-24v 305.A13750140DV


- C** Amber (Clear)
M 12x ECE R65 LED modules
A 2.5A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)




12-24v 305.A13752200LDV

- C** Amber
M 20x Economy LED modules
A 3.8A @ 12VDC
X 1250mm (l) x 200mm (d) x 105mm (h)

REDTRONIC // BULLITT



Approvals & warranty




Colour options



- Reinforced chassis with polycarbonate lenses, which are available coloured or uncoloured as required
- Incredibly flexible lightbar allows for expansion or re-configuration after purchase, with options including LED alley lights and flood lights; traffic director; stop, tail & indicator lights and illuminated centre signage
- Available in 21.5", 28", 34.5", 41", 47.5", 54", 60.5", 67", 73.5" and 80" length models



21.5" // 0.55m




ECE R65

12-24v 389.BL255AC

- C Amber (Clear lens)
- M 8x 6-LED modules
- A 6.0A @ 12VDC
- X 550mm (l) x 300mm (d) x 40mm (h)

34.5" // 0.88m




ECE R65

12-24v 389.BL388AC

- C Amber (Clear lens)
- M 12x 6-LED modules
- A 8.0A @ 12VDC
- X 880mm (l) x 300mm (d) x 40mm (h)



47.5" // 1.21m




ECE R65

12-24v 389.BL3121AC


- C Amber (Clear lens)
- M 16x 6-LED modules
- A 11.0A @ 12VDC
- X 1210mm (l) x 300mm (d) x 40mm (h)




Coloured top lens

ECE
R6512-
24v 389.BL255AA


- C** Amber
M 8x 6-LED modules
A 6.0A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BS155AC


- C** Amber (Clear lens)
M 8x 3-LED modules
A 4.6A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL155AC

- C** Amber (Clear lens)
M 4x 6-LED modules
A 3.8A @ 12VDC
X 550mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL3105AC


- C** Amber (Clear lens)
M 14x 6-LED modules
A 9.4A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL3105AA

- C** Amber
M 14x 6-LED modules
A 9.4A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL2105AC

- C** Amber (Clear lens)
M 8x 6-LED modules
A 6.0A @ 12VDC
X 1050mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL3121AA

- C** Amber
M 16x 6-LED modules
A 11.0A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BL2121AC


- C** Amber (Clear)
M 8x 6-LED modules
A 6.0A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

ECE
R6512-
24v 389.BS1121AC


- C** Amber
M 8x 3-LED modules
A 4.6A @ 12VDC
X 1210mm (l) x 300mm (d) x 40mm (h)

41" // 1.05m

REDTRONIC // MEGA-FLASH



Approvals & warranty




Colour options



- Classically styled, low-profile LED lightbar with updated FX Technology™ LED modules
- Options include coloured or clear lenses; stop, tail & indicator lights; halogen or LED alley & flood lights; traffic director and illuminated centre signage
- Available in 12", 20", 23.5", 31.5", 35.5", 43", 47", 54.5", 59", 66", 70.5", 77.5" and 82" length models




20" // 0.51m	<p>ECE R65</p> <p>12-24v 389.FX095AA</p> <p>C Amber</p> <p>M 8x FX 3-LED modules</p> <p>A 4.6A @ 12VDC</p> <p>X 510mm (l) x 300mm (d) x 55mm (h)</p>
35.5" // 0.9m	<p>ECE R65</p> <p>12-24v 389.FX2105AC</p> <p>C Amber (Clear lens)</p> <p>M 12x FX 3-LED modules</p> <p>A 7.0A @ 12VDC</p> <p>X 900mm (l) x 300mm (d) x 55mm (h)</p>
43" // 1.09m	<p>ECE R65</p> <p>12-24v 389.FX2108AC</p> <p>C Amber (Clear lens)</p> <p>M 16x FX 3-LED modules</p> <p>A 9.2A @ 12VDC</p> <p>X 1090mm (l) x 300mm (d) x 55mm (h)</p>




Clear top lens

23.5" // 0.6m

ECE
R65


12-24v 389.FX100AA

- C** Amber
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX100AC

- C** Amber (Clear lens)
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX100AA/MAG

- C** Amber
M 8x FX 3-LED modules; Magnetic fitting kit
A 4.6A @ 12VDC
X 600mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX2105AA

- C** Amber
M 12x FX 3-LED modules
A 7.0A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1105AC

- C** Amber (Clear lens)
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1105AA

- C** Amber
M 8x FX 3-LED modules
A 4.6A @ 12VDC
X 900mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2108AA

- C** Amber
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2108AA/SIGN


- C** Amber
M 12x FX 3-LED modules; Centre sign
A 9.5A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1107AA/SIGN

- C** Amber
M 8x FX 3-LED modules; Centre sign
A 5.6A @ 12VDC
X 1090mm (l) x 300mm (d) x 55mm (h)


REDTRONIC // MEGA-FLASH



Optional black top lens


Stop, tail & indicators

47" // 1.2m

ECE
R65

12-24v 389.FX2110AC

- C** Amber (Clear lens)
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2110AA


- C** Amber
M 16x FX 3-LED modules
A 9.2A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1109AC/STI


- C** Amber (Clear lens)
M 8x FX 3-LED modules; Stop, tail & indicators
A 6.5A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

54.5" // 1.38m

ECE
R65


12-24v 389.FX2116AC

- C** Amber (Clear lens)
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2116AA


- C** Amber
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2115AC


- C** Amber (Clear lens)
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

59" // 1.5m

ECE
R65


12-24v 389.FX2121AC

- C** Amber (Clear lens)
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX2121AA

- C** Amber
M 20x FX 3-LED modules
A 12.0A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1120AC

- C** Amber (Clear lens)
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)



LED alley lighting

ECE
R65

12-24v 389.FX1109AA/SIGN

- C** Amber
M 8x FX 3-LED modules; Centre sign
A 5.6A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1109AA

- C** Amber
M 8x FX 3-LED modules
A 5.5A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1109AA/AL

- C** Amber
M 8x FX 3-LED modules; Alley lights
A 7.0A @ 12VDC
X 1200mm (l) x 300mm (d) x 55mm (h)

ECE
R65


12-24v 389.FX1115AA

- C** Amber
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX2115AA/AL

- C** Amber
M 12x FX 3-LED modules; Alley lights
A 10.0A @ 12VDC
X 1380mm (l) x 300mm (d) x 55mm (h)

ECE
R65

12-24v 389.FX1120AA

- C** Amber
M 12x FX 3-LED modules
A 7.2A @ 12VDC
X 1500mm (l) x 300mm (d) x 55mm (h)

911 SIGNAL // WARRIOR



Approvals & warranty

2

YEAR WARRANTY

ECE R10

APPROVED

ECE R65

APPROVED

CE

APPROVED

Colour options

AMBER

- Aerodynamically shaped, low-profile LED lightbar that is inexpensive and unique in appearance
- Features ECE R65 approved high-performance LED modules with reinforced polycarbonate construction and UV-stabilised top lenses
- Available in 29" and 47" length models



29" // 0.75m

ECE R65

12-24v

308.W011605A

C

Amber (Clear lens)

M

8x 12-LED modules

A

4.5A @ 12VDC

X

750mm (l) x 300mm (d) x 57mm (h)

47" // 1.19m

ECE R65

12-24v

308.W011604A

C

Amber (Clear lens)

M

12x 12-LED modules

A

7.0A @ 12VDC

X

1190mm (l) x 300mm (d) x 57mm (h)



Clear top lens

911 SIGNAL



ECE
R65

12-24v 308.W011605A/E1

- C** Amber (Clear lens)
- M** 4x 12-LED modules
- A** 3.5A @ 12VDC
- X** 750mm (l) x 300mm (d) x 57mm (h)




ECE
R65


12-24v 308.W011601A/E1

- C** Amber (Clear lens)
- M** 8x 12-LED modules
- A** 4.5A @ 12VDC
- X** 1190mm (l) x 300mm (d) x 57mm (h)

LAP ELECTRICAL // TITAN



Approvals & warranty




Colour options



- Sleek, medium-profile LED lightbar with unique, powerful ECE R65 approved LED arrays
- Options include clear or coloured lenses; additional alternating LED lights; stop, tail & indicator lights; LED alley lighting and illuminated centre signage
- Available in 24", 36", 48", 60" and 72" length models as standard



24" // 0.6m



12-24v 315.TL242WA

- C Amber
- M 2x 9-LED modules
- A 4.0A @ 12VDC
- X 600mm (l) x 211mm (d) x 65mm (h)

36" // 0.91m



12-24v 315.TL362WA



- C Amber
- M 2x 9-LED modules; Centre sign
- A 5.0A @ 12VDC
- X 915mm (l) x 211mm (d) x 65mm (h)

48" // 1.22m



12-24v 315.TL484WA

- C Amber
- M 4x 9-LED modules; Centre sign
- A 8.5A @ 12VDC
- X 1220mm (l) x 211mm (d) x 65mm (h)

ECE
R6512-
24v 315.TL242AC

- C** Amber (Clear lens)
- M** 2x 9-LED modules (Class II approved)
- A** 4.0A @ 12VDC
- X** 600mm (l) x 211mm (d) x 65mm (h)

ECE
R6512-
24v 315.TL362AC

- C** Amber (Clear lens)
- M** 2x 9-LED modules; Centre sign
- A** 5.0A @ 12VDC
- X** 915mm (l) x 211mm (d) x 65mm (h)

ECE
R6512-
24v 315.TL362WA/AL

- C** Amber
- M** 2x 9-LED modules; Centre sign; Alley lights
- A** 7.5A @ 12VDC
- X** 915mm (l) x 211mm (d) x 65mm (h)

ECE
R6512-
24v 315.TL482WA

- C** Amber
- M** 2x 9-LED modules; Centre sign
- A** 5.0A @ 12VDC
- X** 1220mm (l) x 211mm (d) x 65mm (h)


ECE
R6512-
24v 315.TL482WA/REC

- C** Amber
- M** 2x 9-LED modules; Front/rear directional; Centre sign; Alley lights
- A** 9.2A @ 12VDC
- X** 1220mm (l) x 211mm (d) x 65mm (h)


ECE
R6512-
24v 315.TL482AC

- C** Amber (Clear)
- M** 2x 9-LED modules; Centre sign
- A** 5.0A @ 12VDC
- X** 1220mm (l) x 211mm (d) x 65mm (h)

STAR WARNING // RAZOR



Approvals & warranty




Colour options



- Single deck version of the twin range of aerodynamic all-LED lightbars from Star Warning Systems, made exclusively with Dun-Bri Group to comply to ECE R65
- Options include alley lights; work lights; additional directional flashing LED modules and LED stop, tail & indicator modules
- Available in 36", 46" and 56" length models as standard



36" // 0.9m




ECE R65

12-24V 298.2364LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 910mm (l) x 380mm (d) x 70mm (h)

46" // 1.16m




ECE R65

12-24V 298.2464LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1160mm (l) x 380mm (d) x 70mm (h)



56" // 1.42m



ECE R65

12-24V 298.2564LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1420mm (l) x 380mm (d) x 70mm (h)




Clear/coloured lenses

ECE
R65


12-24v 298.2364LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 910mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/C/ST

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2464LEDVAA/C/4L

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2564LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)

ECE
R65

12-24v 298.2564LEDVAA/C/ST


- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)

ECE
R65


12-24v 298.2564LEDVAA/A/4L

- C** Amber
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 70mm (h)

STAR WARNING // SABRE



Approvals & warranty




Colour options



- Highly configurable, powerful dual-deck LED lightbar from Star featuring ECE R65 approved M-Tech LED arrays, designed exclusively with Dun-Bri Group
- Options include clear or coloured lenses; additional alternating lights; stop, tail & indicator lights, work lights and LED alley lighting
- Available in 36", 46" and 56" length models as standard



36" // 0.9m




ECE R65

12-24V 298.5364LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 910mm (l) x 380mm (d) x 110mm (h)

46" // 1.16m




ECE R65

12-24V 298.5464LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1160mm (l) x 380mm (d) x 110mm (h)



56" // 1.42m




ECE R65

12-24V 298.2564LEDVAA/C

- C Amber (Clear lens)
- M 2x M-Tech LED modules
- A 7.4A @ 12VDC
- X 1420mm (l) x 380mm (d) x 110mm (h)




Clear/coloured lenses

ECE
R65

12-24v 298.5364LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 910mm (l) x 380mm (d) x 110mm (h)

ECE
R65


12-24v 298.5464LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R65


12-24v 298.5464LEDVAA/A/ST

- C** Amber
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R65


12-24v 298.5462LED/C

- C** Amber (Clear lens)
- M** 2x M-Tech LEDs; 2x LED modules; 4x worklights; 2x alleys
- A** 14.2A @ 12VDC
- X** 1160mm (l) x 380mm (d) x 110mm (h)

ECE
R65

12-24v 298.2564LEDVAA/A

- C** Amber
- M** 2x M-Tech LED modules
- A** 7.4A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)

ECE
R65

12-24v 298.2564LEDVAA/C/ST

- C** Amber (Clear lens)
- M** 2x M-Tech LED modules; Stop & tail modules
- A** 8.2A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)

ECE
R65

12-24v 298.2564LEDVAA/A/4L

- C** Amber
- M** 2x M-Tech LED modules; 4x LED alternating lights
- A** 9.0A @ 12VDC
- X** 1420mm (l) x 380mm (d) x 110mm (h)

LIGHTBAR SPARES & ACCESSORIES

95 SPARE PARTS & ACCESSORIES

99 LIGHTBAR SIGN TEXT

Bulbs and baffles to lenses and replacement xenon strobe tubes, we have a huge range of spare parts and accessories in stock for the lightbars we offer from Vision Alert, Britax, Redtronic, 911 Signal and LAP to reduce your fleet down-time. Remember you can always ask us for help and advice before ordering - just call us on 01763 274185...





www.dun-bri.com/lightbars-sirens

FIND SPARE PARTS BY LIGHTBAR RANGE



Vision Alert 12 Series
Page 95



Vision Alert 15 Series
Page 95



Vision Alert 60 Series
Page 96



Vision Alert 65 Series
Page 96



Vision Alert 70 Series
Page 97



Britax Aerolite A6
Page 97



Britax Aerolite A13
Call us for details



Redtronic Bullitt
Page 98



Redtronic Mega-flash
Page 98



911 Signal Warrior
Call us for details



LAP Electrical Titan
Call us for details



Star Warning Razor
Page 98



Star Warning Sabre
Page 98

FIND BY SPARE PART & ACCESSORY TYPE



Replacement Module

We stock replacement modules for most of our lightbar range, whether you have an LED, halogen rotator or xenon strobe from a majority of the brand names we offer



Replacement Lens

If you've cracked or lost a lens for your lightbar we can help you by supplying a replacement lens in most cases the next day. We only list the most common lenses here so if you need a different lens, please contact us



Mounting Kits

Whether you are looking to replace a damaged mounting or looking to enhance your installation by installing it in a different way, take a look at our mounting kits and accessories



Bulbs & Tubes

Our most commonly ordered item is a replacement halogen bulb or xenon strobe tube. Most of these are generic so if you have a specialist bulb, for example a static flash bulb, please contact us in the first instance

For clarity, we have only included a select range of spare parts in this catalogue - usually the most commonly ordered parts. If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**



VISION ALERT

Vision Alert 12 Series
LED Alley/Work Light Module

12-24v 300.EZ0003



VISION ALERT

Vision Alert 12 Series
Amber LED Flashing Module

12-24v 702.EZ0007A



VISION ALERT

Vision Alert 12 Series
24" End Cap Lens

N/A 300.ER0003



VISION ALERT

Vision Alert 12 Series
6" Centre Lens

N/A 300.ER0004



VISION ALERT

Vision Alert 12 Series
Replacement Lightbar Mounting Kit

N/A 300.ER0002



VISION ALERT

Vision Alert 12 Series
Lightbar Controller

12-24v 300.ER0006

CONTROL
LIGHTS &
PATTERNS



VISION ALERT

Vision Alert 15 Series
Amber LED Flashing Module

12v 300.155001900 24v 300.155001924



VISION ALERT

Vision Alert 15 Series
Amber Lux 6-LED Flashing Module

LH 300.156004400 RH 300.156004500



VISION ALERT

Vision Alert 15 Series
Amber Lux 3-LED Flashing Module

LH 300.156003300 RH 300.156004100



VISION ALERT

Vision Alert 15 Series
Halogen Alley Lamp Assembly


12-24v 300.R1530AL



VISION ALERT

Vision Alert 15 Series
Upper End Cap Lens

N/A 300.R159901X



VISION ALERT

Vision Alert 15 Series
Lower End Cap Lens

N/A 300.R309302C



VISION ALERT

Vision Alert 15 Series
Upper Long Top Lens

N/A 300.R109906X



VISION ALERT

Vision Alert 15 Series
Lower Long Front/Rear Lens

N/A 300.R209907C



VISION ALERT

Vision Alert 15 Series
Upper Short Top Lens

N/A 300.R109904X



Vision Alert 15 Series
Lower Short Front/Rear Lens

N/A 300.R209905C



Vision Alert 15/60/65/70 Series
Replacement Lightbar Mounting Kit

N/A 300.999189



Vision Alert 60 Series
Replacement Rotator Assembly

12-24v 300.999557



Vision Alert 60 Series
Replacement Xenon Strobe Assembly

12-24v 300.999293



Vision Alert 60 Series
Replacement Halogen Directional Lamp

12v 300.999314 24v 300.999315




Vision Alert 60 Series
Replacement Strobe Directional Lamp

12-24v 300.999316




Vision Alert 60/70 Series
Replacement Rotator Drive Belt

N/A 300.945035



Vision Alert 60 Series
Amber/Clear Lens Baffle

N/A 300.910270 N/A 300.910276



Vision Alert 60 Series
Opal Centre Lens Baffle

N/A 300.910271



Vision Alert 60/70 Series
Standard Lightbar End Cap

N/A 300.910491



Vision Alert 60/70 Series
Dual Alley Light Lightbar End Cap

N/A 300.910492



Vision Alert 60/70 Series
Replacement Lightbar Mounting Kit

N/A 300.999190



Vision Alert 60/70 Series
Gutterless Lightbar Mounting Kit

N/A 300.A5002RMK



Vision Alert 65 Series
Amber LED Flashing Module

12-24v 300.156005000



Vision Alert 65 Series
LED Stop, Tail & Indicator Module

12-24v 309.135ARME



VISION ALERT

Vision Alert 65 Series
Black Lens Baffle

N/A 300.250024900



VISION ALERT

Vision Alert 65 Series
Black End Cap

12-24v 300.440027800



VISION ALERT

Vision Alert 70 Series
Replacement Rotator Assembly

12-24v 300.999558



VISION ALERT

Vision Alert 70 Series
Replacement Xenon Strobe Assembly

12-24v 300.999662



VISION ALERT

Vision Alert 70 Series
Replacement Economy LED Assembly


12-24v 300.9991141



VISION ALERT

Vision Alert 70 Series
LED Stop, Tail & Indicator Module

12-24v 300.999652



VISION ALERT

Vision Alert 70 Series
Amber/Clear Lens Baffle

N/A 300.910581 N/A 300.910586



VISION ALERT

Vision Alert 70 Series
Opal Centre Lens Baffle

N/A 300.910580



VISION ALERT

Vision Alert 60/70 Series
Replacement ECE R65 Xenon Tube


12-24v 300.960055



VISION ALERT

Vision Alert 60/70 Series
Replacement Xenon Tube

12-24v 300.999223



VISION ALERT

Vision Alert
Lightbar Roofbar Mounting Kit

N/A 300.999569



Britax

Britax Aerolite A6
Replacement Rotator Assembly

12-24v 305.1355104



Britax

Britax Aerolite A6
Replacement Rotator Assembly


12v 305.1358900/12v 24v 305.1358900/24v



Britax

Britax Aerolite A6
Replacement Xenon Strobe Assembly


12-24v 305.1300200



Britax

Britax Aerolite A6
Replacement Economy LED Assembly

12-24v 305.1360654



Britax Aerolite A6
Replacement Rotator Drive Belt

N/A 305.1521400



Britax Aerolite A6/A13
Replacement Lightbar Mounting Kit

N/A 305.K3200



Redtronic Bullitt/Mega-Flash
Replacement Lightbar Mounting Kit

N/A 389.EM108UF



Redtronic Bullitt/Mega-Flash
Lightbar Roofbar Mounting Kit

N/A 389.EM108RBB



Redtronic Bullitt/Mega-Flash
Magnetic Lightbar Mounting Kit

N/A 389.EM102RFSS



Redtronic Bullitt/Mega-Flash
Vacuum Suction Lightbar Mounting Kit

N/A 389.EM102SC



Redtronic Bullitt/Mega-Flash
Low-Profile Lightbar Mounting Kit

N/A 389.EM108LPB



Redtronic Bullitt/Mega-Flash
Lightbar Roof Rail Mounting Kit

N/A 389.EM108RRB



Redtronic Bullitt/Mega-Flash
Lightbar Roof Rail Mounting Kit

N/A 389.EM108RRC



Star Warning Razor
Amber LED Flashing Module

12-24v 298.220DLX4FS



Star Warning Razor
LED Stop & Tail Module

12-24v 298.2204ST



Star Warning Sabre
Amber LED Flashing Module

12-24v 298.520DLX4FS




Star Warning Sabre
LED Stop & Tail Module

12-24v 300.A5002RMK



Dun-Bri Group
Replacement H1 Halogen Bulb

12v 1002.448S 24v 1002.466S



Dun-Bri Group
Replacement H3 Halogen Bulb

12v 100.453A 24v 100.460



Dun-Bri Group
Replacement BA15 Tungsten Bulb

12v 100.290S

24v 100.382S

dun-bri
GROUP



Dun-Bri Group
Replacement MR11 Dichroic Lamp

12v 100.M252/12v

24v 100.M252/24v

dun-bri
GROUP

Lightbar Signplate Text

Customise your lightbar and identify your vehicle with our range of signplate text vinyl labelling. Available for all makes of lightbar and even customisable, we require the part code of your lightbar when ordering to ensure it is cut to the right size. We can even fit it for you before it left, just ask...

dun-bri
GROUP

311.ST/ABNORMAL ABNORMAL LOAD	311.ST/ABSCHLEPPDIENST ABSCHLEPPDIENST	311.ST/AMBULANCE AMBULANCE	311.ST/AMBULANCIA AMBULANCIA
311.ST/ASSISTANCE ASSISTANCE	311.ST/BOMBEIROS BOMBEIROS	311.ST/CARABINIERI CARABINIERI	311.ST/CLEANSING CLEANSING
311.ST/CONVOI CONVOI EXCEPTIONNEL	311.ST/DEPANNAGE DEPANNAGE	311.ST/DOCTOR DOCTOR	311.ST/DOGSECTION DOG SECTION
311.ST/DOGWARDEN DOG WARDEN	311.ST/ELECTRICITY ELECTRICITY	311.ST/ESCORT ESCORT	311.ST/FEUERWEHR FEUERWEHR
311.ST/FIRE FIRE	311.ST/FOLLOWME FOLLOW ME	311.ST/FORHIRE FOR HIRE	311.ST/GARDA GARDA
311.ST/GAS GAS	311.ST/GRITTING GRITTING	311.ST/GUARDIACI GUARDIA CIVIL	311.ST/GUIDAGEC GUIDAGE CONVOI
311.ST/HIGHWAYM HIGHWAY MAINTENANCE	311.ST/HIGHWAYS HIGHWAYS	311.ST/INCIDENTSU INCIDENT SUPPORT	311.ST/MOBILES MOBILE SERVICE
311.ST/MOBILEWORKS MOBILE WORKS	311.ST/MOTORWAY MOTORWAY MAINTENANCE	311.ST/NOTARZT NOTARZT	311.ST/PARAMEDIC PARAMEDIC
311.ST/PARKSPOL PARKS POLICE	311.ST/POLICE POLICE	311.ST/POLICEMU POLICE MUNICIPALE	311.ST/POLICIA POLICIA
311.ST/POLIZEI POLIZEI	311.ST/POLIZIA POLIZIA	311.ST/RECOVERY RECOVERY	311.ST/SAFETY SAFETY
311.ST/SCHWERTRANSPORT SCHWERTRANSPORT	311.ST/SECURITY SECURITY	311.ST/SONDERTRANSPORT SONDERTRANSPORT	311.ST/SPREADING SPREADING
311.ST/SURVEYING SURVEYING	311.ST/TOWING TOWING	311.ST/TRAFFICO TRAFFIC OFFICER	311.ST/TREECUTTING TREE CUTTING
311.ST/VIGILIDELFUECO VIGILI DEL FUECO	311.ST/WATER WATER	311.ST/WIDELOAD WIDE LOAD	311.ST/CUSTOMTEXT YOUR TEXT

DIRECTIONAL WARNING

103 LED LIGHTHEADS
107 COVERT LIGHTING
107 LED MESSAGING

We stock the UK's largest range of LED warning lights for all applications from compact heads to the most advanced LED messaging systems. Our range includes products from our own brand; ECCO; Britax; 911 Signal; Redtronic; LAP Electrical and Star Warning Systems - so you're sure to find the ideal solution to your requirements





www.dun-bri.com/directional-led-strobes

FIND BY TECHNOLOGY

**TIR LED**

Now the most common type of LED light head exists in the form of a TIR module. These modules utilise a lens to focus the light output to create a spotlight effect. TIR stands for Total Internal Reflection, the technology it uses

**Linear LED**

Creating a wider beam of light than the more common TIR modules, the linear assemblies use a refractor lens to create a more rectangular shaped beam of light. More visible at critical angles than TIR technology

**Reflex® LED**

Designed and used by 911 Signal, their range of light heads are far brighter than the other LED types we stock due to their unique rear reflector that increases light output in all angles. The C9 head features a 180-degree LED array

**FX® LED**

Used exclusively by Redtronic, the FX LED technology can be found in their range of Bullitt heads and LED lightbar. They produce a high-intensity light which is brighter at off axis angles than TIR or even Linear LED

**Multi LED**

The first type of LED light head used multiple LEDs which are lower power than all of the other types we stock. They typically have their output expressed as an equivalent to help you gauge them against more common lights

FIND BY INSTALLATION TYPE

**Surface Mount**
Pages 103-106

The most commonly used LED module is fitted by surface mounting using a mounting gasket and bracket, secured with a number of screws. Available in many different sizes and types

**Flush Mount**
Page 105

Not to be confused with covert inserts, these require a large aperture behind the light head in order to effect installation. Some surface mounted models can be flush mounted using an accessory

**Covert Insert**
Page 107

Although historically used by emergency services these are becoming more popular as they are fitted within headlight and rear~lights to ensure they cannot be seen when not in use

**LED Message Sign**
Page 107

Used to warn other road users of your intentions or hazards on the highway, these can be configured to suit each users requirements before being despatched by Dun-Bri Group

FIND BY BRAND

**Dun-Bri Group®**

The own-brand range of LED warning lighting from the Dun-Bri Group is continuously expanding to meet the needs of our customer base

- Surface mounted LED light heads

**ECCO®**

An established name, formerly branded as Vision Alert, they have an ever-expanding range of LED lighting. The ECCO range is durable and reliable

- Surface mounted LED light heads
- Covert LED light heads

**Britax®**

Recognised as a leading name in the UK and Europe, Britax are well-known as being popular with plant and agricultural machinery manufacturers

- Surface mounted LED light heads
- Flush mounted LED light head kits

**911 Signal®**

With their unique range of Reflex LED light heads, 911 Signal are quickly becoming one of Dun-Bri Group's most popular light heads. Look for the C9

- Surface mounted LED light heads

**LAP Electrical**

We stock a range of complementary LEDs from LAP Electrical, which can be used with or without their Titan lightbar range

- Surface mounted LED light heads

**Redtronic**

Featuring their FX LED technology, we have a range of light heads for all applications. Made entirely in the UK, they are designed and built to be incredibly reliable

- Surface mounted LED light heads

**Star Warning**

You can complement your installation with their Versa Star LED light head - which can have different lenses fitted to maximise style as well as light output

- Surface mounted LED light heads



dun-bri
GROUP

Dun-Bri Group 3 LED TIR Light Head

12-24v 308.008

C	Amber
W	3w TIR LED
A	0.4A @ 12VDC
X	98mm (l) x 38mm (d) x 26mm (h)
✓	ECE R10
⌚	1 year



dun-bri
GROUP

Dun-Bri Group 4 LED TIR Light Head

12-24v 308.009

C	Amber
W	4w TIR LED
A	0.9A @ 12VDC
X	118mm (l) x 38mm (d) x 26mm (h)
✓	ECE R10
⌚	1 year



dun-bri
GROUP

Dun-Bri Group 6 LED TIR Light Head

12-24v 308.010

C	Amber
W	6w TIR LED
A	1.5A @ 12VDC
X	155mm (l) x 38mm (d) x 26mm (h)
✓	ECE R10
⌚	1 year




dun-bri
GROUP

Dun-Bri Group 4 LED Linear Light Head

12-24v 308.004A

C	Amber
W	4w Linear LED
A	0.9A @ 12VDC
X	116mm (l) x 47mm (d) x 24mm (h)
✓	ECE R10
⌚	2 years



dun-bri
GROUP

Dun-Bri Group 6 LED Linear Light Head

12-24v 308.006A

C	Amber
W	6w Linear LED
A	1.25A @ 12VDC
X	148mm (l) x 47mm (d) x 24mm (h)
✓	ECE R10
⌚	2 years



dun-bri
GROUP

Dun-Bri Group 12 LED Slim-line Linear Light Head

12-24v 308.013A

C	Amber
W	21w Linear LED
A	1.8A @ 12VDC
X	133mm (l) x 10mm (d) x 39mm (h)
✓	ECE R10, ECE R65
⌚	2 years

ECE
R65



ECCO

ECCO 3510 Series 24 LED Slim-line Light Head

12-24v 300.3510A

C	Amber; Blue; Green; Red; White
W	5w LED equivalent
A	0.75A @ 12VDC
X	93mm (l) x 12mm (d) x 37mm (h)
✓	ECE R10
⌚	3 years



ECCO

ECCO 3700 Series 4 LED TIR Light Head

12v 300.3715A 24v 300.3725A

C	Amber; Blue; Green; Red; White
W	4w LED
A	0.4A @ 12VDC
X	130mm (l) x 39mm (d) x 34mm (h)
✓	ECE R10
⌚	3 years




ECCO

ECCO 3736 Series 3 LED TIR Light Head

12-24v 300.3736A

C	Amber; Blue; Green; Red; White
W	3w LED
A	0.2A @ 12VDC
X	94mm (l) x 39mm (d) x 34mm (h)
✓	ECE R10
⌚	3 years

ECCO

ECCO 3811 Series
20 LED Light Head

12-24v 300.3811A

C	Amber; Blue; Red; White
W	4w LED equivalent
A	0.26A @ 12VDC
X	151mm (l) x 30mm (d) x 53mm (h)
✓	ECE R10
🕒	3 years

ECCO

ECCO Vigiled
Economy LED Light Head

12-24v 300.497022

C	Amber, Blue, Red, White
W	2w LED equivalent
A	0.2A @ 12VDC
X	72mm (l) x 38mm (d) x 87mm (h)
✓	ECE R10
🕒	3 years

ECCO

ECCO Vigiled II
High Power LED TIR Light Head

12-24v 300.ED0001A

C	Amber, Blue, Red, White
W	4w LED
A	0.7A @ 12VDC
X	72mm (l) x 38mm (d) x 87mm (h)
✓	ECE R10, ECE R65
🕒	3 years

ECE
R65**ECCO**

ECCO SecuriLED
Surface Mount LED Light Head

12-24v 300.497032

C	Amber, Blue, Red, White
W	6w LED
A	2.5A @ 12VDC
X	149mm (l) x 47mm (d) x 116mm (h)
✓	ECE R10, ECE R65
🕒	3 years

ECE
R65**ECCO**

ECCO SecuriLED
Bracket Mount LED Light Head

12-24v 300.497042

C	Amber, Blue, Red, White
W	6w LED
A	2.5A @ 12VDC
X	149mm (l) x 47mm (d) x 116mm (h)
✓	ECE R10, ECE R65
🕒	3 years

ECE
R65**ECCO**

ECCO Rearguard LED
Surface Mount LED Light Head

12-24v 300.497001

C	Amber
W	2w LED equivalent
A	0.2A @ 12VDC
X	148mm (dia) x 63mm (h)
✓	ECE R10
🕒	3 years

ECCO

ECCO Stick-a-LED
3 LED TIR Oval Light Head

12-24v 300.ED0002A

C	Amber, Blue, Red, White
W	3w LED
A	0.45A @ 12VDC
X	60mm (l) x 26mm (d) x 11mm (h)
✓	ECE R10
🕒	3 years

ECCO

ECCO Stick-a-LED
3 LED TIR Triangular Light Head

12-24v 300.ED0003A

C	Amber, Blue, Red, White
W	3w LED
A	0.45A @ 12VDC
X	60mm (l) x 26mm (d) x 11mm (h)
✓	ECE R10
🕒	3 years

ECCO

ECCO Stick-a-LED
6 LED TIR Rectangular Light Head

12-24v 300.ED0004A

C	Amber, Blue, Red, White
W	6w LED
A	0.9A @ 12VDC
X	60mm (l) x 26mm (d) x 11mm (h)
✓	ECE R10
🕒	3 years



Britax L55
3 LED TIR Light Head

12-24v 305.L5500DV

C	Amber, Blue, Green, Red, White
W	3w LED
A	0.25A @ 12VDC
X	116mm (l) x 23mm (d) x 45mm (h)
✓	ECE R10
⌚	3 years



Britax L56
4 LED TIR Light Head

12-24v 305.L5600DV

C	Amber, Blue, Green, Red, White
W	4w LED
A	0.45A @ 12VDC
X	147mm (l) x 23mm (d) x 45mm (h)
✓	ECE R10
⌚	3 years



Britax L57
32 LED Light Head

12-24v 305.L5700DV

C	Amber, DIN Blue, Green, Red
W	4w LED equivalent
A	0.25A @ 12VDC
X	150mm (l) x 30mm (d) x 58mm (h)
✓	ECE R10
⌚	3 years



Britax L66
6 LED TIR Light Head

12-24v 305.L6600LDV

C	Amber, Blue
W	18w LED
A	0.45A @ 12VDC
X	150mm (l) x 28mm (d) x 34mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Britax L72
4 LED TIR Light Head

12-24v 305.L7200LDV

C	Amber, Blue
W	12w LED
A	0.4A @ 12VDC
X	110mm (l) x 28mm (d) x 34mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Britax L94
Twin 4 LED TIR Light Head Kit

12-24v 305.L9400LDV

C	Amber
W	12w LED per head
A	1.2A @ 12VDC
X	27mm (l) x 5mm (protrusion) (d) x 26mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Britax L95
8 LED TIR Light Head

12-24v 305.L9500LDV

C	Amber
W	16w LED
A	1.2A @ 12VDC
X	100mm (l) x 17mm (d) x 51mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Britax L96
4 LED TIR Light Head

12-24v 305.L9600LDV

C	Amber
W	8w LED
A	0.5A @ 12VDC
X	99mm (l) x 17mm (d) x 32mm (h)
✓	ECE R10, ECE R65
⌚	3 years



911 Signal C4
4 LED Reflex Light Head

12-24v 308.011

C	Amber
W	12w LED
A	0.4A @ 12VDC
X	116mm (l) x 28mm (d) x 30mm (h)
✓	ECE R10, ECE R65
⌚	3 years



911 Signal C9
9 LED Reflex Wrap-around Light Head

12-24v 308.007L

C	Amber
W	27w LED
A	0.45A @ 12VDC
X	174mm (l) x 52mm (d) x 35mm (h)
✓	ECE R10, ECE R65
⌚	3 years



911 Signal P3
3 LED TIR Light Head

12-24v 308.012

C	Amber
W	9w LED
A	0.4A @ 12VDC
X	71mm (l) x 22mm (d) x 50mm (h)
✓	ECE R10
⌚	3 years



LAP Electrical
3 LED TIR Light Head

12-24v 315.LED3DVA

C	Amber
W	3w LED
A	0.2A @ 12VDC
X	105mm (l) x 28mm (d) x 38mm (h)
✓	ECE R10
⌚	2 years



LAP Electrical
4 LED TIR Light Head

12-24v 315.LED4DVA

C	Amber
W	4w LED
A	0.25A @ 12VDC
X	117mm (l) x 31mm (d) x 43mm (h)
✓	ECE R10
⌚	2 years



Redtronic Bullitt
3 LED FX Light Head

12-24v 389.BX31A

C	Amber, Blue, Green, Red, White, Multi-colour
W	9w LED
A	0.5A @ 12VDC
X	94mm (l) x 22mm (d) x 37mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Redtronic Bullitt
6 LED FX Light Head

12-24v 389.BX32A

C	Amber, Blue, Green, Red, White, Multi-colour
W	18w LED
A	1.0A @ 12VDC
X	94mm (l) x 22mm (d) x 59mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Redtronic Bullitt
6 LED FX Light Head

12-24v 389.BX61A

C	Amber, Blue, Green, Red, White, Multi-colour
W	18w LED
A	1.0A @ 12VDC
X	159mm (l) x 22mm (d) x 37mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Redtronic Bullitt
12 LED FX Light Head

12-24v 389.BX62A

C	Amber, Blue, Green, Red, White, Multi-colour
W	36w LED
A	2.0A @ 12VDC
X	159mm (l) x 22mm (d) x 59mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Redtronic Cluster
3 LED TIR Light Head

12-24v 389.EM315A

C	Amber, Blue, Green, Red, White
W	3w LED
A	0.45A @ 12VDC
X	60mm (l) x 26mm (d) x 11mm (h)
✓	ECE R10, ECE R65
⌚	3 years



Star Warning Versa Star DLX 3 LED TIR Light Head

10-16v 298.DLX3A

C	Amber, Blue, Red, White
W	3w LED
A	0.29A @ 12VDC
X	92mm (l) x 19mm (d) x 25mm (h)
✓	ECE R10
⌚	3 years



ECCO Hide-a-LED 9010 4 LED Covert Insert

12-24v 300.9010A

C	Amber, Blue, Green, Red, White
W	4w LED
A	0.5A @ 12VDC
X	38mm (dia) x 41mm (h) - requires 25mm cut-out
✓	ECE R10
⌚	3 years



ECCO Hide-a-LED 9011 4 LED Covert Insert

12-24v 300.9011A

C	Amber, Blue, Green, Red, White
W	4w LED
A	0.5A @ 12VDC
X	38mm (dia) x 27mm (h) - requires 25mm cut-out
✓	ECE R10
⌚	3 years



ECCO Hide-a-LED 9031 4 LED Covert Insert

12-24v 300.9013A

C	Amber, Blue, Green, Red, White
W	4w LED
A	0.5A @ 12VDC
X	28mm (dia) x 34mm (h) - requires 25mm cut-out
✓	ECE R10
⌚	3 years



ECCO Hide-a-LED 9013 6 LED Covert Insert

12-24v 300.9013A

C	Amber, Blue, Green, Red, White
W	6w LED
A	1.25A @ 12VDC
X	38mm (dia) x 27mm (h) - requires 25mm cut-out
✓	ECE R10
⌚	3 years



ECE
R65

ECCO Hide-a-LED 9014 6 LED Covert Insert

12-24v 300.9014A

C	Amber, Blue, Green, Red, White
W	6w LED
A	0.7A @ 12VDC
X	38mm (dia) x 23mm (h) - requires 25mm cut-out
✓	ECE R10, ECE R65
⌚	3 years



ECCO Hide-a-LED ED0010 2 LED Extended Covert Insert

12-24v 300.ED0010A

C	Amber, Blue, Green, Red, White
W	6w LED
A	0.5A @ 12VDC
X	38mm (dia) x 25mm (h) - requires 12.5mm cut-out
✓	ECE R10
⌚	3 years



ECCO Hide-a-LED ED0011 2 LED Extended Covert Insert

12-24v 300.ED0011A

C	Amber, Blue, Green, Red, White
W	6w LED
A	0.5A @ 12VDC
X	38mm (dia) x 60mm (h) - requires 12.5mm cut-out
✓	ECE R10
⌚	3 years



ECCO Message Master LED Messaging System

12-24v 300.HD0012A 12-24v 300.HD0012R
12-24v 300.HD0012W

C	Amber, Red, White
W	Not applicable
A	3.5A @ 12VDC
X	580mm (l) x 36mm (d) x 120mm (h)
✓	ECE R10
⌚	3 years

TOUCH
SCREEN
CONTROL
KIT

DIRECTIONAL WARNING ACCESSORIES

111 ACCESSORIES

We maintain a stock range, where available, of directional LED mounting brackets and accessories for a majority of our directional warning product portfolio. If you are unsure which bracket will fit a particular type of head, please contact us in the first instance for free of charge help and advice on 01763 274185, or visit your local branch...





www.dun-bri.com/directional-led-strobes

FIND SPARE PARTS BY LED WARNING PRODUCT



Dun-Bri Group 308.004
Page 111



Dun-Bri Group 308.006
Page 111



ECCO 3410 Series
Page 111



ECCO 3510 Series
Page 111



ECCO Message Master
Page 111



911 Signal C4
Page 111



911 Signal C9
Page 111



911 Signal P3
Page 111



Britax L94 Series
Page 111



Redtronic BX
Page 112



Star Warning DLX3
Page 112

FIND BY ACCESSORY TYPE



Mounting
Brackets

As LED heads are far smaller than their halogen or xenon counterparts, they can prove difficult to fit, but with our range of LED mounting brackets you can fit them almost anywhere on your vehicle with ease



Controllers

Suitable for system expansion or as a replacement for a damaged unit, we have a select range of controller units for the range of warning products we sell

For clarity, we have only included a select range of spare parts in this catalogue - usually the most commonly ordered parts. If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**



dun-bri
GROUP

Dun-Bri Group 308.004
LED Mounting Bracket

N/A 308.L4

ALSO
SUITS
308.009



dun-bri
GROUP

Dun-Bri Group 308.004
LED Swivel Mounting Bracket

N/A 308.L4S

ALSO
SUITS
308.009



dun-bri
GROUP

Dun-Bri Group 308.006
LED Mounting Bracket

N/A 308.L6



dun-bri
GROUP

Dun-Bri Group 308.006
LED Swivel Mounting Bracket

N/A 308.L6S



ECCO

ECCO 3510 Series
LED Mounting Bracket

N/A 300.SD24LBKRT



ECCO

ECCO 3510 Series
LED Mounting Bezel


N/A 300.SD24BEX



ECCO

ECCO Message Master
Touch Screen Controller Unit

12-24v 300.MMCONTROL



ECCO

ECCO Message Master
Display Programming Software

N/A 300.MMPROGRAM



ECCO

ECCO 3410 Traffic Director
Controller Unit

12-24v 300.3410CONTROL



911

911 Signal C4
LED Mounting Bracket

N/A 308.C4BRKT



911

911 Signal C4
LED Swivel Mounting Bracket

N/A 308.C4SBRKT



911

911 Signal C9
LED Mounting Bracket

N/A 308.C9ABRKT



911

911 Signal C9
Adjustable Mounting Bracket

N/A 308.C9BRKT



911

911 Signal P3
LED Mounting Bracket
















N/A 308.P3BRKT



Britax

Britax L94
Mounting Grommets

N/A 305.2902000

 <p>Redtronic BX31 LED Mounting Bracket</p> <p>N/A 389.BX31LBRKT</p>	 <p>Redtronic BX32 LED Mounting Bracket</p> <p>N/A 389.BX32LBRKT</p>	 <p>Redtronic BX61 LED Mounting Bracket</p> <p>N/A 389.BX61LBRKT</p>
 <p>Redtronic BX62 LED Mounting Bracket</p> <p>N/A 389.BX62LBRKT</p>	 <p>LAP Electrical LED Mounting Bracket</p> <p>N/A 315.MBX06</p> <p>SUITS BRITAX L57</p>	 <p>LAP Electrical LED Adjustable Bracket</p> <p>N/A 315.MB06XA</p> <p>SUITS BRITAX L57</p>
 <p>LAP Electrical Twin LED Mounting Bracket</p> <p>N/A 315.MBL08</p> <p>SUITS BRITAX L57</p>	 <p>Star Warning Versa Star DLX3 35° Wide Angle Snap-on Lens</p> <p>N/A 298.1366</p>	 <p>Star Warning Versa Star DLX3 LED Mounting Bracket</p> <p>N/A 298.6U</p>
 <p>Star Warning Versa Star DLX3 LED 45° Angled Mounting Bracket</p> <p>N/A 298.45</p>	 <p>Star Warning Versa Star DLX3 LED Window Mounting Bracket</p> <p>N/A 298.6W</p>	 <p>Star Warning Versa Star DLX3 LED Swivel Mounting Bracket</p> <p>N/A 298.6BAIL</p>
 <p>Star Warning Versa Star DLX3 Double LED Mounting Bracket</p> <p>N/A 298.6SLP</p>	 <p>Star Warning Versa Star DLX3 Double LED Mounting Bracket</p> <p>N/A 298.61X2</p>	 <p>Star Warning Versa Star DLX3 LED 45° Angled Mounting Bracket</p> <p>N/A 298.645</p>



Star Warning Versa Star DLX3
LED Window Mounting Bracket

N/A 298.6WLP



Star Warning Versa Star DLX3
LED Sun Visor Mounting Bracket

12-24V 298.VC

REVERSING SAFETY

117 ALARMS
121 CAMERAS
124 SCANNING

The ability to reverse safely on and off site is absolutely critical to the success of your day-to-day operations. These manoeuvres can be made safer with the addition of our range of reversing cameras, alarms and side and rear scanning systems. Remember, certain sites have specific requirements for these products so please check the guides available





www.dun-bri.com/reversing-systems

FIND BY PRODUCT TYPE




Multi-frequency Alarms
Page 117

Available from several different manufacturers with a number of different names, these reverse alarms make a 'shhh shhh' sound as opposed to the standard 'beep beep' type of warning device



Standard Alarms
Page 118

We have an extensive range of standard reverse alarms which feature the more usual 'beep beep' sound when activated. The range features 'always on', night silent and self-adjusting output alarms



Specialist Alarms
Page 119

This range includes reversing alarms which use speech instead of the standard 'beep beep' or 'shhh shhh' sounds more usually on vehicles



Camera Systems
Page 121

Complete reversing camera kits featuring either TFT LCD or LED screens. Sold as a set, the kits will be supplied with at least one CCTV camera and the cables required to install it



Scanning Systems
Page 124

Designed to detect and warn drivers and operators of the presence of cyclists and pedestrians, our range of scanning systems includes front, side and rear scanning options

FIND BY BRAND



Dun-Bri Group®

The own-brand range of warning equipment continues to expand from Dun-Bri and now features a range of sensor and reversing alarm safety products

- Standard alarms
- Speaking alarms
- Reversing camera systems
- Scanning systems



ECCO®

With an ever expanding range of safety systems, the ECCO range is durable and reliable. Formerly known as Vision Alert

- Standard alarms
- Multi-frequency alarms
- Reversing camera systems



Brigade®

Recognised as a leading name in the UK and Europe for alarms and scanning systems, they produce many products required for Crossrail sites

- Standard alarms
- Speaking alarms
- Reversing camera systems
- Scanning systems



bbs-tek®

Part of Brigade, the bbs-tek branded items are their range of white noise (multi-frequency) alarm products, known for their distinctive 'shh shh' sound

- Multi-frequency alarms


ECCO

ECCO EA5050 Series Multi-frequency Alarm

12-24v 702.EA505

- Wire mount
- 87 dB(A)
- 0.35A @ 12VDC
- 102mm (l) x 41mm (d) x 71mm (h)
- ECE R10, CE
- 2 years


ECCO

ECCO EA5200 Series Multi-frequency Alarm

12-24v 702.EA200

- Wire mount
- 97 dB(A)
- 1.0A @ 12VDC
- 102mm (l) x 41mm (d) x 71mm (h)
- ECE R10, CE
- 2 years


ECCO

ECCO EA7020 Series Heavy Duty Multi-frequency Alarm

12-24v 702.EA702

- Wire mount
- 102 dB(A)
- 0.6A @ 12VDC
- 178mm (l) x 102mm (d) x 81mm (h)
- ECE R10, CE
- 2 years


ECCO

ECCO EA7070 Series Heavy Duty Multi-frequency Alarm

12-24v 702.EA707

- Wire mount
- 107 dB(A)
- 0.8A @ 12VDC
- 178mm (l) x 108mm (d) x 81mm (h)
- ECE R10, CE
- 2 years


bbs-tek

bbs-tek White Sound® Medium Duty Multi-frequency Alarm

12-24v 700.BBS77

- Wire mount
- 77 dB(A)
- 0.5A @ 12VDC
- 105mm (l) x 32mm (d) x 65mm (h)
- ECE R10, CE
- 2 years


bbs-tek

bbs-tek White Sound® Medium Duty Multi-frequency Alarm

12-24v 700.BBS82

- Wire mount
- 82 dB(A)
- 0.5A @ 12VDC
- 105mm (l) x 32mm (d) x 65mm (h)
- ECE R10, CE
- 2 years


bbs-tek

bbs-tek White Sound® Medium Duty Multi-frequency Alarm

12-24v 700.BBS87

- Wire mount
- 87 dB(A)
- 0.5A @ 12VDC
- 105mm (l) x 32mm (d) x 65mm (h)
- ECE R10, CE
- 2 years


bbs-tek

bbs-tek White Sound® Medium Duty Multi-frequency Alarm

12-24v 700.BBS92

- Wire mount
- 92 dB(A)
- 0.5A @ 12VDC
- 105mm (l) x 37mm (d) x 65mm (h)
- ECE R10, CE
- 2 years


bbs-tek

bbs-tek White Sound® Medium Duty Multi-frequency Alarm

12-24v 700.BBS97

- Wire mount
- 97 dB(A)
- 0.5A @ 12VDC
- 105mm (l) x 37mm (d) x 65mm (h)
- ECE R10, CE
- 2 years



bbs-tek White Sound®
Heavy Duty Multi-frequency Alarm

12-24v 700.BBS102

- ✂ Wire mount
- 🔊 102 dB(A)
- A 1.0A @ 12VDC
- ✕ 172mm (l) x 95mm (d) x 79mm (h)
- ✓ ECE R10, CE
- 🕒 5 years



bbs-tek White Sound®
Heavy Duty Multi-frequency Alarm

12-24v 700.BBS107

- ✂ Wire mount
- 🔊 107 dB(A)
- A 1.0A @ 12VDC
- ✕ 172mm (l) x 95mm (d) x 79mm (h)
- ✓ ECE R10, CE
- 🕒 5 years



Dun-Bri Group
Medium Duty Standard Reverse Alarm

12-80v 257.011

- ✂ Wire mount
- 🔊 97 dB(A)
- A 0.2A @ 12VDC
- ✕ 101mm (l) x 45mm (d) x 101mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



ECCO 500 Series
Medium Duty Standard Reverse Alarm

12-80v 702.580001


- ✂ Wire mount
- 🔊 87 dB(A)
- A 0.1A @ 12VDC
- ✕ 102mm (l) x 41mm (d) x 71mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



ECCO 500 Series
Medium Duty Standard Reverse Alarm

12-24v 702.520

- ✂ Stud mount
- 🔊 97 dB(A)
- A 0.1A @ 12VDC
- ✕ 102mm (l) x 41mm (d) x 71mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



Dun-Bri Group
Night Silent Reverse Alarm

12-24v 257.008

- ✂ Wire mount
- 🔊 97 dB(A)
- A 4.6A @ 12VDC
- ✕ 130mm (dia) x 177mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

DOUBLE
REVERSE
ENGAGE



ECCO 500 Series
Night Silent Reverse Alarm

12-24v 702.515002

- ✂ Wire mount
- 🔊 90 dB(A)
- A 0.2A @ 12VDC
- ✕ 102mm (l) x 41mm (d) x 71mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

SWITCH
ENABLED



ECCO 400 Series
Night Silent Reverse Alarm

12-24v 702.515004

- ✂ Wire mount
- 🔊 90 dB(A)
- A 0.2A @ 12VDC
- ✕ 102mm (l) x 41mm (d) x 71mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

DOUBLE
REVERSE
ENGAGE



Brigade BA-32NS
Night Silent Reverse Alarm

12-24v 700.BA32NS

- ✂ Wire mount
- 🔊 90 dB(A)
- A 4.6A @ 12VDC
- ✕ 91mm (l) x 41mm (d) x 49mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

DOUBLE
REVERSE
ENGAGE


BRIGADE

Brigade BA-57 Night Silent Reverse Alarm

 SWITCH
ENABLED

12-24v 700.BA57

- Wire mount
- 90 dB(A)
- 0.2A @ 12VDC
- 60mm (l) x 48mm (d) x 48mm (h)
- ECE R10, CE
- 2 years


**dun-bri
GROUP**

Dun-Bri Group Mini Buzzer

12v 700.56212 24v 700.56224

- Wire mount
- 85 dB(A)
- 0.22A @ 12VDC
- 40mm (dia) x 28mm (h)
- ECE R10, CE
- 1 year


ECCO

ECCO Back-up Alert Light Duty Reversing Alarm

 REPLACES
REVERSE
BULB

12V 702.110000 24v 702.110002

- BA15 bulb mount
- 87 dB(A)
- 0.2A @ 12VDC
- 26mm (dia) x 45mm (h)
- ECE R10, CE
- 1 year


ECCO

ECCO Smart Alarm® 800 Series Self-adjusting Reverse Alarm

12-24v 702.914001

- Stud mount
- 87-112 dB(A)
- 0.4A @ 12VDC
- 180mm (l) x 78mm (d) x 101mm (h)
- ECE R10, CE
- 2 years


ECCO

ECCO Smart Alarm® 800 Series Self-adjusting Reverse Alarm

12-24v 702.917001

- Stud mount
- 87-112 dB(A)
- 0.4A @ 12VDC
- 146mm (l) x 78mm (d) x 101mm (h)
- ECE R10, CE
- 2 years


ECCO

ECCO Smart Alarm® 700 Series Self-adjusting Reverse Alarm

12-24v 702.SA920

- Stud mount
- 97-112 dB(A)
- 0.6A @ 12VDC
- 181mm (l) x 102mm (d) x 84mm (h)
- ECE R10, CE
- 2 years


**dun-bri
GROUP**

Dun-Bri Group Speaking Reverse Alarm

12-24v 257.010

- Wire mount
- 90 dB(A)
- 0.4A @ 12VDC
- 101mm (l) x 45mm (d) x 101mm (h)
- ECE R10, CE
- 2 years

 BEEP!
'STAND WELL
CLEAR, VEHICLE
REVERSING'

BRIGADE

Brigade Backchat Speaking Reverse Alarm

12-24v 700.BC01

- Wire mount
- 90 dB(A)
- 0.4A @ 12VDC
- 122mm (l) x 50mm (d) x 84mm (h)
- ECE R10, CE
- 2 years

 BEEP!
'STAND WELL
CLEAR, VEHICLE
REVERSING'

BRIGADE

Brigade Backchat Night Silent Speaking Reverse Alarm

12-24v 700.BC01NS

- Wire mount
- 90 dB(A)
- 0.4A @ 12VDC
- 122mm (l) x 50mm (d) x 84mm (h)
- ECE R10, CE
- 2 years

 BEEP!
'STAND WELL
CLEAR, VEHICLE
REVERSING'

 DOUBLE
REVERSE
ENGAGE



Brigade Auto-reset Alarm Cut-out
Dash Mounted Time Delay Kit

12-24v 710.TC047

- ✂ Hard-wired kit
- 👂 N/A
- A 0.2A @ 12VDC
- ✕ 172mm (l) x 95mm (d) x 79mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



Brigade Nightshift Cut-out
Manual Gearbox Alarm Cut-out

12-24v 700.NS2

- ✂ Hard-wired kit
- 👂 N/A
- A 0.2A @ 12VDC
- ✕ 55mm (l) x 25mm (d) x 40mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

DOUBLE
REVERSE
ENGAGE



Brigade Nightshift Cut-out
Automatic Gearbox Cut-out

12-24v 700.NS3

- ✂ Hard-wired kit
- 👂 N/A
- A 0.2A @ 12VDC
- ✕ 55mm (l) x 25mm (d) x 40mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

DOUBLE
REVERSE
ENGAGE



dun-bri
GROUP

Dun-Bri Group 5" Camera Kit Single Camera Kit with Audio

12-24v 708.005DBG

WITH
ENHANCED
DISPLAY

- Hard-wired camera kit
 - 5" LCD screen; Camera; 20m cable
 - 4.5A @ 12VDC
 - 145mm (l) x 32mm (d) x 136mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Camera kit with digital TFT LCD monitor, which is expandable to accept a second camera (available separately). Features audio and enhanced night vision
- Monitor resolution: 640x480
Angle: 120° wide angle



dun-bri
GROUP

Dun-Bri Group 5" Camera Kit Twin Camera Kit with Audio

12-24v 708.006DBG

WITH
ENHANCED
DISPLAY

- Hard-wired camera kit
 - 5" LCD screen; 2x cameras; 20m/5m cable
 - 5.5A @ 12VDC
 - 145mm (l) x 32mm (d) x 136mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Twin camera kit with digital TFT LCD monitor. Features audio and enhanced night vision
- Monitor resolution: 640x480
Angle: 120° wide angle



dun-bri
GROUP

Dun-Bri Group 7" Camera Kit Single Camera Kit with Audio

12-24v 708.008DBG

WITH
ENHANCED
DISPLAY

- Hard-wired camera kit
 - 7" LCD screen; Camera; 20m cable
 - 4.5A @ 12VDC
 - 191mm (l) x 32mm (d) x 141mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Camera kit with 7" widescreen digital TFT LCD monitor, which is expandable to accept a second camera (available separately). Features audio and enhanced night vision
- Monitor resolution: 800x480
Angle: 120° wide angle



dun-bri
GROUP

Dun-Bri Group 7" Camera Kit Twin Camera Kit with Audio

12-24v 708.009DBG

WITH
ENHANCED
DISPLAY

- Hard-wired camera kit
 - 7" LCD screen; 2x cameras; 20m/5m cable
 - 5.5A @ 12VDC
 - 191mm (l) x 32mm (d) x 141mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Twin camera kit with 7" widescreen digital TFT LCD monitor. Features audio and enhanced night vision
- Monitor resolution: 800x480
Angle: 120° wide angle



dun-bri
GROUP

Dun-Bri Group 360° Camera Kit Quad Camera Kit with Audio

12-24v 708.034

FULL
360°
VIEW

- Hard-wired camera kit
 - 7" LCD screen; 4x cameras; ECU; Cables
 - 3.5A @ 12VDC
 - 191mm (l) x 32mm (d) x 141mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Quad camera kit with 7" widescreen digital TFT LCD monitor. System is professionally configured to give you a true 360-degree view from 'above'
- Monitor resolution: 800x480
Angle: 360°



dun-bri
GROUP

Dun-Bri Group 7" Camera Kit Single Wireless Camera Kit

12-24v 708.402

WITH
ENHANCED
DISPLAY

- Hard-wired camera kit
 - 7" LCD screen; 2x cameras; 20m/5m cable
 - 2.5A @ 12VDC
 - 191mm (l) x 32mm (d) x 141mm (h) (screen)
 - ECE R10, CE, IP68 (camera)
 - 2 years
- Wireless camera kit with 7" widescreen digital TFT LCD monitor. Expandable system can have additional two wired cameras fitted. Features audio and infra-red enhanced night vision
- Monitor resolution: 800x480
Angle: 120° wide angle


dun-bri
GROUP

Dun-Bri Group 3.5" Camera Kit

Single Wireless Camera Kit

12-24v 708.401

✦ Wireless camera kit	❗ Wireless camera kit with 3.5" digital TFT LCD monitor. Features enhanced night vision (works at 0.3 lux)
📺 3.5" LCD screen; Camera	
A 1.6A @ 12VDC	Monitor resolution: 960x240 (DOT)
✕ 100mm (l) x 18mm (d) x 77mm (h)	Angle: 170° wide angle
✓ ECE R10, CE, IP68 (camera)	
🕒 2 years	


dun-bri
GROUP

Dun-Bri Group 7" Quad View Camera Kit

Single Camera Kit with Audio

12-24v 708.069

ACCEPTS
FOUR
CAMERAS

✦ Hard-wired camera kit	❗ Camera kit with digital TFT LCD monitor, which is expandable to accept four cameras (available separately). Features quad-camera screen view, audio facility and enhanced night vision
📺 7" LCD screen; Camera; 20m cable	
A 4.5A @ 12VDC	Monitor resolution: 800x480
✕ 191mm (l) x 32mm (d) x 141mm (h) (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP68 (camera)	
🕒 2 years	


dun-bri
GROUP

Dun-Bri Group Rear View Mirror Camera Kit

Single Camera Kit with Audio

12-24v 708.067

WITH
ENHANCED
DISPLAY

✦ Hard-wired camera kit	❗ Single camera kit with TFT LCD monitor built into a rear view mirror. Can be enhanced to feature a second camera. Features enhanced night vision
📺 4.3" LCD screen; Camera; 20m cable	
A 3.8A @ 12VDC	Monitor resolution: 480x234
✕ ? (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP68 (camera)	
🕒 2 years	


dun-bri
GROUP

Dun-Bri Group Dual Camera Recorder

Twin Camera Kit with Monitor

12-24v 708.301

✦ Hard-wired camera kit	❗ Ideal for taxis and buses that want a simple recording device to store the days video. Camera on monitor can be moved to face front or back as required. Second camera can be positioned almost anywhere
📺 2.8" LED screen; DVR recorder; 2x cameras	
A 1.5A @ 12VDC	
✕ 161mm (l) x 27mm (d) x 115mm (h) (screen)	
✓ CE	
🕒 1 year	


ECCO

ECCO Touch 5" Camera Kit

Single Camera Kit with Audio

12-24v 702.EC5603SVK

TOUCH
SCREEN
MONITOR

✦ Hard-wired camera kit	❗ Camera kit with 5" touch screen TFT LCD monitor, which is expandable to accept up to three cameras (available separately). Features audio and enhanced night vision
📺 5" LCD touch-screen; Camera; 20m cable	
A 4.5A @ 12VDC	Monitor resolution: 480x272
✕ 161mm (l) x 27mm (d) x 115mm (h) (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP69K (camera)	
🕒 2 years	


ECCO

ECCO 5" Camera Kit

Single Camera Kit with Audio

12-24v 702.140550

ACCEPTS
THREE
CAMERAS

✦ Hard-wired camera kit	❗ Single camera kit with 5" digital TFT LCD monitor and can be expanded to accept three cameras (supplied separately). Features audio and enhanced night vision
📺 5" LCD screen; Camera; 20m cable	
A 4.5A @ 12VDC	Monitor resolution: 480x272
✕ 156mm (l) x 32mm (d) x 107mm (h) (screen)	Angle: 90° angle
✓ ECE R10, CE, IP69K (camera)	
🕒 2 years	


ECCO

ECCO 5.6" Camera Kit

Single Camera Kit with Audio

 ACCEPTS
FOUR
CAMERAS

12-24v 702.DAC1001

- | | |
|--|--|
| <ul style="list-style-type: none"> Hard-wired camera kit 5.6" LCD screen; Camera; 20m cable 4.5A @ 12VDC 145mm (l) x 32mm (d) x 136mm (h) (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Single camera kit with 5" digital TFT LCD monitor. Can be expanded to connect to four cameras. Features audio and enhanced night vision <p>Monitor resolution: 320x234
Angle: 90° angle</p> |
|--|--|


ECCO

ECCO Touch 7" Camera Kit

Single Camera Kit with Audio

 TOUCH
SCREEN
MONITOR

12-24v 702.EC7003SVK

- | | |
|--|---|
| <ul style="list-style-type: none"> Hard-wired camera kit 7" LCD touch-screen; Camera; 20m cable 4.5A @ 12VDC 185mm (l) x 27mm (d) x 129mm (h) (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Wireless camera kit with 7" widescreen digital TFT LCD monitor. Expandable system can have additional two wired cameras fitted. Features audio and infra-red enhanced night vision <p>Monitor resolution: 800x480
Angle: 120° wide angle</p> |
|--|---|


ECCO

ECCO 7" Camera Kit

Single Camera Kit with Audio

 ACCEPTS
THREE
CAMERAS

12-24v 702.140750

- | | |
|--|--|
| <ul style="list-style-type: none"> Hard-wired camera kit 7" LCD screen; Camera; 20m cable 4.5A @ 12VDC 225mm (l) x 34mm (d) x 139mm (h) (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Single camera kit with 7" digital TFT LCD monitor and can be expanded to accept three cameras (supplied separately). Features audio and enhanced night vision <p>Monitor resolution: 800x480
Angle: 90° angle</p> |
|--|--|


ECCO

ECCO 7" Camera Kit

Single Camera Kit with Audio

 ACCEPTS
FOUR
CAMERAS

12-24v 702.DAC1002

- | | |
|---|---|
| <ul style="list-style-type: none"> Hard-wired camera kit 7" LCD screen; Camera; 20m cable 4.5A @ 12VDC ? (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Single camera kit with 7" digital TFT LCD monitor. Can be expanded to connect to four cameras. Features audio and enhanced night vision <p>Monitor resolution: 480x234
Angle: 90° wide angle</p> |
|---|---|


ECCO

ECCO 7" Camera Kit

Single Camera Kit with Audio

 ACCEPTS
FOUR
CAMERAS

12-24v 702.DAC1003

- | | |
|--|--|
| <ul style="list-style-type: none"> Hard-wired camera kit 7" LCD screen; Camera; 20m cable 4.5A @ 12VDC 182mm (l) x 26mm (d) x 122mm (h) (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Camera kit with 7" widescreen digital TFT LCD monitor, which can operate a split screen view and can accept four cameras (available separately). Features audio and enhanced night vision <p>Monitor resolution: 480x234
Angle: 90° angle</p> |
|--|--|


ECCO

ECCO 7" Shutter Camera Kit

Single Camera Kit with Audio

 ACCEPTS
FOUR
CAMERAS

12-24v 702.DAC1021

- | | |
|--|---|
| <ul style="list-style-type: none"> Hard-wired camera kit 7" LCD screen; Shutter camera; 20m cable 4.5A @ 12VDC 182mm (l) x 26mm (d) x 122mm (h) (screen) ECE R10, CE, IP69K (camera) 2 years | <ul style="list-style-type: none"> Single shutter camera kit, which shuts off when not in use, with 7" widescreen digital TFT LCD monitor. Features audio and enhanced night vision <p>Monitor resolution: 480x234
Angle: 180° ultra wide angle</p> |
|--|---|


ECCO

ECCO Gemineye 7" Camera Kit

Single Camera Kit with Audio

ACCEPTS
TWO
CAMERAS

12-24v 702.K7000B

✦ Wireless camera kit	❗ Single camera kit with 7" TFT LCD monitor. Can be expanded to include a second camera (sold separately)
📄 7" LCD screen; Camera; 20m cable	
A 4.5A @ 12VDC	Monitor resolution: 480x234
✕ 174mm (l) x 24mm (d) x 114mm (h) (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP69K (camera)	
🕒 2 years	


BRIGADE

Brigade Backeye 360 Select Camera Kit

Quad Camera Kit

FULL
360°
VIEW

12-24v 700.SE770D100

✦ Hard-wired camera kit	❗ Quad camera kit with 7" widescreen digital TFT LCD monitor. System is professionally configured to give you a true 360-degree view from 'above'
📄 7" LCD screen; 4x cameras; ECU; Cables	
A 3.5A @ 12VDC	Monitor resolution: 800x480
✕ 170mm (l) x 36mm (d) x 127mm (h) (screen)	Angle: 360°
✓ ECE R10, CE, IP68 (camera)	
🕒 2 years	


BRIGADE

Brigade Select 5" Camera System

Single Camera Kit with Audio

ACCEPTS
THREE
CAMERAS

12-24v 700.VBV750

✦ Hard-wired camera kit	❗ Single camera kit with 5" TFT LCD monitor. Can be expanded to include two additional cameras (available separately)
📄 5" LCD screen; Camera; 20m cable	
A 3.5A @ 12VDC	Monitor resolution: 480x234
✕ 148mm (l) x 30mm (d) x 110mm (h) (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP67 (camera)	
🕒 2 years	


BRIGADE

Brigade Elite 5.6" Camera System

Single Camera Kit with Audio

ACCEPTS
TWO
CAMERAS

12-24v 700.BE856

✦ Hard-wired camera kit	❗ Single camera kit with 5" TFT LCD monitor. Can be expanded to include an additional camera (sold separately)
📄 5.6" LCD screen; Camera; 20m cable	
A 3.5A @ 12VDC	Monitor resolution: 320x234
✕ 172mm (l) x 32mm (d) x 115mm (h) (screen)	Angle: 120° wide angle
✓ ECE R10, CE, IP67 (camera)	
🕒 2 years	


BRIGADE

Brigade Sidescan Sensor System

Quad Ultrasonic Sensor Kit

12-24v 700.SS4000W

✦ Hard-wired sensor kit	❗ Complete sensor system to inform the driver of any obstacles. Designed to increase safety when turning or low speed manoeuvring. Ideal for nearside blind spot where cyclists or pedestrians would usually go undetected
📄 4x sensors; Controller; Cab alarm; Brackets	
A 1.5A @ 12VDC	
✕ N/A	
✓ ECE R10, CE, IP68 (sensors), IP69K (controller)	
🕒 2 years	


BRIGADE

Brigade Stepscan Sensor System

Dual Ultrasonic Sensor Kit

12-24v 700.ST2000

✦ Hard-wired sensor kit	❗ Twin sensor system to be fitted to nearside cab step giving awareness to the driver of objects to the side when turning and reversing. Minimises the risk of damage to the vehicle from unseen objects
📄 2x sensors; Controller; Cab alarm; Brackets	
A 1.5A @ 12VDC	
✕ N/A	
✓ ECE R10, CE, IP68 (sensors), IP69K (controller)	
🕒 2 years	



Brigade Frontscan Sensor System Quad Ultrasonic Sensor Kit

12-24v 700.FS4000W

- Hard-wired sensor kit
- 4x sensors; Controller; Cab alarm; Brackets
- 1.5A @ 12VDC
- N/A
- ECE R10, CE, IP68 (sensors), IP69K (controller)
- 2 years

Quad sensor system fitted to the front of the vehicle to improve safety when manoeuvring at low speed. Particularly suitable for front blind spot on high cab vehicles where low objects, cyclists and pedestrians can easily be hidden



Brigade Cornerscan Sensor System Triple Ultrasonic Sensor Kit

12-24v 700.CS3000

- Hard-wired sensor kit
- 3x sensors; Controller; Cab alarm; Brackets
- 1.5A @ 12VDC
- N/A
- ECE R10, CE, IP68 (sensors), IP69K (controller)
- 2 years

Tri sensor system fitted to nearside corner of vehicle cab to detect objects in this critical blind spot. Minimises the risk of damage to the vehicle whilst manoeuvring at low speed



Brigade Backscan Sensor System Triple Ultrasonic Sensor Kit

12-24v 700.BS4000W

- Hard-wired camera kit
- 3x sensors; Controller; Cab alarm; Brackets
- 1.5A @ 12VDC
- N/A
- ECE R10, CE, IP68 (sensors), IP69K (controller)
- 2 years

Quad sensor system fitted to the rear of a vehicle as an invaluable aid to reversing. Gives greater protection to pedestrians and cyclists, while minimising damage to vehicles and other objects



Brigade Low Speed Module Scanning System Add-on

12-24v 700.LS20A

- Sensor accessory
- Plug-in module only
- N/A
- N/A
- ECE R10
- 2 years

This add-on module enables sensors to function below designated speed

FOR
FRONT,
SIDE AND
CORNER



Brigade Indicator Trigger Module Scanning System Add-on

12-24v 700.TS001ECU

- Sensor accessory
- Plug-in module only
- N/A
- 55mm (l) x 25mm (d) x 40mm (h)
- ECE R10
- 2 years

Allows the Sidescan system to function on vehicle indicator (near or offside configurable)

FOR
SIDE SCAN
SYSTEMS



Brigade Scanning Backchat Alarm Speaking Side Turning Alarm

12-24v 700.SSBC08

- Sensor accessory
- 90 dB(A)
- 0.4A @ 12VDC
- 225mm (l) x 34mm (d) x 139mm (h) (screen)
- ECE R10, CE, IP68
- 2 years

Adds audible warning to your Sidescan system warning cyclists and pedestrians of your presence when they are detected using the sensor system

WARNING
MESSAGE FOR
CYCLISTS &
PEDESTRIANS

FOR
SIDE SCAN
SYSTEMS



Brigade Scanning System Artic. Cable
Scanning System Add-on

FOR
ARTIC.
LGVs

12-24v 700.SK1504

- Sensor accessory
 - Plug-in articulated vehicle cable
 - N/A
 - N/A
 - CE
 - 2 years
- To fit to articulated vehicles to enable your scanning system to work on vehicle trailers. Includes cable and two sockets for installation



Brigade 3m Backsense Sensor System
Single Radar Sensor Kit

12-24v 700.BS7030

- Hard-wired sensor kit
 - Radar scanner; In-cab indicator
 - 0.5A @ 12VDC
 - 217mm (l) x 50mm (d) x 129mm (h) (sensor)
 - ECE R10, CE
 - 2 years
- Radar obstacle detection system, effective to a range of 3.0m (other distance also available). Can be mounted behind non-metallic bodywork (e.g. fibreglass or plastic). Kit includes indicator module with audible and visual warning



Brigade 4.5m Backsense Sensor System
Single Radar Sensor Kit

12-24v 700.BS7045

- Hard-wired sensor kit
 - Radar scanner; In-cab indicator
 - 0.5A @ 12VDC
 - 217mm (l) x 50mm (d) x 129mm (h) (sensor)
 - ECE R10, CE
 - 2 years
- Radar obstacle detection system, effective to a range of 4.5m (other distance also available). Can be mounted behind non-metallic bodywork (e.g. fibreglass or plastic). Kit includes indicator module with audible and visual warning



Brigade 6m Backsense Sensor System
Single Radar Sensor Kit

12-24v 700.BS7060

- Hard-wired camera kit
 - Radar scanner; In-cab indicator
 - 0.5A @ 12VDC
 - 217mm (l) x 50mm (d) x 129mm (h) (sensor)
 - ECE R10, CE
 - 2 years
- Radar obstacle detection system, effective to a range of 6m (other distance also available). Can be mounted behind non-metallic bodywork (e.g. fibreglass or plastic). Kit includes indicator module with audible and visual warning



Brigade 5m Backsense Sensor Cable
Scanning System Add-on

12-24v 700.BS05DCX

- Sensor accessory
 - Plug-in extension cable
 - N/A
 - N/A
 - CE
 - 2 years
- Expand the vehicles that your Backsense system can function with, using this 5m extension cable (other sizes available). Only suitable for use with the Xtreme Backsense series of sensor systems



Brigade 9m Backsense Sensor Cable
Scanning System Add-on

12-24v 700.BS09DCX

- Sensor accessory
 - Plug-in extension cable
 - N/A
 - N/A
 - CE
 - 2 years
- Expand the vehicles that your Backsense system can function with, using this 20m extension cable. Only suitable for use with the Xtreme Backsense series of sensor systems



BRIGADE

Brigade 6m Worksight Backsense Sensor System Dual Radar Sensor Kit

12-24v 700.WS602060

- Hard-wired sensor kit
- Radar scanner; In-cab indicator
- 0.5A @ 12VDC
- N/A
- 267mm (l) x 36mm (d) x 112mm (h) (sensor)
- 2 years

Dual radar system effectively detects stationary and multiple moving objects. Programmable to calibrate out fixed objects, bodywork and attachments. Also effective through non-metallic bodywork. Twin output triggers to activate other safety devices if required. Can be networked together with other sensors



BRIGADE

Brigade 3m Workzone Backsense Sensor System Dual Radar Sensor Kit

12-24v 700.BS5130

WITH
BUZZER

- Hard-wired sensor kit
- Radar scanner; In-cab indicator
- 0.5A @ 12VDC
- N/A
- 235mm (l) x 11mm (d) x 44mm (h) (sensor)
- 2 years

Dual radar system effectively detects stationary and multiple moving objects. Programmable to calibrate out fixed objects, bodywork and attachments. Also effective through non-metallic bodywork. Single output trigger to activate other safety devices if required. Kit includes warning buzzer



BRIGADE

Brigade 3m Workzone Backsense Sensor System Dual Radar Sensor Kit

12-24v 700.BS5030

WITH
VISUAL
DISPLAY

- Hard-wired sensor kit
- Radar scanner; In-cab indicator
- 0.5A @ 12VDC
- N/A
- 235mm (l) x 11mm (d) x 44mm (h) (sensor)
- 2 years

Dual radar system effectively detects stationary and multiple moving objects. Programmable to calibrate out fixed objects, bodywork and attachments. Also effective through non-metallic bodywork. Single output trigger to activate other safety devices if required. With audible and visual warning device



BRIGADE

Brigade 4.5m Workzone Backsense Sensor System Dual Radar Sensor Kit

12-24v 700.BS5045

WITH
VISUAL
DISPLAY

- Hard-wired sensor kit
- Radar scanner; In-cab indicator
- 0.5A @ 12VDC
- N/A
- 235mm (l) x 11mm (d) x 44mm (h) (sensor)
- 2 years

Dual radar system effectively detects stationary and multiple moving objects. Programmable to calibrate out fixed objects, bodywork and attachments. Also effective through non-metallic bodywork. Single output trigger to activate other safety devices if required. With audible and visual warning device



BRIGADE

Brigade 7.5m Workzone Backsense Sensor Cable Scanning System Add-on

12-24v 700.HRPV4125

FOR
SIDE SCAN
SYSTEMS

- Sensor accessory
- Plug-in module only
- N/A
- N/A
- CE
- 2 years

Expand the vehicles that your Workzone Backsense system can function with, using this 7.5m extension cable. Only suitable for use with the Workzone Backsense series of sensor systems

dun-bri
GROUP

Dun-Bri Group Heavy Duty Ultrasonic Reversing Sensor Kit

12-24v 708.PS01T

PROTECT
AGAINST
DAMAGE

- Hard-wired sensor kit
- 4x sensors; In-cab indicator; Controller
- 0.2A @ 12VDC
- N/A
- CE
- 2 years

Protect your vehicle against accidental damage when reversing using this quad reversing sensor kit. Easy to install, it comes with a visual and audible warning in-built in the in-cab display unit

REVERSING SPARES & ACCESSORIES

131 SPARE PARTS & ACCESSORIES

Keeping your fleet on the road can be made much simpler by knowing you're buying from a company who stocks a massive range of spare parts for the reversing safety equipment they sell. It's not just spares either, we also stock a huge range of accessories that can be used to expand your safety camera and scanning systems





www.dun-bri.com/reversing-systems

FIND SPARE PARTS BY PRODUCT RANGE



Dun-Bri Group 5"
Page 131



Dun-Bri Group 7"
Page 131



ECCO Touch Control
Page 132



ECCO Group 5"
Page 132



ECCO Group 7"
Page 132



ECCO Gemineye
Page 132



Brigade Backeye
Call us for details



Brigade Select
Page 133



Brigade Elite
Page 133

FIND BY SPARE PART & ACCESSORY TYPE



Replacement LCD/LED Monitor

If your reversing camera monitor is damaged, you can replace the screens for most of the reversing camera system kits we sell using the listings on the following pages




Replacement/Additional Camera

Whether you want to add or replace cameras to your safety system, we have a huge range of cameras in all shapes, sizes and applications in stock



Camera System Extension Cable

Fitting a camera kit to a longer/larger vehicle isn't a problem when you buy from Dun-Bri Group, as we sell a range of standard camera and articulated trailer cables



Digital Video Recorder Unit

Convert any compatible camera forward or reverse camera system into a recording, not just a monitoring safety system with this device

For clarity, we have only included a select range of spare parts in this catalogue - usually the most commonly ordered parts. If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**



dun-bri
GROUP

Dun-Bri Group
5" TFT LCD Monitor

12-24v 708.015DBG



dun-bri
GROUP

Dun-Bri Group
7" TFT LCD Monitor

12-24v 708.016DBG



dun-bri
GROUP

Dun-Bri Group
7" TFT Quad Screen Monitor

12-24v 708.036



dun-bri
GROUP

Dun-Bri Group
7" TFT LCD Waterproof Monitor

12-24v 708.063

IP67
RATED



dun-bri
GROUP

Dun-Bri Group
4.3" Mirror TFT LCD Monitor

12-24v 708.010

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
Surface Mount Camera

12-24v 708.026

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
Standard Camera

12-24v 708.025

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
Under Wing Mirror Camera

12-24v 708.027

REQUIRES
708.071
CABLE



dun-bri
GROUP

Dun-Bri Group
Compact 'Bullet' Camera

12-24v 708.023

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
'Shark Fin' Van Roof Camera

12-24v 708.019

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
Front/Corner Facing Camera

12-24v 708.028

IP68
RATED



dun-bri
GROUP

Dun-Bri Group
Articulated Trailer Expansion Cable

12-24v 708.007



dun-bri
GROUP

Dun-Bri Group
Camera Extension Cables

5m 708.020 10m 708.021 20m 708.022



dun-bri
GROUP

Dun-Bri Group
4-channel Digital Video Recorder

12-24v 708.079

WITH
SD
CARD

SUITS ALL
CAMERA
SYSTEMS



dun-bri
GROUP

Dun-Bri Group
8-channel Digital Video Recorder

12-24v 708.309

WITH
SD
CARD

SUITS ALL
CAMERA
SYSTEMS


ECCO®

ECCO Touch 5" Camera Kit
5.6" TFT LCD Monitor

12-24v 702.EC5603SVK


ECCO®

ECCO Touch 7" Camera Kit
7" TFT LCD Monitor

12-24v 702.EC7003SVK


ECCO®

ECCO 5" Camera Kit
5" TFT LCD Monitor

12-24v 702.141950


ECCO®

ECCO 7" Camera Kit
7" TFT LCD Monitor

12-24v 702.141970


ECCO®

ECCO Standard 5.6" Camera Kit
5.6" TFT LCD Monitor

12-24v 702.DAC1009


ECCO®

ECCO Standard 7" Camera Kit
7" TFT LCD Monitor

12-24v 702.DAC1010


ECCO®

ECCO Waterproof Monitor
5.6" TFT LCD Monitor

12-24v 702.DAC1025

IP69K
RATED


ECCO®

ECCO 'Mirror' Monitor
4.3" Mirror TFT LCD Monitor

12-24v 702.DAC1026


ECCO®

ECCO Gemineye Camera Kit
7" TFT LCD Monitor

12-24v 702.M7000B


ECCO®

ECCO Multi-screen Monitor
7" TFT LCD Monitor

12-24v 702.DAC1011


ECCO®

ECCO Group
Standard Camera 90° View

12-24v 702.142050

IP69K
RATED


ECCO®

ECCO Group
Standard Camera 90° View

12-24v 702.142052

IP69K /
STAINLESS
STEEL FIT


ECCO®

ECCO Group
Standard Camera 180° View

12-24v 702.DAC1006

IP69K
RATED


ECCO®

ECCO Group
Standard Shutter Camera

12-24v 702.DAC1005

IP69K
RATED


ECCO®

ECCO Group
Front/Corner Facing Camera

12-24v 702.DAC1024

IP69K
RATED


ECCO

ECCO Group
Premium Camera 120° View

12-24v 702.EC2014SVC

IP69K
RATED


ECCO

ECCO Group
Side-view/Mirror Camera

12-24v 702.DAC1004

IP69K
RATED


ECCO

ECCO Group
Compact 'Bullet' Camera

12-24v 702.DAC1007

IP69K
RATED


ECCO

ECCO Group
Dome Camera

12-24v 702.DAC1008

FOR
INTERNAL
USE


ECCO

ECCO Gemineye
Standard Camera 120° View

12-24v 702.C2013B


ECCO

ECCO Group
Articulated Trailer Expansion Cable

12-24v 702.143006


ECCO

ECCO Group
4-pin Extension Cables

10m 702.DAC1015 20m 702.DAC1016


ECCO

ECCO Group
5-pin Extension Cable

20m 702.DAC1018


ECCO

ECCO Group
22-pin / 13-pin Monitor/Camera Looms

22 pin 702.DAC1013 13 pin 702.DAC1012


BRIGADE

Brigade Select Camera Kit
5" TFT LCD Monitor

12-24v 700.MV750M


BRIGADE

Brigade Elite Camera Kit
5.6" TFT LCD Monitor

12-24v 700.BE856M


BRIGADE

Brigade Select Camera Kit
Standard Camera 90° View

12-24v 700.BV750C

IP68
RATED


BRIGADE

Brigade Elite Camera Kit
Standard Camera 90° View

12-24v 702.142052

IP68
RATED


BRIGADE

Brigade Select Camera Kit
Camera Extension Cables

10m 700.BVL410 20m 700.BVL420


BRIGADE

Brigade Elite Camera Kit
Camera Extension Cables

10m 700.BEL110 20m 700.BEL120

SWITCHING & CONTROL PRODUCTS

136 SWITCHING & CONTROL

From basic on-off switches to a range of specially selected control panels for your lighting installation, we have a range of switching and control products in stock. They are generally universal for use with any brand's products, but if you need any help or advice, please contact us in the first instance. We can even produce a wiring loom for you, if required





www.dun-bri.com/switches-dash-lights



Carling Technologies Contura II
Illuminated Beacon Switch

12v 273.SW/BEAC12 24v 273.SW/BEAC24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Lightbar Switch

12v 273.SW/LBAR12 24v 273.SW/LBAR24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Left Alley Switch

12v 273.SW/LHA12 24v 273.SW/LHA24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Right Alley Switch

12v 273.SW/RHA12 24v 273.SW/RHA24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Alley/Work Lights Switch

12v 273.SW/ALLW12 24v 273.SW/ALLW24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Work Lights Switch

12v 273.SW/WORK12 24v 273.SW/WORK24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



Carling Technologies Contura II
Illuminated Headlight Flash Switch

12v 273.SW/HLF12 24v 273.SW/HLF24

- Single switch
- On/off single pole rocker
- Max. 20A @ 12VDC
- Requires 37mm (h) x 21mm (w) cut-out
- IP68, CE
- 2 years



911 Signal BR920
2-way Switching Unit

12v 311.PCS212V

- Switch panel
- 1x On/Off switch; 1x Momentary switch; Labels
- Max. 10A @ 12VDC
- 69mm (l) x 31mm (d) x 63mm (h)
- CE
- 2 years



911 Signal BR990
6-way Switching Unit

12v 311.PCS612V

- Switch panel
- 6x On/Off switches; Wiring loom; Labels
- Max. 60A @ 12VDC
- 167mm (l) x 31mm (d) x 63mm (h)
- CE
- 2 years





911 Signal BR993 6-way Programmable Switch

THREE
PROGRAM
MODES

12-24v 311.PCS6M12V

- ✳ Switch panel
- ① 6x On/off switches; 3x Program switches; Wiring loom; Labels
- A Max. 2A @ 12VDC
- ✕ 167mm (l) x 54mm (d) x 63mm (h)
- ✓ CE
- 🕒 2 years



911 Signal BR9000 6-way Switching Unit

IDEAL FOR
USE WITH
LIGHTBARS

12-24v 308.BR9000

- ✳ Switch panel
- ① 1x On/off switch; 8x Mode switches
- A Max. 2A @ 12VDC
- ✕ 128mm (l) x 16mm (d) x 56mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



ECCO 2-way Switching Unit

12v 300.200041 24v 300.200042

- ✳ Switch panel
- ① 2x On/off switches
- A Max. 10A @ 12VDC
- ✕ 60mm (l) x 32mm (d) x 84mm (h)
- ✓ CE
- 🕒 2 years



ECCO 4-way Switching Unit

12V 300.200051 24v 300.200052

- ✳ Switch panel
- ① 4x On/off switches
- A Max. 10A @ 12VDC
- ✕ 140mm (l) x 32mm (d) x 84mm (h)
- ✓ CE
- 🕒 2 years



Hella Push/Pull Illuminated Switch

WITH
THREE
LENSES

12-24v 270.029

- ✳ Single switch
- ① On/off single pole push/pull
- A Max. 10A @ 12VDC
- ✕ Requires 10mm cut-out
- ✓ CE
- 🕒 2 years



Redtronic R400 4-way Switching Unit

12-24v 389.EM715

- ✳ Switch panel
- ① 4x On/off switches
- A Max. 40A @ 12VDC
- ✕ 95mm (l) x 22mm (d) x 47mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



Redtronic S8000 8-way Programmable Switch Unit

BACKLIT
PANELS

12-24v 389.EM725

- ✳ Switch panel
- ① 8x On/off switches; Programmable setting
- A Max. 80A @ 12VDC
- ✕ 140mm (l) x 30mm (d) x 60mm (h)
- ✓ ECE R10, CE
- 🕒 2 years



Redtronic R800 8-way Switching Unit

12-24v 389.EM720

- ✳ Switch panel
- ① 8x On/off switches
- A Max. 80A @ 12VDC
- ✕ 140mm (l) x 30mm (d) x 60mm (h)
- ✓ ECE R10, CE
- 🕒 2 years

GUIDES & INDICES

REGULATION GUIDES

140 ECE REGULATION 10

141 ECE REGULATION 65

142 CHAPTER 8

143 CAP 168

CATALOGUE

144 ICON KEY

146 PRODUCT INDEX

At Dun-Bri Group, we have a great understanding of the products we sell and the legislative requirements that surround them. Advice on choosing and specifying products for your fleet is available free of charge just by calling 01763 274185; emailing us; by visiting your local branch or online by reading our blog. Whatever your needs, we're sure to meet them





www.dun-bri.com/blog

ECE REGULATION 10

Complete vehicles or electronic sub-assemblies, such as warning beacons, alarm systems and high-mounted brake lights must be tested to conform with ECE Regulation 10, in addition to other regulations covering the particular item's use.


This specific area of legislation applies to electromagnetic compatibility, often referred to as EMC, ensuring that electrical items do not interfere with any of the vehicle's components. The testing of these products involve scientific tests monitoring the energy use and electromagnetic emissions from a device within a specific frequency range.

Under Europe-wide legislation, any product fitted to a vehicle must have this type approval. As proof that an item has been tested to this standard, the 'E' mark as it is known, will be permanently displayed on the device and must not be removed.

Any product tested in any European member state, and some non-European nations, can apply for type approval to this standard and any product showing a valid 'E' mark must be accepted in any European nation.

As the type approval for this type of product is a requirement under legislation, insurance companies can invalidate your motor or other liability policy as fitting a device that does not conform to this and other type approvals are strictly forbidden under the Road Vehicle Lighting Regulations 1989 and the Road Vehicles (Construction and Use) Regulations, as amended.

All products carrying an 'E' mark that shows conformance to ECE Regulation 10 will be displayed as per the example below. Please note that multiple 'E' marks may be displayed in a tabled or other similar form.



ECE REGULATION 65

Some vehicle lighting products such as beacons, lightbars and directional LED light heads can be tested for their performance to conform to ECE Regulation 65, a supplementary regulation that tests light output and reliability in extreme conditions, accredited by an approved testing laboratory.

There are a range of key conditions that a Regulation 65 approved product must meet including maintaining a flash rate of 2-4Hz; maintaining a level of light output to meet the night-time (Class I) or day/night-time level standards (Class II) and the ability to repel water sufficiently during a 'rain test'.


It is important to know your requirement for ECE Regulation 65 approved products, particularly when choosing lightbars as if they feature more than two light rotating or xenon strobe modules, they must be synchronised to flash in a pattern approved by the legislation.

The class of approval refers directly to the light output of a product. Class 1 (I) products achieve a minimum level of output for use at night, whilst Class 2 (II) products achieve both the day and night-time light output standards and can be switched between the two. As an example, an amber beacon would have to be 2.3 times brighter to meet the Class II standard.

Whilst not a statutory area of legislation in the United Kingdom, many emergency services and the 'Chapter 8' regulations require all warning lamps to be type approved and many insurance companies and fleet operator schemes require the same. Any vehicle working in Europe must be fitted with Regulation 65 approved warning products.

All products carrying an 'E' mark that shows conformance to ECE Regulation 65 will be displayed as per the example below. Please note that multiple 'E' marks may be displayed in a tabled or other similar form.

They may also display directional markings to show which side of the vehicle it should be mounted on as it has a wide angle effect, and whether it must be mounted with other lamps to achieve the approval.



'CHAPTER 8'







As cited by Chapter 8 of the Traffic Signs Manual, any vehicle working on the highway must be fitted with a number of beacons and/or lightbars and additional warning lights where required.

Section 5.3 of the manual covers the selection and appropriate use of roof-mounted beacons and without prejudice to the specific requirements of any other sections of the manual. It is important to remember the following key points;

- Any vehicle stopping on the highway for works purposes or inspections shall be equipped with either a roof-mounted flashing amber warning light bar (comprising at least two independent light sources) or two independent roof-mounted flashing amber warning beacons, visible through 360°.
- Roof-mounted flashing amber warning beacons must comply with the requirements of the Road Vehicle Lighting Regulations and should also comply with the United Nations Economic Commission for Europe (UNECE) Regulation 65 on Special Warning Lamps (see page 141 for more information).
- If the main roof-mounted beacon is likely to be obscured from the rear by parts of the vehicle or any equipment carried on the vehicle, additional beacons should be fitted toward the rear of the vehicle where they will remain visible.
- Vehicles engaged on snow clearing, gritting operations or similar work shall display flashing amber warning beacons at all times when operating.

In addition to warning lighting, there are other requirements to fit Highway or Motorway Maintenance markings, high-visibility conspicuity chevron markings and other safety devices, not listed in this guide. For further advice, you are advised to contact us in the first instance.

Examples of the types of vehicle and the minimum requirements, as exemplified by Section 5.5 of the Traffic Signs Manual, can be found below. Please note that the lighting requirements are in addition to micro-prismatic reflective red/luminous yellow chevrons, and are a suggested minimum only.

General working vehicles	Inspection/supervisor vehicles	Traffic management vehicles	Impact protection vehicles	Equipment installation/removal vehicles	Plant & machinery
					
<ul style="list-style-type: none"> ■ Twin beacons or; ■ Single lightbar with two or more light sources ■ Additional directional lighting to front and rear where usual warning lighting would be obscured 	<ul style="list-style-type: none"> ■ Twin beacons or; ■ Single lightbar with two or more light sources ■ Additional directional lighting to front and rear where usual warning lighting would be obscured 	<ul style="list-style-type: none"> ■ Front-mounted single lightbar with two or more light sources ■ Twin rear-mounted amber flashing beacons or; ■ Rear-mounted single lightbar with two or more light sources ■ Additional directional lighting to front and rear where usual warning lighting would be obscured 	<ul style="list-style-type: none"> ■ Front-mounted single lightbar with two or more light sources ■ Twin rear-mounted amber flashing beacons which must be visible whether the crash cushion is raised or lowered or; ■ Rear-mounted single lightbar with two or more light sources which must be visible whether the crash cushion is raised or lowered ■ Additional directional lighting to front and rear where usual warning lighting would be obscured 	<ul style="list-style-type: none"> ■ Front-mounted single lightbar with two or more light sources ■ Twin rear-mounted amber flashing beacons or; ■ Rear-mounted single lightbar with two or more light sources ■ Additional directional lighting to front and rear where usual warning lighting would be obscured 	<ul style="list-style-type: none"> ■ Single beacon ■ Additional directional lighting to front and rear where usual warning lighting would be obscured

CAP 168

Under the Licensing of Aerodromes regulations, as written by the Civil Aviation Authority, there is a requirement under Chapter 4, Section 12, Sub-section 11, to light all vehicles that enter the movement area of an airport, airfield or similar.

Airport operators are charged with ensuring that all vehicles are properly lit using beacons regardless of who owns or operates the vehicles. These lights are referred to as 'obstacle lights' under CAA regulations.

Under Appendix 6A, Section 1, the regulations define the permissible specifications of a beacon or lightbar as below;

Lighting System (Purpose of the light fitting)		Colour	Beam Coverage (Degrees) Average		Minimum Setting Intensity (Candelas)	Elevation Projection Angle (Degrees)	Remarks
			Horizontal	Vertical			
1		2	3	4	5	6	7
11	Vehicle obstacle	Yellow	360°	± 10° (see Note 1)	40	-	Flash Rate 60 to 90 per minute. Maximum intensity not to exceed 400 Cd.

Note 1: The coverage requirement for 'Follow Me' vehicles only is illustrated in Figure 6A.21 of the CAP 168 regulations.

To meet the specifications, you should use static flash beacons, either that are fitted with a tungsten halogen bulb or LED module. Xenon strobe lighting is not permissible at aerodromes as it can lead to dazzle. Ensure that you select only lighting that is marked as CAP 168 compliant.

The lights specified should be fitted at the highest point of the prime mover vehicle. The highest point of trailers should be fitted with steady red lights of not less than 10 cd.

Aerodrome ambulances, fire and rescue appliances should, in addition, carry blue flashing lights for use whilst carrying out emergency duties. In conditions where emergency vehicles not normally based at an aerodrome are called upon for assistance, flashing blue lights, where fitted, should be operated within the movement area.

If you require a lightbar to be built to meet these regulations, you should contact us in the first instance. For more information on the management of vehicles at an aerodrome, please refer to CAP 642, the regulations on Airside Safety Management, available from the CAA.

Please note, there is no standard specific product marking that we can example in this catalogue. If you are unsure as to the suitability of your chosen product, please contact us for further advice.

CATALOGUE ICON KEY

Throughout this catalogue, you will find icons that identify key information such as type approvals and dimensions. If you are unsure of the information displayed, please contact us for help and advice.

Voltage & colour information

As part of the voltage identifying icon, the colour illustrates the colour of which the product will be supplied. If there are no colour options or it is not applicable, the icon will be grey.

- 12-24v

Multi-voltage
- 24v

24v rated
- 12v

12v rated
- N/A

Not applicable

Product specifications

- C

Colours available
- A

Maximum current draw (Amps)
- ⌚

Warranty period
- M

Number of lightbar modules & type
- 🔊

Nominal output (dB)
- ℹ️

Enhanced product information
- W

Output wattage or equivalent
- ✖

Dimension information
- ✓

Type approvals & certification
- 🔧

Installation method
- 📄

Contents of product kit

Lightbar specifications

- AMBER

Available in amber
- GREEN

Available in green
- 3
YEAR WARRANTY

Warranty period
- ECE R10
APPROVED

ECE Regulation 10 approved
- DIN BLUE

Available in 'DIN' blue
- RED

Available in red
- CE
APPROVED

CE approved
- ECE R65
APPROVED

ECE Regulation 65 approved

NOTES

PRODUCT INDEX

911 Signal

LED light heads	105-106
Switch panels	136-137
Warrior lightbar	84-85

Airport beacons	24-26
Airport mini lightbars	45
Airport obstacle lighting regulations (<i>Guide</i>)	143
Articulated vehicle scanning systems	124-127
Battery powered beacon	25

bbs-tek

Reversing alarms	117-118
------------------------	---------

Beacon cages	35
Beacon lenses	33-34
Beacon pole mounts	35
Beacons	6-29

Brigade

Reversing alarms	118-120
Reversing cameras	123-124
Scanning systems	124-127

Britax

Aerolite A13 lightbars	76-77
Aerolite A6 lightbars	72-75
Aerolite mini lightbars	41-43, 45
Airport beacons	25-26
Battery powered beacon	26
Beacon spares	33-34
LED beacons	9-14
LED light head accessories	111
LED light heads	104-105
LED mini lightbars	40-42
Lightbar spares	97-98
Mini lightbar spares	49
Rotating beacons	15-18
Xenon strobe beacons	19-24

Camera extension cables	131-133
Camera kits	121-124
CAP 168 beacons	24-26
CAP 168 regulations (<i>Guide</i>)	143

Carling Technologies

Contura II switches	136
---------------------------	-----

Chapter 8 regulations (<i>Guide</i>)	142
Covert LED lighting	107
Dichroic bulbs	99
Digital Video Recorders	131
DIN pole mounts	35
DIN sockets	50-51

Dun-Bri Group

Digital Video Recorder unit	132
Industrial beacons	27
LED beacons	9-11, 13, 27
LED light heads	103
LED light head accessories	111
LED mini lightbars	39
Reversing alarms	118-119
Reversing cameras	121-122, 131
Reversing sensors	127
Rotating beacons	15-17

ECCO Group

400 Series beacons	9-11, 13-18, 20-26
500 Series beacons	15-21, 23-26
Airport beacons	24-26
Beacon accessories	35, 50-51

ECCO Group (cont.)

Beacon spares	33-34
Hide-a-LED	107
Industrial beacons	27-29
LED beacons	9-14, 24-27
LED light head accessories	111
LED light heads	103-104, 107
Lightbars	See <i>Vision Alert</i>
Message Master	107, 111
Mini lightbars	See <i>Vision Alert</i>
Reversing alarms	117-119
Reversing cameras	122-123, 132-133
Rotating beacons	15-18
Switches & switch panels	137
Xenon strobe beacons	19-24, 27-29

ECE Regulation 10 (<i>Guide</i>)	140
ECE Regulation 65 (<i>Guide</i>)	141
Event recorder	124
Flashing beacons	6-29
Flush mount LED lights	105
Halogen beacons	15-18, 28
Halogen bulbs	33-34, 49, 98-99
Halogen lightbars	62-65, 68-75
Halogen mini lightbars	43-44
Headlight LED clusters	107
ICAO approved beacons	25-26
Industrial beacons	27-29

LAP Electrical

Airport beacons	25-26
Beacon accessories	35
Beacon spares	34
Industrial beacons	28-29
LED beacons	10-14
LED light head accessories	112
LED light heads	106
Mains-voltage beacons	28
Mini lightbar spares	49
Rotating beacons	15-18
Rotating mini lightbars	43-44
Titan LED lightbars	86-87
Xenon strobe beacons	20-24, 28-29

LED beacons	9-14, 25-27
LED hide-a-way lights	107
LED light heads	103-106
LED lightbars	56-91
LED message sign	107
LED mini lightbars	39-42
LED mounting brackets	111-113
Lens baffles	96-97
Lightbar connector	51
Lightbar lenses	95-99
Lightbar mounting kits	95-98
Lightbar sign text	99
Lightbars	52-91

Lucas

LBB287 rotating beacon	18
Mains-voltage beacons	28
Matrix sign	107
Mini lightbar lenses	49
Mini lightbar mountings	50
Mini lightbars	36-45
Motorcycle LED light heads	106
Multi-frequency alarms	117-118
Night silent alarms	118-119
Pole mounts	35
Power plugs	35, 50
Power sockets	50-51