



TUBE & LUBE

29 HOSE CLIPS
31 TUBE COUPLINGS
33 BRAKE NUTS
& TUBING
35 AIRLINE & TYRE
39 FUNNELS & JUGS
39 GREASE &
ACCESSORIES

Choose from a massive range of hose clips, couplings, connectors and air and fluid tubing, as well as an array of airline, tyre and grease systems. Our range includes compounds from FIXT and Granville, as well as hand pumps, tools and accessories - all in stock for next day delivery to you or collection from your local branch...





www.dun-bri.com/catalogue/workshop-products-consumables/tube-lube

FIND BY PRODUCT TYPE

**Hose clips**

Page 29

Choose from single-sized packs or multi-packs for use on the road. The mainstay of workshops, the hose clip is available in various makes and types - all in stock for next day delivery

**Tube couplings**

Page 31

From standard brass to Speedfit couplings, we have a range of immediately available parts from the most commonly used consumables. Other items and sizes are available to order

**Brake nuts & tubing**

Page 33

We hold an extensive range of fuel and brake nuts, hoses and tubing, as well as the required accessory products to complete the servicing or build of vehicles for any environment

**Airline & tyre**

Page 35

With everything from balance weights and valve cores to airline hoses and impact wrenches - we really do have everything you need in stock to meet your airline & tyre requirements

**Funnels & jugs**

Page 39

Get the measure just right with our range of measuring jugs, cans, funnels, spray bottles and accessories

**Grease/accessories**

Page 39

Choose from a wide range of grease nipples, guns and more - as well as different types of grease compounds

For clarity, we have only included the most commonly ordered parts in this catalogue - however you can use our Specialist Sourcing Team to find an item for you. If you can't find what you're looking for or are unsure what you need, please call us for help and advice on **01763 274185**

ACE® Hose Clip Rack (W1) & Refill Packs

- Zinc plated mild steel. DIN 3017
- Contains 10 of each size of hose clips: 12, 16, 22, 27, 32, 35, 40, 45, 50 & 60mm.
- Also contains 20 of 7-11 & 11-19mm pipe clips.



Part number	Quantity	Type
400.0182	140pcs	Clip rack (with stock)

Refill packs

Part no.	Qty	Band	Size	Range
400.5221	10	9mm	12* (000)	8-12mm (3/8" - 1/2")
400.5222	10	9mm	16* (M00)	10-16mm (1/2" - 5/8")
400.5223	10	9mm	22* (00 & 0)	12-22mm (5/8" - 7/8")
400.5224	10	12mm	27 (0X)	16-27mm (5/8" - 1 1/16")
400.5225	10	12mm	32 (1A)	20-32mm (3/4" - 1 1/4")
400.5226	10	12mm	35 (1)	23-35mm (1" - 1 3/8")
400.5227	10	12mm	40 (1X)	25-40mm (1 1/8" - 1 5/8")
400.5228	10	12mm	45 (1M)	30-45mm (1 1/4" - 1 3/4")
400.5229	10	12mm	50 (2A)	32-50mm (1 1/4" - 1 7/8")
400.5230	10	12mm	60 (2 & 2X)	40-60mm (1 3/4" - 2 3/8")
400.5231	10	12mm	70 (3)	50-70mm (2" - 2 3/4")
400.5232	10	12mm	80 (3X)	60-80mm (2 3/8" - 3 1/8")
400.5233	10	12mm	90 (4)	70-90mm (2 3/4" - 3 1/2")
400.5234	10	12mm	100 (4X)	80-100mm (3 1/4" - 4")
400.5235	10	12mm	120 (5)	100-120mm (3 3/4" - 4 1/2")
400.5236	10	12mm	140 (6)	120-140mm (4 1/4" - 5 1/2")
400.5237	10	12mm	160 (7)	140-160mm (5 1/2" - 6 1/4")

ACE® Stainless Steel Hose Clip Rack (W4) & Refill Packs

- 18/8 marine grade stainless steel (W4).
- Contains 10 of each size of hose clips: 12, 16, 22, 27, 32, 35, 40, 45, 50 & 60mm. DIN 3017.



Part number	Quantity	Type
400.0183	100pcs	Clip rack (with stock)

Refill packs

Part number	Qty	Size	Range
400.5321	10	12* (000)	8-12mm (3/8" - 1/2")
400.5322	10	16* (M00)	10-16mm (1/2" - 5/8")
400.5323	10	22* (00 & 0)	12-22mm (5/8" - 7/8")
400.5324	10	27 (0X)	16-27mm (5/8" - 1 1/16")
400.5325	10	32 (1A)	20-32mm (3/4" - 1 1/4")
400.5326	10	35 (1)	23-35mm (1" - 1 3/8")
400.5327	10	40 (1X)	25-40mm (1 1/8" - 1 5/8")
400.5328	10	45 (1M)	30-45mm (1 1/4" - 1 3/4")
400.5329	10	50 (2A)	32-50mm (1 1/4" - 1 7/8")
400.5330	10	60 (2 & 2X)	40-60mm (1 3/4" - 2 3/8")
400.5331	10	70 (3)	50-70mm (2" - 2 3/4")
400.5332	10	80 (3X)	60-80mm (2 3/8" - 3 1/8")
400.5333	10	90 (4)	70-90mm (2 3/4" - 3 1/2")
400.5334	10	100 (4X)	80-100mm (3 1/4" - 4")
400.5335	10	120 (5)	100-120mm (3 3/4" - 4 1/2")
400.5336	10	140 (6)	120-140mm (4 1/4" - 5 1/2")
400.5337	10	160 (7)	140-160mm (5 1/2" - 6 1/4")

ACE® Hose Clip Handipack (W1)

- Zinc plated (W1) mild steel.
- Contains 12 (000)*, 16 (M00)*, 22 (0)*, 27 (0X) and 40 (1X) sized clips.
- Band size 12mm & 9mm (marked with '*')



Part number	Quantity	Size
400.0184	1	Pack of 100

ACE® Stainless Steel Hose Clip Handipack

- 18/8 marine grade stainless steel (W4).
- Contains 10 of each size: 7-9 to 16-18mm.
- Sizes: 12*, 16*, 22*, 27 & 40mm.
- Band size 12mm & 9mm (marked with '*').



Part number	Quantity	Size
400.0185	1	Pack of 60

ACE® Mini-Clamp Rack & Refill Packs

Zinc plated (W1) mild steel. Contains 10 of each size: 7-9 to 16-18mm.



Part number	Quantity	Type
400.0181	100pcs	Clip rack (with stock)

Refill packs

Part number	Qty	Range
400.5171	10	7-9mm
400.5172	10	8-10mm
400.5173	10	9-11mm
400.5174	10	10-12mm
400.5175	10	11-13mm
400.5176	10	12-14mm
400.5177	10	13-15mm
400.5178	10	14-16mm
400.5179	10	15-17mm
400.5180	10	16-18mm

ACE® Stainless Steel Mini Clamp Rack & Refill Packs

18/8 marine grade stainless steel (W4). Contains 10 of each size: 7-9 to 16-18mm.



Part number	Quantity	Type
400.0186	140pcs	Clip rack (with stock)

Refill packs

Part number	Qty	Range
400.5241	10	7-9mm
400.5242	10	8-10mm
400.5243	10	9-11mm
400.5244	10	10-12mm
400.5245	10	11-13mm
400.5246	10	12-14mm
400.5247	10	13-15mm
400.5248	10	14-16mm
400.5249	10	15-17mm
400.5250	10	16-18mm

ACE® T-Bolt Dispenser Rack

- Zinc plated (W1) mild steel
- 5x each size: 17-19 to 64-67mm



Part number	Quantity	Size
400.0187	1	Pack of 70

Refill packs

Part number	Qty	Range	Bolt	Bolt length
400.5450	10	17 - 19mm	M5	40mm
400.5451	10	20 - 22mm	M5	40mm
400.5452	10	23 - 25mm	M5	40mm
400.5453	10	26 - 28mm	M5	40mm
400.5454	10	29 - 31mm	M6	50mm
400.5455	10	32 - 35mm	M6	50mm
400.5456	10	36 - 39mm	M6	50mm
400.5457	10	40 - 43mm	M6	50mm
400.5458	10	44 - 47mm	M6	60mm
400.5459	10	48 - 51mm	M6	60mm
400.5460	10	52 - 55mm	M6	60mm
400.5461	10	56 - 59mm	M6	60mm
400.5462	10	60 - 63mm	M6	60mm
400.5463	10	64 - 67mm	M8	75mm
400.5464	10	68 - 73mm	M8	75mm
400.5465	10	74 - 79mm	M8	75mm
400.5466	10	80 - 85mm	M8	75mm
400.5467	10	86 - 91mm	M8	75mm
400.5468	10	92 - 97mm	M8	75mm

ACE® Stainless Steel T-Bolts

18/8 marine quality stainless steel (W2)



Part number	Qty	Range	Bolt	Bolt length
400.5410	10	17 - 19mm	M5	40mm
400.5411	10	20 - 22mm	M5	40mm
400.5412	10	23 - 25mm	M5	40mm
400.5413	10	26 - 28mm	M5	40mm
400.5414	10	29 - 31mm	M6	50mm
400.5415	10	32 - 35mm	M6	50mm
400.5416	10	36 - 39mm	M6	50mm
400.5417	10	40 - 43mm	M6	50mm
400.5418	10	44 - 47mm	M6	60mm
400.5419	10	48 - 51mm	M6	60mm
400.5420	10	52 - 55mm	M6	60mm
400.5421	10	56 - 59mm	M6	60mm
400.5422	10	60 - 63mm	M6	60mm
400.5423	10	64 - 67mm	M8	75mm
400.5424	10	68 - 73mm	M8	75mm
400.5425	10	74 - 79mm	M8	75mm
400.5426	10	80 - 85mm	M8	75mm
400.5427	10	86 - 91mm	M8	75mm
400.5428	10	92 - 97mm	M8	75mm

ACE® Banding System

- 9mm band. Measuring guide included
- 30m system pack includes banding, housing & screws



Part number	Quantity	Type
400.0198	1	30m band system
400.5655	1	30m band only
400.5657	20	Housing & screw
400.5656	100	Housing & screw

Dun-Bri Group Hose Clips

- Zinc plated mild steel



Part number	Qty	Size	Range
400.1A/20	20	1A	20-32mm
400.1X/20	20	1X	25-40mm
400.1XX/20	20	1XX	30-45mm
400.2A/20	20	2A	32-50mm
400.2/20	20	2	40-55mm
400.2X/20	20	2X	40-60mm

JCS® Hi-Grip Hose Clips

- Heavily zinc plated mild steel
- 13mm band (*10mm)



Part number	Qty	Size	Range
400.5181	30	12* (000)	9.5 - 12mm (3/8" - 1/2")
400.5182	30	16* (M00)	11 - 16mm (1/2" - 5/8")
400.5183	30	20* (00)	13 - 20mm (1/2" - 3/4")
400.5184	30	22 (0)	14 - 22mm (5/8" - 7/8")
400.5185	30	25 (0X)	17 - 25mm (3/4" - 1")
400.5186	30	30 (1A)	22 - 30mm (7/8" - 1 1/8")
400.5187	20	35 (1)	25 - 35mm (1" - 1 3/8")
400.5188	20	40 (1X)	30 - 40mm (1 1/8" - 1 5/8")
400.5189	20	45 (1B - Fits Top Hose)	35 - 45mm (1 1/2" - 1 3/4")
400.5190	20	50 (2A)	35 - 50mm (1 1/4" - 1 7/8")
400.5191	20	55 (2)	40 - 55mm (1 1/2" - 2 1/8")
400.5192	20	60 (2X)	45 - 60mm (1 3/4" - 2 3/8")
400.5193	20	70 (3)	55 - 70mm (2" - 2 3/4")
400.5194	20	80 (3X)	60 - 80mm (2 3/8" - 3 1/8")
400.5195	15	90 (4)	70 - 90mm (2 3/4" - 3 1/2")
400.5196	15	100 (4X)	80 - 100mm (3 1/4" - 4")
400.5197	10	120 (5)	90 - 120mm (3 3/4" - 4 1/2")
400.5198	10	140 (6)	110 - 140mm (4 1/4" - 5 1/2")
400.5199	10	160 (7)	130 - 160mm (5 1/8" - 6 1/4")

Jubilee® Hose Clip Dispenser Box

- Zinc plated mild steel
- Contains 10x each size: 12, 16, 20, 22, 25, 30, 35, 40, 50, 55mm



Part number	Quantity	Size
400.0154	Set of 100	12-55mm

Jubilee® Clip Dispenser with Driver

- Zinc plated mild steel
- Contains 10x each size: 12, 16, 20, 22, 25, 30, 35, 40, 50, 55mm



Part number	Quantity	Size
400.0163	Set of 100	12-55mm

JCS® Hi-Grip Hose Clip Pack (Small)

- Heavily zinc plated mild steel
- 13mm band and 10mm band
- 12, 16, 20, 22, 25, 30, 35, 40, 50, 55mm



Part number	Quantity	Size
400.0136	50	12-55mm

JCS® Hi-Grip Hose Clip Pack (Large)

- Heavily zinc plated mild steel
- 13mm band
- 60, 70, 80, 90, 100, 120, 140 & 160mm



Part number	Quantity	Size
400.0137	24	60-160mm

Jubilee® Hose Clip Pack (Small)

- Zinc plated mild steel
- 13mm band and 9mm band
- 12, 16, 20, 22, 25, 30, 35, 40, 50, 55mm



Part number	Quantity	Size
400.0153	50	12-55mm

Jubilee® Hose Clip Pack (Large)

- Zinc plated mild steel
- 13mm band
- Sizes: 60, 70, 80, 90, 100mm



Part number	Quantity	Size
400.0177	25	60-100mm

Jubilee® Hose Clips

- Zinc plated mild steel
- 13mm band (*9mm)



Part number	Qty	Size	Range
400.5251	10	12* (000)	9.5 - 12mm (3/8" - 1/2")
400.5301	25	12* (000)	9.5 - 12mm (3/8" - 1/2")
400.5252	10	16* (M00)	11 - 16mm (1/2" - 5/8")
400.5302	25	16* (M00)	11 - 16mm (1/2" - 5/8")
400.5253	10	20* (00)	13 - 20mm (1/2" - 3/4")
400.5303	25	20* (00)	13 - 20mm (1/2" - 3/4")
400.5254	10	22 (0)	16 - 22mm (5/8" - 7/8")
400.5304	25	22 (0)	16 - 22mm (5/8" - 7/8")
400.5255	10	25 (0X)	18 - 25mm (3/4" - 1")
400.5305	25	25 (0X)	18 - 25mm (3/4" - 1")
400.5256	10	30 (1A)	22 - 30mm (7/8" - 1 1/8")
400.5306	25	30 (1A)	22 - 30mm (7/8" - 1 1/8")
400.5257	10	35 (1)	25 - 35mm (1" - 1 3/8")
400.5307	25	35 (1)	25 - 35mm (1" - 1 3/8")
400.5258	10	40 (1X)	30 - 40mm (1 1/8" - 1 5/8")
400.5308	25	40 (1X)	30 - 40mm (1 1/8" - 1 5/8")
400.5261	10	45 (1M)	32 - 45mm (1 1/4" - 1 3/4")
400.5295	25	45 (1M)	32 - 45mm (1 1/4" - 1 3/4")
400.5259	10	50 (2A)	35 - 50mm (1 1/4" - 1 7/8")
400.5260	10	55 (2)	40 - 55mm (1 1/2" - 2 1/8")
400.5262	10	60 (2X)	45 - 60mm (1 3/4" - 2 1/4")
400.5296	25	60 (2X)	45 - 60mm (1 3/4" - 2 1/4")
400.5263	10	70 (3)	55 - 70mm (2" - 2 3/4")
400.5297	25	70 (3)	55 - 70mm (2" - 2 3/4")
400.5264	10	80 (3X)	60 - 80mm (2 1/4" - 3 1/8")
400.5314	10	90 (4)	70 - 90mm (2 3/4" - 3 1/2")
400.5315	10	100 (4X)	85 - 100mm (3 1/4" - 4")
400.5316	10	120 (5)	90 - 120mm (3 3/4" - 4 1/2")
400.5290	5	140 (6)	110-140mm (4 1/4" - 5 1/2")
400.5291	5	150 (6X)	130-150mm (5 1/8" - 5 7/8")
400.5292	5	165 (7)	135 - 165mm (5 1/4" - 6 1/2")

Jubilee® Mini Hose Clips

- Mild steel
- Zinc plated



Part number	Quantity	Range
400.5161	50	7 - 9mm
400.5162	50	8 - 10mm
400.5163	50	9 - 11mm
400.5164	50	10 - 12mm
400.5165	50	11 - 13mm
400.5166	50	12 - 14mm
400.5167	50	13 - 15mm
400.5168	50	14 - 16mm
400.5169	50	15 - 17mm
400.5170	50	16 - 18mm

Jubilee® CV Clips

- Set of 15 CV clips
- 5x 25-50mm and 10x 40-110mm
- Stainless steel



Part number	Quantity	Size
400.0165	15	See description

Jubilee® Hose Clip Driver

- 7mm nut spinner tool



Part number	Quantity	Type
400.5273	1	Flexi

ACE® Hose Clip Driver

- 7mm nut spinner tool



Part number	Quantity	Type
400.5120	1	Flexi (280mm)
400.5119	1	Standard

Dun-Bri Group P Clips

- Mild steel
- Zinc plated
- Rubber coated



Part number	Quantity	Type
470.003/10	10	5mm
470.004/10	10	6mm
470.005/10	10	8mm
470.006/10	10	10mm
470.008/10	10	13mm
470.009/10	10	16mm
470.012/10	10	19mm
470.014/10	10	21mm
470.016/10	10	25mm
470.018/10	10	29mm
470.020/10	10	35mm

ACE® P Clips

- Mild steel
- Zinc plated
- EPDM Rubber coated



Part number	Quantity	Type
400.5311/50	50	6mm
400.5312/50	50	8mm
400.5313/50	50	10mm
400.5314/50	50	13mm
400.5315/50	50	16mm
400.5316/50	50	21mm
400.5317/50	50	25mm
400.5318/50	50	29mm
400.5319/50	50	35mm

JG Speedfit Metric Equal Straights

- Genuine Speedfit fittings
- Available as an assorted box



Part number	Quantity	Hose (OD)
1020.2400/5	5	4mm
1020.2401/5	5	5mm
1020.2402/5	5	6mm
1020.2403/5	5	8mm
1020.2404/5	5	10mm
1020.2405/5	5	12mm
1020.2407/5	5	15mm

JG Speedfit Metric Equal Straights

- Assorted box of 4-12mm fittings



Part number	Quantity	Size
1023.A0261	24	Assorted 4-12mm

JG Speedfit Metric Equal Elbows

- Genuine Speedfit fittings
- Available as an assorted box



Part number	Quantity	Hose (OD)
1020.2432	5	4mm
1020.2433	5	5mm
1020.2434	5	6mm
1020.2435	5	8mm
1020.2436	5	10mm
1020.2437	5	12mm

JG Speedfit Metric Equal Tees & Elbows

- Assorted box of 4-12mm fittings



Part number	Quantity	Size
1023.105150	26	Assorted 4-12mm

JG Speedfit Metric Equal Tees

- Genuine Speedfit fittings
- Available as an assorted box



Part number	Quantity	Hose (OD)
1020.2420	5	4mm
1020.2421	5	5mm
1020.2422	5	6mm
1020.2423	5	8mm
1020.2424	5	10mm
1020.2425	5	12mm

JG Speedfit Metric Reducing Straight

- Genuine Speedfit fittings



Part number	Quantity	Hose (OD)
1020.2601	5	10-8mm

Norgren Straight Pipe Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5631/5	5	4mm
1020.5632/5	5	5mm
1020.5633/5	5	6mm
1020.5634/5	5	8mm
1020.5635/3	3	10mm
1020.5636/3	3	12mm
1020.5638/3	3	16mm

Norgren Tee Pipe Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5651/5	5	4mm
1020.5652/5	5	6mm
1020.5653/5	5	8mm
1020.5654/3	3	10mm
1020.5655/3	3	12mm

Norgren Elbow Pipe Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5671/5	5	6mm
1020.5672/3	3	12mm

Norgren Swivel Elbow Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Qty	Hose (OD)	Thread
1020.5661/5	5	4mm	1/8" BSPT
1020.5662/5	5	6mm	1/8" BSPT
1020.5663/5	5	8mm	1/8" BSPT
1020.5664/5	5	6mm	1/4" BSPT
1020.5665/5	5	8mm	1/4" BSPT
1020.5666/3	3	10mm	1/4" BSPT
1020.5667/3	3	12mm	3/8" BSPT
1020.5668/3	3	10mm	1/2" BSPT
1020.5669/3	3	12mm	1/2" BSPT

Norgren Y Pipe Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5681/5	5	6mm
1020.5682/5	5	8mm

Norgren Straight Stud Connectors

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Qty	Hose (OD)	Thread
1020.4641/5	5	4mm	1/8" BSPT
1020.5642/5	5	6mm	1/8" BSPT
1020.5643/5	5	8mm	1/8" BSPT
1020.5644/5	5	6mm	1/4" BSPT
1020.5645/5	5	8mm	1/4" BSPT
1020.5646/3	3	10mm	1/4" BSPT
1020.5647/3	3	10mm	3/8" BSPT
1020.5648/3	3	12mm	3/8" BSPT
1020.5649/3	3	10mm	1/2" BSPT
1020.5650/3	3	12mm	1/2" BSPT

Plastic Stem Reducers

- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5602	5	6-4mm
1020.5601	5	8-6mm
1020.5603	5	10-8mm

Plastic Plugs

- Available in four sizes



Part number	Quantity	Size (OD)
1020.625621/5	5	6mm
1020.625622/5	5	8mm
1020.625623/3	3	10mm
1020.625624/3	3	12mm

Brass Couplings with Stepped Olives

- Metric and imperial sizes



Part number	Quantity	Size (OD)
1020.22094	1	4mm
1020.22105	1	5mm
1020.22116	1	6mm
1020.22128	1	8mm
1020.221410	1	9mm
1020.22129	1	10mm
1020.22130	1	12mm
1020.615227/10	10	3/16"
1020.615228/10	10	1/4"
1020.615229/10	10	5/16"
1020.615230/10	10	3/8"
1020.615231/5	5	1/2"

Assorted Brass Couplings

- Metric and imperial options



Part number	Quantity	Type
1020.5270	25 Sets	Assorted (3/16"-1/2")
1020.5269	25 Sets	Assorted (4-12mm)

Norgren Push-In Brass Connectors

- For secure air braking & suspension systems
- 0-100 bar
- -40 - 100°C rating



Part number	Quantity	Hose (OD)
1020.6500	5	4mm
1020.6501	5	5mm
1020.6502/5	5	6mm
1020.6504/5	5	8mm
1020.6505/3	3	9mm
1020.6506/3	3	10mm
1020.6507/3	3	11mm
1020.6508/3	3	12mm
1020.6509/3	3	15mm
1020.6510/3	3	16mm

Norgren Push-In Brass Tees

- For secure air braking & suspension systems
- 0-100 bar
- -40 - 100°C rating



Part number	Quantity	Hose (OD)
1020.5331/5	5	6mm
1020.5332/5	5	8mm
1020.5333/3	3	10mm
1020.5334/3	3	12mm

Norgren Push-in Brass Elbows

- For secure air braking & suspension systems
- 0-100 bar
- -40 - 100°C rating



Part number	Quantity	Hose (OD)
1020.5341/5	5	6mm
1020.5342/5	5	8mm
1020.5343/3	3	10mm
1020.5344/3	3	12mm

Norgren Brass Elbow Adaptor

- Metric sizes
- Universal
- Push in



Part number	Qty	Size (OD)	Thread
1020.625381/3	3	6mm	M12x1.5
1020.625382/3	3	8mm	M12x1.5
1020.625383/3	3	10mm	M12x1.5
1020.625384/3	3	8mm	M16x1.5
1020.625385/3	3	10mm	M16x1.5
1020.625386/3	3	12mm	M16x1.5
1020.625387/3	3	8mm	M22x1.5
1020.625388/3	3	10mm	M22x1.5
1020.625389/3	3	12mm	M22x1.5
1020.625390/3	3	16mm	M22x1.5

Norgren Brass Straight Adaptor

- Metric sizes
- Push in



Part number	Qty	Hose (OD)	Thread
1020.5351/5	5	6mm	M10x1.0
1020.5352/5	5	8mm	M10x1.0
1020.5353/5	5	10mm	M10x1.0
1020.5354/3	3	6mm	M12x1.5
1020.5355/3	3	8mm	M12x1.5
1020.5356/3	3	10mm	M12x1.5
1020.5357/3	3	12mm	M12x1.5
1020.5358/3	3	6mm	M14x1.5
1020.5359/3	3	8mm	M14x1.5
1020.5360/3	3	10mm	M14x1.5
1020.5361/3	3	12mm	M14x1.5
1020.5362/3	3	6mm	M16x1.5
1020.5363/3	3	8mm	M16x1.5
1020.5364/3	3	10mm	M16x1.5
1020.5365/3	3	12mm	M16x1.5
1020.5366/3	3	16mm	M16x1.5
1020.5367/3	3	6mm	M22x1.5
1020.5368/3	3	8mm	M22x1.5
1020.5369/3	3	10mm	M22x1.5
1020.5370/3	3	12mm	M22x1.5
1020.5371/3	3	15mm	M22x1.5
1020.5372/3	3	16mm	M22x1.5

Norgren Straight Adaptors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools
- BSP parallel



Part number	Qty	Hose (OD)	Thread
1020.5481/3	3	8mm	1/4" BSP
1020.5482/5	5	10mm	1/4" BSP
1020.5483/3	3	12mm	1/4" BSP

Norgren Brass Straight Connectors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5501/5	5	6mm
1020.5502/5	5	8mm
1020.5503/3	3	10mm
1020.5504/3	3	12mm
1020.5505/3	3	14mm

Norgren Brass Tee Connectors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Hose (OD)
1020.5511/5	5	6mm
1020.5512/5	5	8mm
1020.5513/3	3	10mm

Norgren Brass Elbow Connectors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Size (OD)
1020.5521/5	5	6mm
1020.5522/5	5	8mm
1020.5523/3	3	10mm

Norgren Brass Bulkhead Connectors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Size (OD)
1020.5531/5	5	6mm
1020.5532/5	5	8mm

Steel Adaptors

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Quantity	Thread
1020.5422/3	3	M22x1.5 - M16x1.5

Norgren Brass Straight Adaptor

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools
- BSP taper



Part number	Qty	Size (OD)	Thread
1020.5541/5	5	4mm	1/8" BSP
1020.5542/5	5	5mm	1/8" BSP
1020.5543/5	5	6mm	1/8" BSP
1020.5544/5	5	8mm	1/8" BSP
1020.5546/5	5	6mm	1/4" BSP
1020.5547/5	5	8mm	1/4" BSP
1020.5548/3	3	10mm	1/4" BSP
1020.5549/5	5	8mm	3/8" BSP
1020.5550/3	3	10mm	3/8" BSP
1020.5551/3	3	10mm	1/2" BSP

Norgren Brass Swivel Elbows

- Nickel plated brass
- Provides a secure joint
- Quick & easy to fit without tools



Part number	Qty	Size (OD)	Thread
1020.5561/5	5	4mm	1/8" BSP
1020.5562/5	5	6mm	1/8" BSP
1020.5563/5	5	8mm	1/8" BSP
1020.5564/3	3	10mm	1/8" BSP
1020.5565/5	5	6mm	1/4" BSP
1020.5566/5	5	8mm	1/4" BSP
1020.5567/3	3	10mm	1/4" BSP
1020.5568/5	5	8mm	3/8" BSP

Reducing Sockets

- Malleable iron



Part number	Quantity	Size
1020.5475/5	5	1/4" BSP - 3/8" BSP
1020.5476/5	5	1/4" BSP - 1/2" BSP

Thrust Rings

- Bagged in multiples of 25



Part number	Quantity	Size
1015.5441/25	25	M10
1015.5442/25	25	M12
1015.5443/25	25	M14
1015.5444/25	25	M16
1015.5445/25	25	M18
1015.5446/25	25	M22

'O' Rings

- Bagged in multiples of 50



Part number	Quantity	Size
1015.5451/50	50	M10
1015.5452/50	50	M12
1015.5453/50	50	M14
1015.5454/50	50	M16
1015.5455/50	50	M18
1015.5456/50	50	M22

Butterfly Train Tap

- Brass tap



Part number	Quantity	Size
1015.5470/5	5	1/4" BSP

RAUFOSS Straight Studs

- Brass



Part number	Quantity	Size
1015.5480/3	3	M12x1.5

12mm (1mm Pitch) Brake Nuts (Male)

- Suits 3/16" pipe



Part number	Quantity	Size
1015.5143/50	50	12mm

7/16" Brake Nuts

- Suits 1/4" pipe
- 20 tpi



Part number	Quantity	Size
1015.5112/25	25	Male
1015.5113/25	25	Female

10mm Brake Nuts (1mm Pitch)

- 10mm with 1mm pitch
- Suits 3/16" pipe



Part number	Quantity	Size
1015.5110/50	50	Short male
1015.5122/50	50	Long male
1015.5123/50	50	Fully threaded male
1015.5111/50	50	Female

10mm Brake Nuts (1.25mm Pitch)

- 10mm with 1.25mm pitch
- Suits 3/16" pipe



Part number	Quantity	Size
1015.5121/50	50	Short male
1015.5120/50	50	Long male
1015.5142/50	50	Fully threaded male

3/8" UNF Brake Nuts

- Suits 3/16" pipe
- 24 tpi



Part number	Quantity	Size
1015.5141/50	50	Short male
1015.5108/50	50	Long male
1015.5109/50	50	Female

10mm Brake Tubing Connectors

- 10mm with 1mm pitch
- Suits 3/16" pipe



Part number	Quantity	Size
1015.5146/25	25	Male 2-way
1015.5147/25	25	Female 2-way
1015.5148/3	3	Female 3-way

3/8" Brake Tubing Connectors

- 24 tpi
- UNF



Part number	Quantity	Size
1015.5149/25	25	Female 2-way
1015.5150/3	3	Female 3-way

Assorted Brake Nuts

- Contains popular metric & imperial sizes
- Both male & female connectors



Part number	Quantity	Size
1023.5145	135	See description

Brake Bleed Screws

- Available in a variety of sizes and pitches



Part number	Qty	Size	Length	Pitch
1015.5226/25	25	1/4" UNF	28mm	28tpi
1015.5227/25	25	3/8" UNF	31mm	24tpi
1015.5236/25	25	M6	26mm	1mm
1015.5233/25	25	M7	21.7mm	1mm
1015.5234/25	25	M8	26.5mm	1.25mm
1015.5235/25	25	M10	30mm	1mm

Flaring Tool Set

- Step-by-step instructions for perfect flares
- One piece construction adapts to pipe size without dismantling



Part number	Quantity	Size
1015.5140/1	1	See description

Pipe Flaring, Punch & Die Box Set

- With 3/16" & 4.75mm punches & dies
- Fast action cam, spring return for a faster operation
- Suitable for bench mounting



Part number	Quantity	Size
1015.5130/1	1	See description

Brake Tubing

- Seamless 90/10 cupro-nickel. 100% tested
- Guaranteed against effects of weather & salt
- BS 2871 PT2 CN102



Part number	Length	Size (OD)
1015.5201/1	25ft	6mm
1015.5202/1	25ft	8mm
1015.5203/1	25ft	10mm
1015.5103/1	25ft	3/16"
1015.5104/1	25ft	1/4"
1015.5105/1	25ft	5/16"
1015.5106/1	25ft	3/8"
1015.5107/1	25ft	1/2"

Copper Piping

- 22 gauge high-quality copper tubing
- Designed for strength and durability



Part number	Length	Size (OD)
1015.5116	25ft	3/16"
1015.5117	25ft	1/4"
1015.5118	25ft	5/16"
1015.5119	25ft	3/8"

Diesel Leakoff Kit

- 2x 3.4mm bore diesel injector plugs
- 1x 1m Overbraid hose



Part number	Quantity	Type
1015.5120/1	1	Leak-off kit

Rubber Fuel Hose

- Resists oil, diesel & petrol
- Approved to BSAU 108/2
- Working pressure: 120 psi (8 bar)



Part number	Length	Colour	Size (ID)
1015.5001	1m	Brown	5mm (3/16")
1015.5002	1m	Black	6mm (1/4")
1015.5004	1m	Green	9.5mm (3/8")

Rubber Fuel Hose

- Approved to BSAU 108/2/L4/C4R
- Temperature range: -20°C to 100°C



Part number	Qty	Length	Size (ID)
1015.7208/10	1	10m	5mm (3/16")
1015.7209/10	1	10m	6mm (1/4")
1015.7213/10	1	10m	8mm (5/16")
1015.7214/10	1	10m	9.5mm (3/8")

Fuel Injection Hose

- Black rubber fuel injection hose
- *Complete with 2 mini hose clips



Part number	Length	Size (ID)	Size (OD)
1015.5110*	1m	4.8mm	11.6mm
1015.5111*	1m	5.6mm	12.6mm
1015.5112*	1m	7.6mm	14.6mm
1015.5113*	1m	9.5mm	16.5mm
1015.5160/5	5m	5.6mm	12.6mm
1015.5162/5	5m	7.6mm	14.6mm
1015.5164/5	5m	9.5mm	16.5mm

Over-braided Fuel Hose

- Nitrile lining resists oil, diesel & petrol.
- Temperature up to 100°C



Part number	Length	Size (ID)
1015.7238/5	5m	3.5mm
1015.7239/5	5m	5mm
1015.7240/5	5m	6mm
1015.7237/5	5m	7mm
1015.7241/5	5m	8mm
1015.7242/5	5m	10mm

Servo Hose

- 5 bar working pressure
- Tested to 25 bar



Part number	Length	Size (ID)
1015.5032/1	1m	9.5mm (3/8")
1015.5130/4	4m	9.5mm (3/8")

Rubber Tubing

- General purpose
- Black



Part number	Length	Size
1015.5110/30	30m	3mm

Clear PVC Tubing

- Suitable for windscreen wash systems



Part number	Length	Size (ID)
1015.6111	30m	3mm (1/8")
1015.6113	30m	4mm (5/32")
1015.6112	30m	5mm (3/16")
1015.5108	30m	6mm (1/4")
1015.5109	30m	8mm (5/16")
1015.5115	30m	13mm (1/2")

Semi-rigid Nylon Tubing (Metric)

- Suitable for lube, air & fuel lines



Part number	Quantity	Size (OD)
1015.5295	30m	4mm
1015.5296	30m	5mm
1015.5297	15m	6mm
1015.5298	15m	8mm
1015.5299	15m	10mm
1015.5300	15m	12mm

Semi-rigid Nylon Tubing (Imperial)

- Suitable for lube, air & fuel lines



Part number	Quantity	Size (OD)
1015.5220/30	30m	1/8"
1015.5221/30	30m	3/16"
1015.5222/15	15m	1/4"
1015.5223/15	15m	5/16"
1015.5224/15	15m	3/8"
1015.5225/15	15m	1/2"

Advance/Retard Tubing

- Vacuum hose
- PVC/nitrile rubber construction



Part number	Qty	Size (ID)	Size (OD)
1015.5151/10	10m	3mm	9mm
1015.5152/10	10m	4mm	10mm

Nylon Tube Cutter

- Quick square cut action.
- For up to 13mm diameter



Part number	Quantity	Size
1015.5351	1	See description

Clear Braided Nylon Tubing

- Reinforced tubing
- PVC



Part number	Length	Size (ID)
1015.5096	30 m	5mm (3/16")
1015.5097	30 m	6mm (1/4")
1015.5098	30 m	8mm (5/16")
1015.5099	30 m	10mm (3/8")
1015.5100	30 m	13mm (1/2")
1015.5101	30 m	16mm (5/8")
1015.5102	30 m	19mm (3/4")
1015.5103	30 m	25mm (1")

Heater Hose

- Coolant resistant from -40°C to 100°C



Part number	Length	Size (OD)
1015.5070/1	1m	13mm (1/2")
1015.5090/20	20m	13mm (1/2")
1015.5072/1	1m	16mm (5/8")
1015.5091/20	20m	16mm (5/8")
1015.5074/1	1m	19mm (3/4")
1015.5093/20	20m	19mm (3/4")
1015.5077/1	1m	25mm (1")

Air Line Hoses

- Rubber
- 20 bar rating



Part number	Length	Size (OD)
1015.5301	15m	6mm (1/4")
1015.5302	15m	8mm (5/16")
1015.5303	15m	10mm (3/8")
1015.5304	15m	12.5mm (1/2")

Air Line Hoses with BSP Swivel Nuts

- Black rubber
- 300 psi rating



Part number	Length	Size (OD)	Fitting Size
1015.5311	10m	6mm (1/4")	1/4" BSP
1015.5312	10m	8mm (5/16")	1/4" BSP
1015.5313	10m	10mm (3/8")	3/8" BSP

Overbraided Air Line (1/4" BSP Nuts)

- Black PVC
- 300 psi rating
- Fitted with 1/4" BSP swivel nuts



Part number	Length	Size
1010.578/10m	10m	8mm (5/16")
1010.579/20	20m	8mm (5/16")

Hi-visibility Air Line Hose

- High visibility PVC
- Oil & abrasion resistant
- Temp range -20°C to 70°C



Part number	Quantity	Size (ID)
1015.5321	10m	8mm (1/4")
1015.5320	10m	10mm (3/8")

Recoiled Nylon Air Hose

- Spring ends with 1/4" BSP swivel nuts
- 7.5m length



Part number	Quantity	Size (OD)
1010.5103	1	10mm (3/8")

2-Ear 'O' Clips


- Zinc plated



Part number	Qty	Range	Size (ID)
475.14/25	25	5-7mm	1/4"
475.516/25	25	7-9mm	5/16"
475.38/25	25	8-11mm	3/8"
475.716/25	25	9-11mm	7/16"
475.12/25	25	11-13mm	1/2"
475.916/25	25	13-15mm	9/16"
475.58/25	25	15-18mm	5/8"
475.34/25	25	17-20mm	3/4"
475.78/25	25	20-23mm	7/8"
475.1/20	20	23-27mm	1"

Assorted 'O' Clips

- Sizes 3/8" - 7/8"
- Zinc plated



Part number	Quantity	Size
1023.A0255	125	3/8" - 7/8"

Pipe Repair Kit ('O' Clips/Joiners)

- Pipe joiners: 1/4" - 5/8"
- 'O' clips: 1/2" - 7/8"
- Zinc plated



Part number	Quantity	Size
1023.5168	72	See description

'O' Clip Pliers

- Plastic coated handles
- Side closing type



Part number	Quantity	Size
800.143A	1	Not applicable

Quick Wrap Pipe Repair Kits

- Permanently repairs almost all materials
- Sets like steel in 30 minutes
- Handles up to 480°C and up to 20 bar



Part number	Length	Width
1015.5019	1.5m	50mm
1015.5020	2.75m	76mm

Pipe Joiners

- Zinc plated



Part number	Quantity	Hose (OD)
1015.6147	10	1/4"
1015.5148	10	5/16"
1015.5149	10	3/8"
1015.5150	10	1/2"
1015.5151	10	5/8"

PCL Airflow Couplings

- Compatible with STANDARD adaptors
- 1/4" BSP thread



Part number	Quantity	Type
1010.3000	1	Female (parallel)
1010.3001	1	Male (taper)

PCL Vertex Couplings

- Compatible with STANDARD adaptors
- 1/4" BSP thread



Part number	Quantity	Thread
1010.3003	1	Female (parallel)
1010.3004	1	Male (taper)

PCL Vertex Complete Couplings

- Coupling body, screw adaptor, integral adaptor & tailpiece



Part number	Quantity	Hole size
1010.0212	3 piece set	6.35mm
1010.0211	3 piece set	7.90mm
1010.0213	3 piece set	9.50mm

PCL Airflow Twin Coupling

- Compatible with STANDARD adaptors



Part number	Quantity	Size
1010.3002	1	N/A

PCL Standard Screwed Adaptors

- For use with Airflow and Vertex couplings
- Supplied in packs of 5



Part number	Qty	Thread	
1010.3014/5	5	Female (parallel)	1/4" BSP
1010.3013/5	5	Male (taper)	1/4" BSP

PCL Standard Integral Adaptors/Tails

- For use with Airflow and Vertex couplings
- Supplied individually



Part number	Qty	Bore	Hole size
1010.3005	1	6.35mm	1/4"
1010.3006	1	7.90mm	5/16"
1010.3007	1	9.5mm	3/8"

PCL XF Series Screwed Adaptors

- For use with XF Series fittings
- Supplied in packs of 5



Part number	Qty	Thread	
1010.5144/5	5	Female (parallel)	1/4" BSP
1010.5143/5	5	Male (taper)	1/4" BSP

PCL XF Series Couplings

- For use with XF Series fittings
- Supplied individually



Part number	Qty	Thread	
1010.5141	1	Female (parallel)	1/4" BSP
1010.5142	1	Male (taper)	1/4" BSP

PCL XF Series Integral Adaptors/Tails

- For use with XF Series fittings



Part number	Qty	Bore size	Hose size
1015.5145/5	5	7.90mm	5/16"
1015.5146/5	5	9.50mm	3/8"
1015.5147/3	3	12.7mm	1/2"

PCL Reducing Unions

- Supplied in a pack of 3



Part number	Qty	Thread	
1010.5154/3	3	Male (taper)	1/2" x 1/4" BSP

PCL 60 Series Couplings

- For general industrial applications
- Supplied individually



Part number	Qty	Thread	
1010.3031	1	Female (taper)	1/4" BSP
1010.3032	1	Male (taper)	1/4" BSP
1010.3037	1	Female (taper)	3/8" BSP
1010.3026	1	Male (taper)	3/8" BSP

PCL 60 Series Screwed Adaptors

- For general industrial applications
- Supplied individually



Part number	Qty	Thread	
1010.3027	1	Male (taper)	1/4" BSP
1010.3028	1	Male (taper)	3/8" BSP

PCL 60 Series Integral Adaptors/Tails

- For general industrial applications
- Supplied individually



Part number	Qty	Bore	Hose size
1010.3040	1	9.5mm	3/8"
1010.3041	1	12.7mm	1/2"

PCL Double Unions

- Zinc plated



Part number	Qty	Thread	
1010.5112/5	5	Male (parallel)	1/4" BSP

PCL Reducing Bushes

- Zinc plated



Part number	Qty	Thread	Size
1010.5151/3	3	Male (taper) x Female (parallel)	3/8" BSP x 1/4" BSP
1010.5150/3	3	Male (taper) x Female (parallel)	1/2" BSP x 1/4" BSP

PCL Union Nuts

- Zinc plated



Part number	Qty	Thread	
1010.5158/5	5	1/4" BSP	

PCL Coned Tailpiece & Union Nuts

- Zinc plated



Part number	Qty	Bore size	Thread
1010.3038	1 set	6.5mm	1/4" BSP

PCL Screwed Tailpieces

- For general industrial applications
- Zinc plated



Part number	Qty	Thread	Hose	Bore
1010.3033/5	5	1/4" BSP	6.35mm	1/4"
1010.3034/5	5	1/4" BSP	7.90mm	5/16"
1010.3035/5	5	1/4" BSP	9.50mm	3/8"
1010.3036/5	5	1/4" BSP	12.7mm	1/2"
1010.3022/5	3	1/2" BSP	12.7mm	1/2"

PCL Hose Connectors

- Zinc plated



Part number	Qty	Bore	Hose
1010.3008/5	5	6.35mm	1/4"
1010.3009/5	5	7.90mm	5/16"
1010.3010/5	5	9.50mm	3/8"
1010.3011/5	5	12.7mm	1/2"

PCL M100 Series Couplings

- For general industrial applications
- Supplied individually



Part number	Qty	Thread	
1010.3023	1	Female (taper)	3/8" BSP
1010.3024	1	Female (taper)	1/2" BSP
1010.3042	1	Male (taper)	1/2" BSP

PCL M100 Series Coupling Kits

- Coupling body, screwed adaptor & integral adaptor/tailpiece



Part number	Qty	Type	Size
1010.0214	1	3 piece kit	12.7mm

PCL M100 Series Screwed Adaptors

- For general industrial applications
- Supplied individually



Part number	Qty	Type	Size
1010.3015	1	Male (taper)	3/8" BSP
1010.3017	1	Male (taper)	1/2" BSP

PCL M100 Series Integral Adaptors/Tails

- For general industrial applications
- Supplied individually



Part number	Qty	Bore	Hose size
1010.3020	1	9.5mm	3/8"
1010.3021	1	12.7mm	1/2"

PCL Impact Wrench

- Torque @ 90 psi. 540 Nm



Part number	Quantity	Size
1010.5521	1	1/2"

PCL Impact Wrench with Ext. Shank

- Torque @ 90 psi. 2450 Nm



Part number	Quantity	Size
1010.5526	1	1"

PCL Air Ratchet

- Torque @ 90 psi. 60 Nm



Part number	Quantity	Size
1010.5522	1	1/2"

PCL Reversible Air Drill

- Chuck: 3/8" (10mm)
- Free speed: 1,800rpm



Part number	Quantity	Size
1010.5523	1	3/8"

PCL Die Grinder

- Collect size of 6mm
- Free speed 22,000rpm



Part number	Quantity	Size
1010.5524	1	Not applicable

PCL Mini Ratchet

Small, lightweight hand tool allowing access to hard to reach places. 17 Nm of power for easy running-up. 1/4" thread



Part number	Quantity	Size
1010.5511	1	1/4"
1010.5513	1	3/8"

PCL Mini Straight Drill

Small, lightweight hand tool allowing access to hard to reach places. 10mm chuck takes standard drill bits



Part number	Quantity	Thread
1010.5512	1	1/4"

PCL Mini Angle Die Grinder

Small, lightweight hand tool allowing access to hard to reach places. Allows small areas to be cut away (rust etc.)



Part number	Quantity	Thread
1010.5514	1	1/4"

PCL Mini Die Grinder

Small, lightweight hand tool allowing access to hard to reach places. Fits standard 6mm bits. Fitted with safety lever



Part number	Quantity	Thread
1010.5510	1	1/4"

PCL Orbital Sander

- Stroke orbit size: 8mm
- Free speed: 10,000rpm



Part number	Quantity	Size
1010.5525	1	Not applicable

PCL Blowgun

- High-quality die-cast alloy
- Conical nozzle



Part number	Quantity	Size
1010.5191	1	Not applicable

PCL Blowgun with Safety Nozzle

- High-quality die-cast alloy
- Conical nozzle
- 28psi rating



Part number	Quantity	Size
1010.5113	1	Not applicable

PCL Pistol Grip Blowgun

Moulded special damage resistant resin. Use with air or water. 10 bar max pressure. 270l/m air flow



Part number	Quantity	Size
1010.5132	1	Not applicable

PCL Direct Drive Compressor

- With airflow couplings
- Fully tested
- Single-stage 2HP motor
- 206l/min airflow
- 24l air receiver
- 82dBA noise
- 26kg in weight
- 59x28x62cm in size



Part number	Quantity	Size
1010.5250	1	24 litres

PCL Dial Tyre Pressure Gauge

- Twin hold-on (open end) gauge.
- Dual calibrated 0-170lb/in² and 0-12 bar



Part number	Quantity
1010.5189	1

PCL Economy Tyre Inflator

General purpose tyre inflator with rubber protected gauge. Euro style valve connector with 0.5m hose. 63mm diameter. Calibrated: 0-170 lb/in² in 2lb units & 0-12 bar in 0.1 bar units



Part number	Quantity
1010.5192	1

PCL Hand-held Tyre Inflator

Light weight, shock resistant & easy to read digital display. Maximum inflation pressure of 12 bar, resolution 0.01 bar, flow 910 l/min @ 13 bar supply and operating temp: -20-60°C



Part number	Quantity
1010.5193	1

PCL Dial Type Tyre Inflator

Fast inflation/deflation rates, shock resistance & clear display. Maximum inflation pressure of 12 bar, resolution 0.01 bar, flow 910 l/min @ 13 bar supply and operating temp: -20-60°C



Part number	Quantity
1010.5194	1

PCL DTI Tyre Inflator

Large, clear display with backlight. Reliably accurate with testing and certification. Suitable for all applications including tyre shops. 1.8m hose. Range 5-170 psi. 910l/m flow



Part number	Quantity
1010.5240	1

PCL Tyre Tread Depth Gauge

- 1.0 - 6.0mm markings



Part number	Quantity
800.600	1

PCL Tyre Pressure & Tread Gauge

- Self calibrating with 90 second auto power off function
- Calibration: 0 -100 psi & 0 - 0.8"



Part number	Quantity
1010.5196	1

PCL Tyre Valve Tool

Re-threads the inside & the outside threads of the valve stem. Removes cores & extracts damaged cores



Part number	Quantity
1010.5134	1

PCL Regulator

- 1/4" female
- Polycarbonate bowl with metal surrounds
- Manual/semi-auto drains
- Wall bracket/gauges
- 12 bar rated



Part number	Quantity
1010.5140	1

PCL Twin Clip-on Tyre Connector

- Open end



Part number	Quantity
1010.5128	1

PCL Twin Hold-on Tyre Connector

- Open end



Part number	Quantity
1010.5115	1

PCL Twin Hold-on Tyre Connector

- Closed end



Part number	Quantity
1010.5116	1

PCL Single Clip-on Tyre Connector

- Open end



Part number	Quantity
1010.5114	1

PCL E35 Foot Pump

Pre-set dial gauge, single steel barrel. Complete with air bed, cycle valve & football adaptors



Part number	Quantity
1010.5184	1

PCL Mk4 Tyre Inflator

Constructed in a lightweight die casting, impacting absorbing rubber bumper & magnified linear scale. Certified calibration. Calibrated: 0 - 138 lb/in² & 0 - 9.6 bar



Part number	Quantity	Type
800.950	1	Twin hold-on (open)
800.951	1	Single clip-on (open)
800.952	1	Twin clip-on (open) Shop style
800.953	1	Single clip-on (open) Shop style

PCL Mk4 Digital Tyre Inflator

Constructed in a lightweight die casting, impacting absorbing rubber bumper & magnified linear scale. Certified calibration. Calibrated: 4-250 psi/0.3-17.2 bar/30-1723kPa



Part number	Quantity	Type
1010.5230	1	Twin hold-on (open)
1010.5233	1	Single clip-on (open)
1010.5236	1	Twin clip-on (open) Shop style
1010.5239	1	Single clip-on (open) Shop style

PCL Mk4 Whip Hose (0.53m / 21")

- For Mk4 air line gauge



Part number	Quantity	Size
1010.5185	1	21" long

PCL Whip Hose (0.6m / 2')

- For prevention of vibration on air tools & couplings



Part number	Qty	O.D.	Bore	Ends
1010.5135	1	14mm	7mm	1/4" BSPT male/standard adaptor
1010.5138	1	17mm	10mm	3/8" BSPT male/standard adaptor
1010.5137	1	21mm	13mm	1/2" BSPT male/100 Series adaptor

French Chalk Sticks

- General purpose chalk markers



Part number	Quantity	Colour
800.5358/144	144	White

Waterproof Marker Crayon

- Multi-purpose yellow or white crayons



Part number	Quantity	Colour
800.5356/3	3	Yellow
800.5357/3	3	White

All Surface Marker Crayon

- Multi-purpose yellow crayons



Part number	Quantity	Colour
800.5110/3	3	Yellow

Marker Pen

- Liquid paint marker
- Weather resistant for marking almost any surface
- Size: 3mm



Part number	Quantity	Colour
800.5008/3	3	White

Permanent Marker Pen

- Xylene free permanent marker for indoor/outdoor use
- Size: 2.3mm



Part number	Quantity	Colour
800.0831	1	White
800.0832	1	Yellow

Vulcanizing Rubber Solution

- Rubber repair solution



Part number	Quantity	Size
800.499	1	10g tube
800.500	1	250ml tin

Easi-Seal 'Ultra' 6mm Pin Plugs

- For use with minor tread area puncture repairs in radial passenger & truck tyres



Part number	Quantity	Size
800.5423/40	40	6mm

Tyre Tube Repair Patches

- Repair patches for use with vulcanising rubber fluid



Part number	Quantity	Size
800.501/20	20	45mm o.d. (round)
800.502/10	10	60mm o.d. (round)
800.503/5	5	80mm o.d. (round)
800.504/5	5	55mm ² (square)

Puncture Repair Kit

- With vulcanising fluid
- 45, 60, 80mm diameter and 55mm square patches



Part number	Quantity	Size
800.001	33 piece kit	45-80mm

Tyre Sealant & Instant Repair

- Permanent protection for the life of the tyre
- Works on tubed and tubeless tyres in a variety of vehicles



Part number	Quantity	Size
810.5221	1	1 ltr

Easi-Lube Wax Tyre Paste

- Wax based bead lubricant for use mounting/demounting tyres



Part number	Quantity	Size
810.5422	1	5kg

Leak Detector Fluid

- Finds punctures in tyres and other devices



Part number	Quantity	Size
810.5207	1	1 ltr

Bead Sealer

- Seals tyre beads



Part number	Quantity	Size
810.5208	1	1 ltr

Buffer Spray

- Pre tyre repair cleaner
- CFC free



Part number	Quantity	Size
810.5209	1	500ml aerosol

Pre-Buff Cleaner

- Formulated to remove contaminants & silicone from the inner liner of the tyre prior to buffing



Part number	Quantity	Size
810.5186	1	1 ltr

Valve Mounting Tool

- Screw-on type



Part number	Quantity
800.5210	1

Car Wheel Chocks

- Made from durable rubber



Part number	Quantity
800.5217	1 pair

Valve Core Screwdrivers

- Nickel plated with plastic handle
- Removes seized cores



Part number	Quantity
800.5211/5	5

Tyre Paste Brush

- Wooden handled brush



Part number	Quantity
800.5212	1

Tyre Patch Stitcher

- For wheel size 35mm



Part number	Quantity
800.5213	1

Rotary Mill Cutter

- 6mm steel cutter



Part number	Quantity
800.5214	1

Golf Ball Buffing Stone

- 6mm fixed shaft.
- Spherical rasp



Part number	Quantity
800.5215	1

Tyre Probe

- General purpose



Part number	Quantity
800.5185	1

Brake Pipe Corrosion Tool

- Three scraping positions for removal of grime/debris to detect corroded pipes
- MOT compliant
- DVSA approved



Part number	Quantity
810.5222	1

Tyre Lever Bars

- Available in two sizes



Part number	Quantity	Size
800.5220	1	16"
800.5221	1	29"

4-way Valve Repair Tool

- General purpose tool



Part number	Quantity
800.5199	1

Mounting Lubricant Brush

- Plastic handled brush



Part number	Quantity
800.5188	1

Tyre Inspection Tool

- General purpose



Part number	Quantity
800.5223	1

Parts Cleaning Brush

- Double ended cleaning brush with solvent resistant bristles
- Suitable for water-soluble degreasers



Part number	Quantity	Length
800.0142	1	300mm long

Re-grooving Blades

- General purpose



Part number	Quantity	Size
800.5244/20	20	W1 (3-4 x 7mm)
800.5245/20	20	W3 (6-8 x 10mm)

Tyre Valve Cores

- Available in two sizes



Part number	Quantity	Size
800.5302/25	25	Standard
800.5303/10	10	Long

Standard Tyre Valves

- For all types of vehicles
- Available in three different sizes
- Short or long reach options



Part number	Quantity	Size
800.5309/25	25	40mm (Short)
800.5306/25	25	50mm (Short)
800.5307/10	10	65mm (Long)

Tyre Valve Extensions

- Available in plastic or metal versions



Part number	Quantity	Length	Type
800.5305/10	10	32mm	Plastic
800.5304/5	5	22mm	Metal

Tubeless Tyre Valves

- Pack of 10 for passenger cars and LCV's



Part number	Quantity	Size
810.5243/10	10	48.5mm

Snap-in Tyre Valves

- For light commercial vehicles



Part number	Quantity	Size
800.4190	1	44mm

Clamp-in Tyre Valves

- For standard alloy wheels



Part number	Quantity	Size
800.5191	1	42mm

Bolt-in Tyre Valves

- For EVA safety hump rims, tubeless trucks or with a bend



Part number	Quantity	Type
800.5192	1	EVA Safety Rims
800.5193	1	Tubeless Trucks
800.5194	1	90° Bend

Tubeless Tyre Valves (M/Cs)

- For motorcycles
- Pack of 100



Part number	Quantity	Size
800.5189/100	100	33mm

Rubber Tyre Valve Extensions

- Available in three size options



Part number	Quantity	Size
800.5181	1	140mm
800.5182	1	180mm
800.5183	1	210mm

Metal Tyre Valve Extensions

- Available in three size options



Part number	Quantity	Size
800.5196	1	40mm
800.5197	1	110mm

Brass Tyre Valve Extensions

- Brass with caps
- Two sizes



Part number	Quantity	Type
800.5219/10	10	75mm (3")
800.5255/10	10	110mm (4")

Plastic Valve Extension Holder

- Standard length



Part number	Quantity	Size
800.5241	1	110mm (4")

Flexible Valve Extension Holder

- For light commercial vehicles



Part number	Quantity
800.5198	1

Asst. Tyre Valves/Cores/Accessories

- Contains metal/plastic extensions, short/long cores, short/long tubeless valves, valve tool, key clip & caps



Part number	Quantity
1023.5183	115 piece kit

Plastic Valve Caps

- Bag of 100 plastic valve caps



Part number	Quantity
800.5301/100	100

High Pressure Tyre Valve Caps

- Hexagonal shaped



Part number	Quantity
800.5195/100	100

Premium Tyre Valve Caps

- Metal



Part number	Quantity
800.5252/25	25

Wheel Weight Pliers

- Fit & remove wheel weights



Part number	Quantity
800.5216	1

Self-adhesive Balance Weights

- General purpose balance weights
- Steel



Part number	Quantity	Weight
800.5010/10	10	60g

Steel Wheel Coated Balance Weights

- General purpose wheel balance weights



Part number	Quantity	Weight
800.5020/50	50	5g
800.5021/50	50	10g
800.5022/50	50	15g
800.5023/50	50	20g
800.5024/50	50	25g
800.5025/50	50	30g
800.5026/50	50	35g
800.5027/50	50	40g
800.5028/25	25	45g
800.5029/25	25	50g

Assorted Coated Balance Weights

- For steel wheels
- Sizes: 5-50g



Part number	Quantity	Size
1023.5235	60	See description

Alloy Wheel Coated Balance Weights

- Wheel balance weights, coated for alloy wheels



Part number	Quantity	Weight
800.5040/50	50	5g
800.5041/50	50	10g
800.5042/50	50	15g
800.5043/50	50	20g
800.5044/50	50	25g
800.5045/50	50	30g
800.5046/25	25	35g
800.5047/25	25	40g
800.5048/25	25	45g
800.5049/25	25	50g

Assorted Coated Balance Weights

- For alloy wheels
- Sizes: 5-40g



Part number	Quantity	Size
1023.5237	60	See description

Commercial Wheel Braces

- 'L' shaped two piece brace & extension sets



Part number	Quantity	Size
800.5221/1	1 set	15/16" AF (24mm)
800.5222/1	1 set	27mm
800.5220/1	1 set	3/4" Whitworth (33mm)

Wheel Nut Indicators

- Vibrant yellow colour



Part number	Quantity	Size
800.5171/100	100	19mm
800.5172/100	100	21mm
800.5173/100	100	22mm
800.5174/100	100	24mm
800.5175/100	100	27mm
800.5176/100	100	28mm
800.5177/100	100	29mm
800.5178/100	100	30mm
800.5179/100	100	32mm
800.5180/100	100	33mm

Funnels with Removable Flexi. Spout

- Available in two sizes
- with removable flexible spouts



Part number	Quantity	Size
800.709	1	150mm (6")
800.704	1	230mm (9")

Rectangular Funnel

- Large diameter rectangular funnel



Part number	Quantity	Size
800.702	1	300mm (12")

Round Funnel with Offset Spout

- Enlarged round funnel with an offset positioned spout



Part number	Quantity	Size
800.710	1	162mm (6 1/2")

Round Funnels

- Available in two sizes, or as a set (50, 75, 100, 120mm)



Part number	Quantity	Size
800.711	1	100mm
800.712	1	150mm
800.895065	4	Set

Round Funnel with Detachable Spout

- Enlarged round funnel with a detachable flexible spout



Part number	Quantity	Size
800.703	1	162mm (6 1/2")

Measuring Jugs

- Available in two sizes
- Made of heavy duty polypropylene



Part number	Quantity	Size
800.706	1	1.5 ltr
800.707	1	5 ltr

Jugs with Flexible Spout

- Available in four sizes
- Heavy duty polypropylene with lids



Part number	Quantity	Size
800.713	1	1 litre
800.714	1	2 litres
800.715	1	3 litres
800.716	1	5 litres

Trigger Spray Applicators

- Suitable for use with solvent based chemicals



Part number	Quantity	Size
800.895090	1	500 ml

Chemical Pump Sprayer

- Suitable for use with solvent based chemicals



Part number	Quantity	Size
800.708	1	1 litre

Clear Measuring Jugs

- Chemical resistant
- Calibrated in millilitres



Part number	Quantity	Size
800.705	1	0.5 litre
800.717	1	1 litre
800.718	1	2 litres
800.719	1	3 litres
800.720	1	5 litres

Multi-purpose Drain Pan

- Includes oil filter drainer shell
- High-density polyethylene
- Resistant to petrol, oil, diesel & solvents



Part number	Qty	Diameter	Capacity	Height
800.723	1	33cm (13")	5 litres	10cm (4")
800.724	1	40cm (16")	8 litres	10cm (4")

Chemical Resistant Drain Pan

- Stays rigid when used with hot engine oil



Part number	Quantity	Capacity
800.725	1	14 litres

Polythene Body Oil Can

- Plastic pump
- Supplied with flexible metal spout



Part number	Quantity	Size
800.722	1	500 ml

Steel Body Oil Can

- Steel pump
- Supplied with flexible metal spout



Part number	Quantity	Size
800.5177	1	500 ml

4-Jaw Hydraulic Connectors

- Available in standard or heavy duty versions



Part number	Quantity	Type
800.153	1	Standard
800.153A	1	Heavy duty

Swivel/Hook-on Connectors

- Supplied in triple or twin packs
- Thread: 1/8" BSP / Gas



Part number	Quantity	Type
800.5175/2	2	Slide-on
800.5174/3	3	Hook-on

Standard Flexible Rubber Hoses

- 400 bar working pressure
- 900 bar burst pressure
- 1/8" BSP thread



Part number	Quantity	Size
800.154A	1	300mm (12")
800.5172	1	450mm (18")

Swivel End Flexible Rubber Hoses

- 400 bar working pressure
- 900 bar burst pressure
- 1/8" BSP thread



Part number	Quantity	Size
1015.5177	2	300mm (12")
1015.5178	2	450mm (18")

Snap-on with Jaw Hydraulic Connect-

- 400 bar working pressure
- 900 bar burst pressure



Part number	Quantity	Size
800.5176	2	300mm (12")

Air Driven Grease Gun

- Rigid four jaw connector
- Bulk fill or cartridge
- 120 psi, max 6 bar



Part number	Quantity	Type
800.5200	1	120psi

Lever Grease Gun

- Side lever
- Bulk fill or cartridge



Part number	Quantity
800.5180	1

Heavy Duty Lever Grease Gun

- With rigid tube and 4-jaw connector
- Bulk fill or cartridge



Part number	Quantity
800.5170	1

Twin Handled Grease Gun

- Dispenses 400g & 500g screw threaded cartridges



Part number	Quantity
800.5276	1

Vacuum Side Lever Grease Gun

- Dispenses 400g & 500g screw threaded cartridges



Part number	Quantity
800.5270	1

Vacuum Pistol Grip Grease Gun

- Dispenses 400g & 500g screw threaded cartridges



Part number	Quantity
800.5272	1

Hexagon Extension Pieces

- 1/8" BSP (gas male) fitting



Part number	Quantity	Length
1028.5157/20	20	1 1/4"

Imperial Straight Grease Nipples

- Supplied in packs of 25 or 50



Part number	Quantity	Size
1028.8500/50	50	1/4" UNF
1028.8518/50	50	5/16" UNF
1028.8510/50	50	1/8" BSP / Gas Male
1028.8513/25	25	1/4" BSP / Gas Male
1028.8519/50	50	1/4" BSF
1028.8520/50	50	5/16" BSF
1028.8521/50	50	3/8" BSF

Metric Straight Grease Nipples

- Supplied in packs of 50



Part number	Qty	Size	Pitch
1028.8530/50	50	6mm	1.00mm
1028.8532/50	50	8mm	1.00mm
1028.8534/50	50	8mm	1.25mm
1028.8536/50	50	10mm	1.00mm
1028.8517/50	50	10mm	1.50mm

Imperial 45° Angled Grease Nipples

- Supplied in packs of 25 or 50



Part number	Quantity	Size
1028.8511/50	50	1/8" BSP / Gas Male
1028.8514/25	25	1/8" BSP / Gas Male
1028.8513/50	50	1/4" BSF
1028.8515/50	50	5/16" BSF
1028.8516/50	50	3/8" BSF
1028.5153/50	50	1/4" UNF
1028.5156/50	50	5/16" UNF

Metric 45° Angled Grease Nipples

- Supplied in packs of 50



Part number	Qty	Size	Pitch
1028.8531/50	50	6mm	1.00mm
1028.8533/50	50	8mm	1.00mm
1028.8538/50	50	8mm	1.25mm
1028.8537/50	50	10mm	1.00mm
1028.5205/50	50	10mm	1.50mm

Imperial 90° Angled Grease Nipples

- Supplied in packs of 25



Part number	Quantity	Size
1028.8527/25	25	1/4" UNF
1028.8528/25	25	1/8" BSP / Gas Male

Metric 90° Angled Grease Nipples

- Supplied in packs of 25



Part number	Qty	Size	Pitch
1028.8522/25	25	6mm	1.00mm
1028.8523/25	25	8mm	1.00mm
1028.8524/25	25	8mm	1.25mm
1028.8525/25	25	10mm	1.00mm
1028.8526/25	25	10mm	1.50mm

Imperial Hexagon Head Tap Nipples

- Imperial tap grease nipples



Part number	Quantity	Size
1028.8512/50	50	1/8" BSP / Gas
1028.8540/25	25	1/4" BSP / Gas
1028.8541/50	50	3/8" BSF

Long Grease Nipples

- 1/4" UNF fitting



Part number	Quantity	Size
1028.8502/50	50	1/4" UNF

Box of Imperial Grease Nipples

- Angled & straight grease nipples in various imperial sizes
- Sizes: 1/8"-1/4" BSP - 1/4" UNF



Part number	Quantity	Size
1023.A0250	121	See description

Box of Metric Grease Nipples

- Angled & straight grease nipples in various metric sizes
- Sizes: M6 - M10



Part number	Quantity	Size
1023.A0251	135	See description

Piston Oil Pump

- Piston gear & lube oil pump. For most 20/25 litre drums
- Complete with DIN 61 drum adapter, 1.7m hose & nozzle



Part number	Quantity	Size
800.5255	1	1.7m hose

Lever Action Drum Pump

- Transfers all types of light lubricants & non-corrosive fluids
- For 50-205l drums. Steel body. 0.45l per stroke (16lpm)



Part number	Quantity
800.5252	1

Rotary Barrel Pump

- Cast iron pump. Higher volume dispensing than standard lever pumps. For lube oil & diesel fuel only



Part number	Quantity
800.5259	1

High Pressure Grease Pump

- For mounting directly onto grease kegs
- With cover, adaptor, follower disc, handle & 1.5m hose with 4-jaw hydraulic connector
- Maximum pressure 350 bar
- 2cc delivery per stroke



Part number	Quantity
800.5251	1

Oil Suction Gun

- Galvanised zinc end caps
- 350mm flexible hose



Part number	Quantity
800.5190	1

FIXT Copper Grease Compound

- Specifically designed for use on moving parts for protection against heat, seizure, corrosion & acid. Won't wash off



Part number	Quantity	Size
811.CE500G	1	500g tin

FIXT CV Joint Grease

- Designed for use in modern constant velocity joints found on modern cars, vans & trucks
- Long lubricant life



Part number	Quantity	Size
811.CV500G	1	500g tin

FIXT EP2 Lithium Grease

- Premium quality lithium EP2 grease for use in all anti-friction & plain bearings subjected to high load



Part number	Quantity	Size
811.LG500G	1	500g tin

FIXT EP2 Lithium Grease Cartridge

- Premium quality lithium EP2 grease for use in all anti-friction & plain bearings subjected to high load



Part number	Quantity	Size
800.154	1	400g cartridge

ADBLUE Barrel Lever Pump

- Manual pump for dispensing DEF



Part number	Quantity
800.5281	1

ADBLUE Gravity Hose Kit

- Self assembly
- 3mm hose



Part number	Quantity
800.5285	1

ADBLUE Delivery Nozzle


- 19mm delivery nozzle
- 3/4" BSP



Part number	Quantity
800.5283	1

Barrel Adapter

- Polypropylene.
- Converts 2" BSP to 2" Male tri-sure thread



Part number	Quantity	Size
800.5680	1	2"

Aeroflo Tap

- Suitable for most 20l drums
- Self-venting for fast, smooth flow



Part number	Quantity
800.5025	1

Lockable Barrel Tap

- Lockable barrel tap
- Die cast zinc



Part number	Quantity	Size
800.5226	1	3/4" BSP

Barrel Tap

- 3/4" BSP threaded barrel tap
- Aluminium die cast
- Self closing



Part number	Quantity	Size
800.5225	1	3/4" BSP