


WORKSHOP CONSUMABLES & LIGHTING



Free Same Day Branch Delivery | Free Next Day Courier Delivery on Orders Over £75 ex VAT

CABLE

Single Core | Flat Twin Core | Multi-Core | Speaker | Battery
Page 04 - 05



CABLE MANAGEMENT

Conduit | Connectors | Cable Ties | Mounts | P Clips | Heat Shrink | Tape | Sleeving | Grommets
Page 06 - 08



TRAILER PLUGS, SOCKETS & ELECTRICAL COILS

3-Pin | 7-Pin | 13-Pin | 15-Pin | EBS | Coiled Cable
Page 09



TERMINALS & CONNECTORS

Insulated | Uninsulated | Strip Connectors
Page 10 - 11



AUTOMOTIVE CONNECTORS

Superseal | Deutsch | Econoseal | Power Connectors | DIN | HDSCS
Page 12 - 13



CONNECTOR KITS

Fastin-Faston | Mate-N-Lok
Page 14 - 15



BATTERY MANAGEMENT

Battery Terminals | Covers | Isolator Switches | Copper Tube Terminals
Page 16 - 17



POWER CONSUMABLES

Fuses | Holders | Junction Boxes | Bus Bars | Relays | Flashers
Page 18 - 21




WARNING LIGHTS & SWITCHES

Warning Lights | Power Plugs & Sockets | Switches
Page 22 - 23



BULBS

Bayonet | Headlight | Festoon | Wedge | Kits
Page 24



Free Same Day Branch Delivery | Free Next Day Courier Delivery on Orders Over £75 ex VAT

WHY CHOOSE DUN-BRI GROUP?

- » Thousands of in-stock items
- » Dedicated customer services team
- » Knowledgeable technical support
- » ISO 9001:2015 certified



www.dun-bri.com

VEHICLE PARTS

Air Fans | Hand Wash Stations | Horns
Page 25



INVERTERS

Pure Sine Wave
Page 26



REVERSING SAFETY

Camera Monitor Systems | Warning Alarms
Page 27 - 28



EXTERIOR LIGHTS

Work Lights | Scene Lights
Page 29



REAR LIGHTING

Signal Lamps | Rear Combination Lights | Auxiliary Lighting
Page 30 - 31



INTERIOR LIGHTS

Strip | Panel
Page 32



HAZARD WARNING

Lightbars | Mini Lightbars | Beacons | Strobes
Page 33 - 35



MARKER LIGHTS

Side | Front | Rear | Roof | End Outline
Page 36 - 37



WORKSHOP LIQUIDS

Cleaning | Sealant | Lube & Grease | Paint
Page 38



HEALTH & SAFETY


Gloves | First Aid Kits
Page 39



For a full list of products, please visit our website | www.dun-bri.com

WEBSITE FEATURES

- » Individual pricing
- » Multiple languages
- » Quick / upload orders
- » Check in-stock items



www.dun-bri.com



SINGLE CORE



FLAT TWIN CORE



MULTI-CORE



TWIN CORE SPEAKER

| SKU | Colour | Amps | Cable Size | No. / Size of Conductors | Length |
|---------------------------------|---------------|-------|---------------------|-----------------------------|--------|
| SINGLE CORE THIN WALL | | | | | |
| 540.4102HT/100B. | Black | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100G. | Green | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100K | Pink | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100N | Brown | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100NB | Brown / Black | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100P | Purple | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100R. | Red | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100RB | Red / Black | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100RW | Red | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100RY | Red / Yellow | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100S. | Slate Grey | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100T | Orange | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100U | Blue | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100UW | Blue / White | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100W. | White | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4102HT/100Y. | Yellow | 16.5A | 1mm ² | 32/0.20mm | 100m |
| 540.4104HT/100N | Brown | 25A | 2mm ² | 28/0.30mm | 100m |
| 540.4104HT/100R | Red | 25A | 2mm ² | 28/0.30mm | 100m |
| 540.4106HT/100B | Black | 33A | 3mm ² | 44/0.30mm | 100m |
| 540.4106HT/100R | Red | 33A | 3mm ² | 44/0.30mm | 100m |
| 540.4108HT/100R | Red | 50A | 6mm ² | 84/0.30mm | 100m |
| 540.4108HT/30B | Black | 50A | 6mm ² | 84/0.30mm | 30m |
| 540.4108HT/30R | Red | 50A | 6mm ² | 84/0.30mm | 30m |
| FLAT TWIN CORE THIN WALL | | | | | |
| 540.4201HT/100B | Black | 11A | 0.5mm ² | 2x 16/0.20mm | 100m |
| 540.4202HT/100B | Black | 16.5A | 1mm ² | 2x 32/0.20mm | 100m |
| 540.4202HT/100BBW | Black | 16.5A | 1mm ² | 2x 32/0.20mm | 100m |
| 540.4202HT/30B. | Black | 16.5A | 1mm ² | 2x 32/0.20mm | 30m |
| 540.4203HT/100B | Black | 25A | 2mm ² | 2x 28/0.30mm | 100m |
| 540.4203HT/30B | Black | 25A | 2mm ² | 2x 28/0.30mm | 30m |
| 3-CORE THIN WALL | | | | | |
| 540.4301HT/100B | Black | 14A | 0.75mm ² | 3x 24/0.20mm | 100m |
| 540.4302HT/100B | Black | 16.5A | 1mm ² | 3x 32/0.20mm | 100m |
| 540.4302HT/30B | Black | 16.5A | 1mm ² | 3x 32/0.20mm | 30m |
| 4-CORE THIN WALL | | | | | |
| 540.4402HT/100 | Black | 16.5A | 1mm ² | 4x 32/0.20mm | 100m |
| 540.4402HT/30B | Black | 16.5A | 1mm ² | 4x 32/0.20mm | 30m |
| 5-CORE THIN WALL | | | | | |
| 540.4502HT/100B. | Black | 16.5A | 1mm ² | 5x 32/0.20mm | 100m |
| 7-CORE THIN WALL | | | | | |
| 540.4701HT/100B | Black | 12A | 0.65mm ² | 7x 24/0.20mm | 100m |
| 540.4702HT/100B | Black | 16.5A | 1mm ² | 6x 32/0.20mm / 1x 28/0.30mm | 100m |
| 540.4702HT/30B | Black | 16.5A | 1mm ² | 6x 32/0.20mm / 1x 28/0.30mm | 30m |
| TWIN CORE STANDARD | | | | | |
| 540.4202/100B | Black | 8.75A | 1mm ² | 2x 14/0.30mm | 100m |
| TWIN CORE SPEAKER | | | | | |
| 540.SP2/100 | Black | 6A | 0.75mm ² | 2x 24/0.20mm | 100m |



| SKU | Length |
|---|--------|
| 110A 16mm² 203 / 0.30mm BLACK | |
| 540.SW16B/0.5M | 0.5m |
| 540.SW16B/1M | 1m |
| 540.SW16B/2M | 2m |
| 540.SW16B/3M | 3m |
| 540.SW16B/4M | 4m |
| 540.SW16B/5M | 5m |
| 540.SW16B/6M | 6m |
| 540.SW16B/7M | 7m |
| 540.SW16B/8M | 8m |
| 540.SW16B/9M | 9m |
| 540.SW16B/10M | 10m |
| 540.SW16/50B | 50m |

| SKU | Length |
|---|--------|
| 110A 16mm² 203 / 0.30mm RED | |
| 540.SW16R/0.5M | 0.5m |
| 540.SW16R/1M | 1m |
| 540.SW16R/2M | 2m |
| 540.SW16R/3M | 3m |
| 540.SW16R/4M | 4m |
| 540.SW16R/5M | 5m |
| 540.SW16R/6M | 6m |
| 540.SW16R/7M | 7m |
| 540.SW16R/8M | 8m |
| 540.SW16R/9M | 9m |
| 540.SW16R/10M | 10m |
| 540.SW16/30R | 30m |
| 540.SW16/50R | 50m |

| SKU | Length |
|---|--------|
| 135A 20mm² 265 / 0.30mm BLACK | |
| 540.SW20B/0.5M | 0.5m |
| 540.SW20B/1M | 1m |
| 540.SW20B/2M | 2m |
| 540.SW20B/3M | 3m |
| 540.SW20B/4M | 4m |
| 540.SW20B/5M | 5m |
| 540.SW20B/6M | 6m |
| 540.SW20B/7M | 7m |
| 540.SW20B/8M | 8m |
| 540.SW20B/9M | 9m |
| 540.SW20B/10M | 10m |

| SKU | Length |
|---|--------|
| 135A 20mm² 265 / 0.30mm RED | |
| 540.SW20R/0.5M | 0.5m |
| 540.SW20R/1M | 1m |
| 540.SW20R/2M | 2m |
| 540.SW20R/3M | 3m |
| 540.SW20R/4M | 4m |
| 540.SW20R/5M | 5m |
| 540.SW20R/6M | 6m |
| 540.SW20R/7M | 7m |
| 540.SW20R/8M | 8m |
| 540.SW20R/9M | 9m |
| 540.SW20R/10M | 10m |

| SKU | Length |
|---|--------|
| 170A 25mm² 322 / 0.30mm BLACK | |
| 540.SW25B/0.5M | 0.5m |
| 540.SW25B/1M | 1m |
| 540.SW25B/2M | 2m |
| 540.SW25B/3M | 3m |
| 540.SW25B/4M | 4m |
| 540.SW25B/5M | 5m |
| 540.SW25B/6M | 6m |
| 540.SW25B/7M | 7m |
| 540.SW25B/8M | 8m |
| 540.SW25B/9M | 9m |
| 540.SW25B/10M | 10m |
| 540.SW25/30B | 30m |
| 540.SW25/50B | 50m |

| SKU | Length |
|---|--------|
| 170A 25mm² 322 / 0.30mm RED | |
| 540.SW25R/0.5M | 0.5m |
| 540.SW25R/1M | 1m |
| 540.SW25R/2M | 2m |
| 540.SW25R/3M | 3m |
| 540.SW25R/4M | 4m |
| 540.SW25R/5M | 5m |
| 540.SW25R/6M | 6m |
| 540.SW25R/7M | 7m |
| 540.SW25R/8M | 8m |
| 540.SW25R/9M | 9m |
| 540.SW25R/10M | 10m |
| 540.SW25/30R | 30m |
| 540.SW25/50R | 50m |

| SKU | Length |
|---|--------|
| 240A 35mm² 455 / 0.30mm BLACK | |
| 540.SW35B/0.5M | 0.5m |
| 540.SW35B/1M | 1m |
| 540.SW35B/2M | 2m |
| 540.SW35B/3M | 3m |
| 540.SW35B/4M | 4m |
| 540.SW35B/5M | 5m |
| 540.SW35B/6M | 6m |
| 540.SW35B/7M | 7m |
| 540.SW35B/8M | 8m |
| 540.SW35B/9M | 9m |
| 540.SW35B/10M | 10m |
| 540.SW35/30B | 30m |
| 540.SW35/50B | 50m |

| SKU | Length |
|---|--------|
| 240A 35mm² 455 / 0.30mm RED | |
| 540.SW35R/0.5M | 0.5m |
| 540.SW35R/1M | 1m |
| 540.SW35R/2M | 2m |
| 540.SW35R/3M | 3m |
| 540.SW35R/4M | 4m |
| 540.SW35R/5M | 5m |
| 540.SW35R/6M | 6m |
| 540.SW35R/7M | 7m |
| 540.SW35R/8M | 8m |
| 540.SW35R/9M | 9m |
| 540.SW35R/10M | 10m |
| 540.SW35/30R | 30m |
| 540.SW35/50R | 50m |

| SKU | Length |
|---|--------|
| 300A 40mm² 560 / 0.30mm BLACK | |
| 540.SW40B/0.5M | 0.5m |
| 540.SW40B/1M | 1m |
| 540.SW40B/2M | 2m |
| 540.SW40B/3M | 3m |
| 540.SW40B/4M | 4m |
| 540.SW40B/5M | 5m |
| 540.SW40B/6M | 6m |
| 540.SW40B/7M | 7m |
| 540.SW40B/8M | 8m |
| 540.SW40B/9M | 9m |
| 540.SW40B/10M | 10m |

| SKU | Length |
|---|--------|
| 300A 40mm² 560 / 0.30mm RED | |
| 540.SW40R/0.5M | 0.5m |
| 540.SW40R/1M | 1m |
| 540.SW40R/2M | 2m |
| 540.SW40R/3M | 3m |
| 540.SW40R/4M | 4m |
| 540.SW40R/5M | 5m |
| 540.SW40R/6M | 6m |
| 540.SW40R/7M | 7m |
| 540.SW40R/8M | 8m |
| 540.SW40R/9M | 9m |
| 540.SW40R/10M | 10m |

| SKU | Length |
|---|--------|
| 345A 50mm² 637 / 0.30mm BLACK | |
| 540.SW50B/0.5M | 0.5m |
| 540.SW50B/1M | 1m |
| 540.SW50B/2M | 2m |
| 540.SW50B/3M | 3m |
| 540.SW50B/4M | 4m |
| 540.SW50B/5M | 5m |
| 540.SW50B/6M | 6m |
| 540.SW50B/7M | 7m |
| 540.SW50B/8M | 8m |
| 540.SW50B/9M | 9m |
| 540.SW50B/10M | 10m |

| SKU | Length |
|---|--------|
| 345A 50mm² 637 / 0.30mm RED | |
| 540.SW50R/0.5M | 0.5m |
| 540.SW50R/1M | 1m |
| 540.SW50R/2M | 2m |
| 540.SW50R/3M | 3m |
| 540.SW50R/4M | 4m |
| 540.SW50R/5M | 5m |
| 540.SW50R/6M | 6m |
| 540.SW50R/7M | 7m |
| 540.SW50R/8M | 8m |
| 540.SW50R/9M | 9m |
| 540.SW50R/10M | 10m |



More sizes are available on the website.



More sizes are available on the website.



| SKU | Material | NW | Inner Diameter | Outer Diameter | Length |
|----------------------|---------------|-----|----------------|----------------|--------|
| SOLID CONDUIT | | | | | |
| 541.105/100 | Polypropylene | 4.5 | 5mm | 7.1mm | 100m |
| 541.107/50 | Polypropylene | 7.5 | 6.9mm | 10mm | 50m |
| 541.110/50 | Polypropylene | 10 | 10.1mm | 12.7mm | 50m |
| 541.113/50 | Polypropylene | 13 | 12.9mm | 15.8mm | 50m |
| 541.117/50 | Polypropylene | 17 | 16.8mm | 21mm | 50m |
| 541.LN107/50 | Nylon | 7.5 | 6.7mm | 10mm | 50m |
| 541.N110/50 | Nylon | 8.5 | 8.4mm | 11.7mm | 50m |



| SKU | Material | NW | Inner Diameter | Outer Diameter | Length |
|----------------------|---------------|-----|----------------|----------------|--------|
| SPLIT CONDUIT | | | | | |
| 541.005/100 | Polypropylene | 4.5 | 5mm | 7.1mm | 100m |
| 541.007/50 | Polypropylene | 7.5 | 6.8mm | 10mm | 50m |
| 541.010/50 | Polypropylene | 10 | 10.1mm | 12.7mm | 50m |
| 541.013/50 | Polypropylene | 13 | 12.9mm | 15.8mm | 50m |
| 541.016/50 | Polypropylene | 17 | 16.8mm | 21mm | 50m |
| 541.020/50 | Polypropylene | 22 | 21.8mm | 25.5mm | 50m |
| 541.024/50 | Polypropylene | 23 | 23.7mm | 28mm | 50m |
| 541.N005/100 | Nylon | 4.5 | 5mm | 7.1mm | 100m |
| 541.N007A/50 | Nylon | 7.5 | 6.7mm | 10mm | 50m |
| 541.N010A/50 | Nylon | 8.5 | 8.5mm | 11.5mm | 50m |
| 541.N011/50 | Nylon | 10 | 10.1mm | 13.2mm | 50m |
| 541.N013A/50 | Nylon | 13 | 13mm | 16mm | 50m |
| 541.N016/50 | Nylon | 17 | 17mm | 21.2mm | 50m |
| 541.N020/50 | Nylon | 22 | 21.6mm | 25.6mm | 50m |



T-PIECE



V-PIECE



Y-PIECE



SEALED GLAND



TUBE REDUCER



FIXING CLIPS



INTERFACE

| SKU | NW | Profile |
|---------------------------|-----------------|---------|
| T-PIECE CONNECTORS | | |
| 541.9806082 | 7.5 - 7.5 - 7.5 | Form A |
| 541.9806089 | 10 - 10 - 10 | Form A |
| 541.9806092 | 13 - 7.5 - 13 | Form A |
| 541.9806111 | 10 - 7.5 - 10 | Form B |
| 541.9806137 | 17 - 7.5 - 17 | Form B |
| 541.9806141 | 17 - 13 - 17 | Form B |
| 541.9806196 | 17 - 17 - 17 | Form B |
| 541.9806113 | 22 - 7.5 - 22 | Form B |
| 541.9806108 | 22 - 13 - 22 | Form B |
| 541.9806147 | 26 - 13 - 26 | Form B |
| 541.9806157 | 26 - 26 - 26 | Form B |
| 541.9806115 | 13 - 13 - 13 | Form C |
| 541.9806126 | 22 - 22 - 17 | Form C |
| 541.9806130 | 10 - 7.5 - 7.5 | Form D |

V-PIECE CONNECTORS

| | | |
|-------------|-----------------|--------|
| 541.9817079 | 7.5 - 7.5 - 7.5 | Form A |
|-------------|-----------------|--------|

Y-PIECE CONNECTORS

| | | |
|-------------|--------------|--------|
| 541.9817308 | 13 - 13 - 13 | Form C |
| 541.9817303 | 10 - 10 - 10 | Form D |

| SKU | Size | Profile / Connection |
|--------------------------------|--------------|----------------------|
| SEALED GLAND CONNECTORS | | |
| 541.HFK102 | NW 7.5 - M16 | |
| 541.HFK226 | NW 10 - M16 | |
| 541.HFK103 | NW 13 - M16 | |
| 541.HFK104 | NW 17 - M20 | |
| 541.HFK105 | NW 22 - M25 | |

TUBE REDUCERS

| | | |
|-------------|----------------|--------|
| 541.7807276 | NW 10 - NW 7.5 | Form A |
| 541.7807278 | NW 13 - NW 7.5 | Form A |
| 541.7807283 | NW 17 - NW 13 | Form A |
| 541.7807282 | NW 22 - NW 17 | Form A |
| 541.7807294 | NW 22 - NW 13 | Form D |

CHASSIS MOUNT FIXING CLIPS

| | | |
|-------------|--------|--------|
| 541.9805911 | NW 7.5 | Form A |
|-------------|--------|--------|

SUPERSEAL INTERFACE CONNECTORS (STRAIGHT - LONG)

| | | |
|-------------|-------|-----|
| 541.7807128 | 2-Way | 7.5 |
| 541.7807042 | 2-Way | 10 |
| 541.7807041 | 3-Way | 10 |
| 541.7807040 | 4-Way | 10 |
| 541.7807039 | 5-Way | 10 |
| 541.7807038 | 6-Way | 10 |





More colours and sizes are available. See website for more details.

| SKU | Width | Length | Colour | Pack Quantity |
|----------------------------|-------|--------|--------|---------------|
| STANDARD CABLE TIES | | | | |
| 460.8104BK/100 | 2.5mm | 100mm | Black | 100 |
| 460.8106BK/100 | 2.5mm | 120mm | Black | 100 |
| 460.8105NN/100B | 2.5mm | 165mm | Black | 100 |
| 460.8108NNBK/100 | 2.5mm | 200mm | Black | 100 |
| 460.8105NBK/100 | 3.6mm | 140mm | Black | 100 |
| 460.8108NBK/100 | 3.6mm | 200mm | Black | 100 |
| 460.8112NBK/100 | 3.6mm | 300mm | Black | 100 |
| 460.8105BK/100 | 4.8mm | 160mm | Black | 100 |
| 460.8108BK/100 | 4.8mm | 200mm | Black | 100 |
| 460.8110BK/100 | 4.8mm | 250mm | Black | 100 |
| 460.8112BK/100 | 4.8mm | 300mm | Black | 100 |
| 460.8114BK/100 | 4.8mm | 370mm | Black | 100 |
| 460.8118BK/100 | 4.8mm | 430mm | Black | 100 |
| 460.8212BK/100 | 7.6mm | 300mm | Black | 100 |
| 460.8214BK/100 | 7.6mm | 370mm | Black | 100 |
| 460.8216BK/100 | 7.6mm | 540mm | Black | 100 |
| 460.8222BK/100 | 9.0mm | 780mm | Black | 100 |



| SKU | Cable Tie Size (Max) | Mounting | Dimensions | Pack Quantity |
|-------------------------|----------------------|---------------|-------------------------|---------------|
| CABLE TIE MOUNTS | | | | |
| 460.8300/100 | 4.6mm | Self-adhesive | 19mm (l) x 19mm (w) | 100 |
| 460.8400/100 | 5.5mm | Self-adhesive | 28mm (l) x 28mm (w) | 100 |
| 465.027/100 | 5.0mm | Screw Mount | 17.8mm (l) x 12.7mm (w) | 100 |
| 465.028/100 | 9.5mm | Screw Mount | 21.9mm (l) x 15.9mm (w) | 100 |



| SKU | Size | Colour | Pack Quantity |
|----------------------|-------|--------|---------------|
| NYLON P CLIPS | | | |
| 465.001/100 | 5mm | Black | 100 |
| 465.002/100 | 6.4mm | Black | 100 |
| 465.003B/100 | 7.9mm | Black | 100 |
| 465.004/100 | 9mm | Black | 100 |
| 465.005/100 | 12mm | Black | 100 |
| 465.006A/100 | 15mm | Black | 100 |



| SKU | Size | Colour | Pack Quantity |
|-----------------------------------|------|--------|---------------|
| RUBBER LINED STEEL P CLIPS | | | |
| 470.003/10 | 5mm | Black | 10 |
| 470.004/10 | 6mm | Black | 10 |
| 470.006/10 | 10mm | Black | 10 |
| 470.008/10 | 13mm | Black | 10 |
| 470.010/10 | 16mm | Black | 10 |
| 470.012/10 | 19mm | Black | 10 |
| 470.014/10 | 21mm | Black | 10 |
| 470.020/10 | 35mm | Black | 10 |

DBG PURE SINE WAVE INVERTERS

- » 1000W / 2000W / 3000W
- » Seamless smartphone connectivity
- » Smart display with microcontroller integrated
- » Built to last with robust construction



See Page 26



ROLLS



REELS



BOXED



INSULATION



MASKING



HIGH VOLTAGE



TESA

| SKU | Width | Length | Colour |
|---------------------------------------|--------|--------|--------|
| ADHESIVE HEAT SHRINK 3:1 ROLLS | | | |
| 510.ADH001/1 | 3mm | 1.2m | Black |
| 510.ADH002/1 | 6mm | 1.2m | Black |
| 510.ADH003/1 | 9mm | 1.2m | Black |
| 510.ADH004/1 | 12mm | 1.2m | Black |
| 510.ADH005/1 | 19.1mm | 1.2m | Black |
| 510.ADH006/1 | 24mm | 1.2m | Black |
| 510.ADH009/1 | 39mm | 1.2m | Black |

| SKU | Width | Length | Colour |
|---------------------------------------|--------|--------|--------|
| ADHESIVE HEAT SHRINK 3:1 BOXED | | | |
| 510.ADH033/B | 3.2mm | 12m | Black |
| 510.ADH035/B | 6.4mm | 8m | Black |
| 510.ADH036/B | 9.5mm | 6m | Black |
| 510.ADH037B | 12.7mm | 5m | Black |

| SKU | Width | Length | Colour |
|------------------------------|--------|--------|--------|
| HEAT SHRINK 2:1 ROLLS | | | |
| 510.001/5 | 2.4mm | 5m | Black |
| 510.002/5 | 3.2mm | 5m | Black |
| 510.003/5 | 4.8mm | 5m | Black |
| 510.004/5 | 6.4mm | 5m | Black |
| 510.005/5 | 9.5mm | 5m | Black |
| 510.005/5R | 9.5mm | 5m | Red |
| 510.006/5 | 12.7mm | 5m | Black |
| 510.006/5R | 12.7mm | 5m | Red |
| 510.007/5 | 19.1mm | 5m | Black |
| 510.007/5R | 19.1mm | 5m | Red |
| 510.008/5 | 25.4mm | 5m | Black |
| 510.009/5 | 38.1mm | 5m | Black |

| SKU | Width | Length | Colour |
|------------------------------|--------|--------|--------|
| HEAT SHRINK 2:1 REELS | | | |
| 510.025 | 6.4mm | 60m | Black |
| 510.026 | 9.5mm | 60m | Black |
| 510.027 | 12.7mm | 60m | Black |
| 510.027R | 12.7mm | 60m | Red |
| 510.028 | 19.1mm | 60m | Black |

| SKU | Width | Length | Colour |
|------------------------------|--------|--------|--------|
| HEAT SHRINK 2:1 BOXED | | | |
| 510.032/B | 2.4mm | 11m | Black |
| 510.033/B | 3.2mm | 11m | Black |
| 510.034/B | 4.8mm | 10m | Black |
| 510.035/B | 6.4mm | 9m | Black |
| 510.035R | 6.4mm | 9m | Red |
| 510.036/B | 9.5mm | 7m | Black |
| 510.036R | 9.5mm | 7m | Red |
| 510.037B | 12.7mm | 6m | Black |
| 510.037R | 12.7mm | 6m | Red |
| 510.038/B | 19.1mm | 5m | Black |
| 510.038R | 19.1mm | 5m | Red |

| SKU | Width | Length | Colour | Pack Quantity |
|----------------------------|-------|--------|--------|---------------|
| PVC INSULATION TAPE | | | | |
| 500.001/10 | 19mm | 20m | Black | 10 |
| 500.002 | 19mm | 20m | Red | 1 |
| 500.003 | 19mm | 20m | Blue | 1 |
| 500.007 | 19mm | 20m | Yellow | 1 |

| SKU | Width | Length | Colour | Pack Quantity |
|--|-------|--------|--------|---------------|
| ADVANCE AT7 PVC INSULATION TAPE | | | | |
| 500.029/10 | 19mm | 20m | Black | 10 |

| SKU | Width | Length | Colour | Pack Quantity |
|---------------------|-------|--------|--------|---------------|
| MASKING TAPE | | | | |
| 500.013 | 25mm | 50m | White | 1 |
| 500.014 | 50mm | 50m | White | 1 |

| SKU | Width | Length | Colour | Pack Quantity |
|--|-------|--------|--------|---------------|
| SELF AMALGAMATING / HIGH VOLTAGE TAPE | | | | |
| 500.024 | 25mm | 5m | Silver | 1 |

| SKU | Width | Length | Colour | Pack Quantity |
|---|-------|--------|--------|---------------|
| TESA 51608 PET FLEECE WIRING HARNESS LOOM TAPE | | | | |
| 500.028 | 19mm | 25m | Black | 1 |

| SKU | Colour | Inner Dia. | Outer Dia. | Length |
|---------------------|--------|------------|------------|--------|
| PVC SLEEVING | | | | |
| 541.306/100 | Black | 6mm | 6.5mm | 100m |
| 541.308/100 | Black | 8mm | 8.5mm | 100m |



HEAT SHRINK



GROMMETS



STORAGE BOX

| SKU | Description | Size / Type | Quantity |
|---------------------------------|-------------|--|----------|
| HEAT SHRINK ASSORTED BOX | | | |
| 1023.DB23 | 2:1 (Black) | 1.6mm ² - 19.1mm ² | 360 |
| 1023.DB24 | 3:1 (Black) | 3mm ² - 18mm ² | 225 |

| SKU | Description | Size / Type | Quantity |
|------------------------------|---------------|-------------|----------|
| GROMMETS ASSORTED BOX | | | |
| 1023.DB17 | Rubber Wiring | 2mm - 25mm | 280 |

| SKU | Description | Size / Type | Quantity |
|--------------------------|-------------|--------------|----------|
| EMPTY STORAGE BOX | | | |
| 1023.DB34 | | 8 Partitions | 1 |

| SKU | Description | Material | Voltage | Contact Type | Approvals | |
|--|--------------|---|-----------|--------------|-----------------|-----------------------------------|
| 3-PIN | | | | | | |
|  | 330.551 | Plug | Plastic | 12V | | |
| | 330.552 | Socket | Plastic | 12V | | |
| | 1030.939 | Plug with 3.5m Suzi Cable | Plastic | 12/24V | | |
| 7-PIN | | | | | | |
|  | 330.511D | 'N' Plug | Aluminium | 12V | Screw Terminals | ISO 1724 |
| | 330.512D | 'N' Socket | Aluminium | 12V | Screw Terminals | ISO 1724 |
| | 330.507D | 'N' Plug | Aluminium | 24V | Screw Terminals | ISO 1185 / DIN 72579 |
| | 330.508D | 'N' Socket | Aluminium | 24V | Screw Terminals | ISO 1185 / DIN 72579 |
| | 1030.912M | 'N' Plug with 3m Suzi Cable | Aluminium | 24V | | ISO 1185 / DIN 72579 |
|  | 330.509D | 'S' Plug | Aluminium | 24V | Screw Terminals | ISO 3731 |
| | 330.510D | 'S' Socket | Aluminium | 24V | Screw Terminals | ISO 3731 |
| | 1030.913M | 'S' Plug with 3m Suzi Cable | Aluminium | 24V | | ISO 3731 |
| | 330.515D | 'N' Plug | Plastic | 12V | Screw Terminals | ISO 1724 |
| | 330.516D | 'N' Socket | Plastic | 12V | Screw Terminals | ISO 1724 |
|  | 330.542D | 'N' Plug | Plastic | 24V | Screw Terminals | ISO 1185 / DIN 72579 |
| | 330.544D | 'N' Socket | Plastic | 24V | Screw Terminals | ISO 1185 / DIN 72579 |
| | 1030.912 | 'N' Plug with 3m Suzi Cable | Plastic | 24V | | ISO 1185 / DIN 72579 |
|  | 1030.917 | 'N' Plug with 4.5m Suzi Cable | Plastic | 24V | | ISO 1185 / DIN 72579 |
| | 330.541D | 'S' Plug | Plastic | 24V | Screw Terminals | ISO 3731 |
| | 330.543D | 'S' Socket | Plastic | 24V | Screw Terminals | ISO 3731 |
| | 1030.913 | 'S' Plug with 3m Suzi Cable | Plastic | 12/24V | | ISO 3731 |
|  | 330.539D | Rubber Towing Cable Seal for 330.512, 330.514, 330.518, 330.516 | | | | |
| ADAPTORS | | | | | | |
|  | 307.0035 | Micro 13-Pin Plug to 7-Pin Socket | Plastic | 12V | | |
| | 330.4200D | Micro 7-Pin Plug to 13-Pin Socket | Plastic | 12V | | |
| 13-PIN | | | | | | |
|  | 330.529D | Plug | Plastic | 12V | Screw Terminals | ISO 11446 / DIN 72570 |
| | 330.530D | Socket | Plastic | 12V | Screw Terminals | ISO 11446 / DIN 72570 |
| 15-PIN | | | | | | |
|  | 330.5946D | Plug | Plastic | 24V | Screw Terminals | ISO 12098 |
| | 330.5843D | Socket | Plastic | 24V | Screw Terminals | ISO 12098 |
| | 1030.941 | Plug with 3.5m Suzi Cable | Plastic | 24V | | |
| | 1030.925. | 15-Pin to 2x 7-Pin 'N/S' Plug w/ 3.5m Suzi Cable | Plastic | 24V | | ISO 7638-1 / ISO 1185 / DIN 72579 |
| EBS | | | | | | |
|  | 330.800011D | Plug | Plastic | 24V | Screw Terminals | ISO 7638-1 |
| | 330.800013AD | Socket | Plastic | 24V | Screw Terminals | ISO 7638-1 |
| | 1030.90000 | Plug with 3.5m Suzi Cable | Plastic | 24V | | ISO 7638-1 |
| COILED CABLE WITH BARE ENDS | | | | | | |
|  | 1030.904 | 2-Core (0.75mm ²) 1.5m | | 12/24V | | |
| | 1030.938 | 2-Core (25mm ²) Red/Black 3m | | 12/24V | | |
| | 1030.907A | 3-Core (0.75mm ²) 3m | | 12/24V | | |
| | 1030.908A | 5-Core (0.75mm ²) 3m | | 12/24V | | |
| | 1030.909 | 7-Core (6x 1mm ² & 1x 2mm ²) 3m | | 12/24V | | |



| SKU | Gender | Terminal Size | Colour | Cable Size | Pack Quantity |
|------------------------------------|--------|---------------|--------|---|---------------|
| HEAT SHRINK BUTT CONNECTORS | | | | | |
| 530.1374/25 | | | Red | 0.5mm ² - 1.5mm ² | 25 |
| 530.1374/100 | | | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.1376/25 | | | Blue | 1.5mm ² - 2.5mm ² | 25 |
| 530.1376/100 | | | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.1378/100 | | | Yellow | 3.0mm ² - 6.0mm ² | 100 |



| | | | | | |
|----------------------------------|--|--|------|---|-----|
| INSULATED BUTT CONNECTORS | | | | | |
| 530.6301 | | | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6302/100 | | | Blue | 1.5mm ² - 2.5mm ² | 100 |



| | | | | | |
|----------------------------------|--------|----------------|------|---|-----|
| INSULATED SPADE TERMINALS | | | | | |
| 530.6101/100 | Female | 2.8mm x 0.8mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6109/100 | Male | 6.35mm x 0.8mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6110/100 | Male | 6.35mm x 0.8mm | Blue | 1.5mm ² - 2.5mm ² | 100 |



| | | | | | |
|--|--------|----------------|--------|---|-----|
| FULLY INSULATED SPADE TERMINALS | | | | | |
| 530.6314/100 | Female | 2.8mm x 0.8mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6309/100 | Female | 4.75mm x 0.8mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6310/100 | Female | 4.75mm x 0.8mm | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.6311/100 | Female | 6.35mm x 0.8mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6312/100 | Female | 6.35mm x 0.8mm | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.6313/100 | Female | 6.35mm x 0.8mm | Yellow | 3.0mm ² - 6.0mm ² | 100 |



| | | | | | |
|-----------------------------------|--------|-------|-----|---|-----|
| INSULATED BULLET TERMINALS | | | | | |
| 530.6204/100 | Female | 3.9mm | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6201/100 | Male | 4.0mm | Red | 0.5mm ² - 1.5mm ² | 100 |



| | | | | | |
|---------------------------------|--|-------|------|---|-----|
| INSULATED FORK TERMINALS | | | | | |
| 530.6504/100 | | 4.3mm | Blue | 1.5mm ² - 2.5mm ² | 100 |



| SKU | Description | Pack Quantity |
|--------------------------------|--|---------------|
| TERMINAL ASSORTED BOXES | | |
| 1023.DB5 | Insulated Crimp Terminals (Ring / Butt / Bullet / Spade) | 365 |
| 1023.DB34 | Empty Storage Box (8 Partitions) | 1 |

DELIVERY INFORMATION

- » Free same day branch delivery
- » Free next day courier delivery on orders over £75 ex VAT
- » International shipping available
- » Free courier delivery to N. Ireland on orders over £300 ex VAT



www.dun-bri.com



| SKU | Gender / Type | Terminal Size | Colour | Cable Size | Pack Quantity |
|---------------------------------|---------------|---------------|--------|---|---------------|
| INSULATED RING TERMINALS | | | | | |
| 530.6409/100 | | M5 | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.6410/100 | | M5 | Yellow | 3.0mm ² - 6.0mm ² | 100 |
| 530.6411/100 | | M6 | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6412/100 | | M6 | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.6413/100 | | M6 | Yellow | 3.0mm ² - 6.0mm ² | 100 |
| 530.6414/100 | | M8 | Red | 0.5mm ² - 1.5mm ² | 100 |
| 530.6415/100 | | M8 | Blue | 1.5mm ² - 2.5mm ² | 100 |
| 530.6416/100 | | M8 | Yellow | 3.0mm ² - 6.0mm ² | 100 |



| CORD END FERRULE TERMINALS | | | | | |
|-----------------------------------|--------|--|-------|---|-----|
| 530.DICE1515/100 | French | | Black | 1.5mm ² | 100 |
| 531.6707/100 | Closed | | Clear | 1.5mm ² - 2.5mm ² | 100 |



| INSULATED FLAG TERMINALS | | | | | |
|---------------------------------|--------|----------------|------|---|----|
| 531.6722/50 | Female | 6.35mm x 0.8mm | Blue | 1.5mm ² - 2.5mm ² | 50 |



| UNINSULATED BRASS LOCKING SPADE TERMINALS | | | | | |
|--|--------|-------|--|--|----|
| 531.6711/50 | Female | 2.8mm | | 0.5mm ² - 1.5mm ² | 50 |
| 531.6712/50 | Female | 4.8mm | | 0.5mm ² - 1.5mm ² | 50 |
| 531.6734/50 | Female | 6.3mm | | 0.65mm ² - 1.0mm ² | 50 |
| 531.6735/50 | Female | 6.3mm | | 1.0mm ² - 2.5mm ² | 50 |
| 531.6732/50 | Male | 6.3mm | | 0.5mm ² - 1.5mm ² | 50 |
| 531.6733/50 | Male | 6.3mm | | 1.0mm ² - 2.5mm ² | 50 |



| UNINSULATED COPPER TUBE BUTT SPLICE CONNECTORS | | | | | |
|---|--|--|--|-------------------|----|
| 551.1000/10 | | | | 10mm ² | 10 |
| 551.2500/10 | | | | 25mm ² | 10 |



| SKU | No. of Connections | Amps | Colour | Pack Quantity |
|----------------------------------|--------------------|------|--------|---------------|
| FLEXIBLE STRIP CONNECTORS | | | | |
| 520.001/5 | 12-Way | 5A | White | 5 |
| 520.003/5 | 12-Way | 15A | White | 5 |
| 520.004/5 | 12-Way | 30A | White | 5 |

DBG 7" AHD 1080p CCTV CAMERA KIT

- » 7" TFT AHD 1080p monitor
- » Expandable up to 3 cameras with triggers
- » AHD 1080p rear camera
- » 20m cable



See Page 27



| Part Number | Terminals | Housing | Wedges |
|-----------------------------|-----------------------|--------------|-----------|
| SUPERSEAL 1.5mm KITS | | | |
| 565.D101M | 1x Male Pin | 1-Way Female | 1x Yellow |
| 565.D102M | 2x Male Pins | 2-Way Female | 2x Yellow |
| 565.D103M | 3x Male Pins | 3-Way Female | 3x Yellow |
| 565.D104M | 4x Male Pins | 4-Way Female | 4x Yellow |
| 565.D105M | 5x Male Pins | 5-Way Female | 5x Yellow |
| 565.D106M | 6x Male Pins | 6-Way Female | 6x Yellow |
| 565.D101F | 1x Female Receptacle | 1-Way Male | 1x Yellow |
| 565.D102F | 2x Female Receptacles | 2-Way Male | 2x Yellow |
| 565.D103F | 3x Female Receptacles | 3-Way Male | 3x Yellow |
| 565.D104F | 4x Female Receptacles | 4-Way Male | 4x Yellow |
| 565.D105F | 5x Female Receptacles | 5-Way Male | 5x Yellow |
| 565.D106F | 6x Female Receptacles | 6-Way Male | 6x Yellow |



| SKU | Description | Connections | Length |
|-----------------------------------|-------------|---------------|--------|
| SUPERSEAL 1.5mm CONNECTORS | | | |
| 565.T103 | T Piece | 2-Way 3x Male | |
| 565.Y103 | Y Piece | 2-Way 3x Male | |



| SKU | Description | Connections | Length |
|-----------------------------------|-------------|----------------------------|----------|
| SUPERSEAL 1.5mm LINK LEADS | | | |
| 542.30FMS2 | | 2-Way Female to 2-Way Male | 3 Metres |
| 542.50FMS2 | | 2-Way Female to 2-Way Male | 5 Metres |
| 542.30FMS3 | | 3-Way Female to 3-Way Male | 3 Metres |
| 542.50FMS3 | | 3-Way Female to 3-Way Male | 5 Metres |



| Part Number | Terminals | Housing | Wedges |
|------------------------|-----------------------|--------------|-----------|
| DEUTSCH DT KITS | | | |
| 568.D002P | 2x Male Pins | 2-Way Female | 2x Green |
| 568.D003P | 3x Male Pins | 3-Way Female | 1x Green |
| 568.D004P | 4x Male Pins | 4-Way Female | 2x Green |
| 568.D006P | 6x Male Pins | 6-Way Female | 1x Green |
| 568.D002S | 2x Female Receptacles | 2-Way Male | 1x Orange |
| 568.D003S | 3x Female Receptacles | 3-Way Male | 1x Orange |
| 568.D004S | 4x Female Receptacles | 4-Way Male | 1x Orange |
| 568.D006S | 6x Female Receptacles | 6-Way Male | 1x Orange |



| Part Number | Terminals | Housing | Wedges |
|------------------------------------|-----------------------|--------------|----------|
| AMP ECONOSEAL III .070 KITS | | | |
| 570.2ECONOSEAL/MALE | 2x Male Pins | 2-Way Female | 2x Green |
| 570.3ECONOSEAL/MALE | 3x Male Pins | 3-Way Female | 3x Green |
| 570.2ECONOSEAL | 2x Female Receptacles | 2-Way Male | 2x Green |
| 570.3ECONOSEAL | 3x Female Receptacles | 3-Way Male | 3x Green |



PLUG



542.048



542.422



600.562D



600.549D

POWER CONNECTORS

| Part Number | Description | Amps | Voltage | Colour | Cable Size | AWG |
|-------------|-------------------------------------|----------|---------|--------|---------------------|-----|
| 600.500D | Plug | 50A | 600V | Grey | 13.3mm ² | 6 |
| 600.501 | Plug | 50A | 600V | Red | 13.3mm ² | 6 |
| 600.504D | Plug | 175A | 600V | Grey | 53.5mm ² | 1/0 |
| 600.505D | Plug | 175A | 600V | Red | 53.5mm ² | 1/0 |
| 542.048 | Plug with 2m Cable | 175A | 600V | Grey | 35mm ² | 1/0 |
| 542.422 | Plug with 3m Cable & Handle | 175A | 600V | Red | 50mm ² | 1/0 |
| 600.562D | Black Connector Internal Dust Cover | For 175A | | | | |
| 600.549D | Red Super Tuff Nylon Handle | For 175A | | | | |



330.009



330.100P




330.100S




EXTENSION LOOM

DIN CONNECTORS


| Part Number | Connection | Terminals | Wedges |
|-------------|---|------------|----------|
| 330.009 | 4-Way (90°) Circular DIN Kit | x4 | x4 Red |
| 330.100P | 7-Way Male Circular DIN Kit | x10 Female | x10 Blue |
| 330.100S | 7-Way Female Circular DIN Kit | x10 Male | x10 Blue |
| 542.L1154 | 7-Way Circular DIN with 1m Extension Loom | | |
| 542.L1202 | 7-Way Circular DIN with 2m Extension Loom | | |




330.HDSCS/7S




330.HDSCS/7P




330.HDSCS/8S



330.HDSCS/8P



330.HDSCS/12S



330.HDSCS/12P



EXTENSION LOOM

HDSCS CONNECTORS

| Part Number | Connection | Terminals | Wedges |
|---------------|------------------------------------|-------------------------------|---------------------|
| 330.HDSCS/7S | 7-Way Male HDSCS Kit | 4x 1.5 Female / 3x 2.8 Female | 4x Grey / 3x Yellow |
| 330.HDSCS/7P | 7-Way Female HDSCS Kit | 4x 1.5 Male / 3x 2.8 Male | 4x Grey / 3x Yellow |
| 542.L1206 | 7-Way HDSCS with 1m Extension Loom | | |
| 542.L1207 | 7-Way HDSCS with 2m Extension Loom | | |
| 330.HDSCS/8S | 8-Way Male HDSCS Kit | 8x Female | 8x Grey |
| 330.HDSCS/8P | 8-Way Female HDSCS Kit | 8x Male | 8x Grey |
| 542.L1432 | 8-Way HDSCS with 1m Extension Loom | | |
| 330.HDSCS/12S | 12-Way Male HDSCS Kit | 8x 1.5 Female / 4x 2.8 Female | 8x Grey / 4x Yellow |
| 330.HDSCS/12P | 12-Way Female HDSCS Kit | 8x 1.5 Male / 4x 2.8 Male | 8x Grey / 4x Yellow |



| Part Number | Connection | Terminals | Wedges |
|-----------------------|---------------------------|-----------|---------|
| 90° CONNECTORS | | | |
| 330.018 | 8-Way (90°) Bayonet | x8 | x8 |
| 330.019 | 7-Way Female (90°) Socket | x7 | x4 Blue |



| Part Number | Housing | Colour | Terminals | Pack Quantity |
|---------------------------------|---------|--------|----------------------|---------------|
| FASTIN-FASTON 250 SERIES | | | | |
| 560.01M/10 | | White | For Male Terminals | 10 |
| 560.02M/10 | | White | For Male Terminals | 10 |
| 560.02TM/10 | | White | For Male Terminals | 10 |
| 560.03M/10 | | White | For Male Terminals | 10 |
| 560.04M/10 | | White | For Male Terminals | 10 |
| 560.06M/10 | | White | For Male Terminals | 10 |
| 560.08M/10 | | White | For Male Terminals | 10 |
| 560.11M/10 | | Black | For Male Terminals | 10 |
| 560.01F/10 | | White | For Female Terminals | 10 |
| 560.02F/10 | | White | For Female Terminals | 10 |
| 560.02TF/10 | | White | For Female Terminals | 10 |
| 560.03F/10 | | White | For Female Terminals | 10 |
| 560.04F/10 | | White | For Female Terminals | 10 |
| 560.06F/10 | | White | For Female Terminals | 10 |
| 560.08F/10 | | White | For Female Terminals | 10 |
| 560.11F/10 | | Black | For Female Terminals | 10 |

| SKU | Gender | Terminal Size | Cable Size | Pack Quantity |
|--|--------|---------------|--|---------------|
| UNINSULATED BRASS LOCKING SPADE TERMINALS | | | | |
| 531.6734/50 | Female | 6.3mm | 0.65mm ² - 1.0mm ² | 50 |
| 531.6735/50 | Female | 6.3mm | 1.0mm ² - 2.5mm ² | 50 |
| 531.6732/50 | Male | 6.3mm | 0.5mm ² - 1.5mm ² | 50 |
| 531.6733/50 | Male | 6.3mm | 1.0mm ² - 2.5mm ² | 50 |






| Part Number | Housing | Colour | Terminals | Pack Quantity |
|-------------------|---------|--------|----------------------|---------------|
| MATE-N-LOK | | | | |
| 561.02M/10 | | White | For Male Terminals | 10 |
| 561.03M/10 | | White | For Male Terminals | 10 |
| 561.04M/10 | | White | For Male Terminals | 10 |
| 561.06M/10 | | White | For Male Terminals | 10 |
| 561.09M/10 | | White | For Male Terminals | 10 |
| 561.12M/10 | | White | For Male Terminals | 10 |
| 561.15M/5 | | White | For Male Terminals | 5 |
| 561.02F/10 | | White | For Female Terminals | 10 |
| 561.03F/10 | | White | For Female Terminals | 10 |
| 561.04F/10 | | White | For Female Terminals | 10 |
| 561.06F/10 | | White | For Female Terminals | 10 |
| 561.09F/10 | | White | For Female Terminals | 10 |
| 561.12F/10 | | White | For Female Terminals | 10 |
| 561.15F/5 | | White | For Female Terminals | 5 |



| SKU | Gender | Cable Size | Pack Quantity |
|---|--------|---|---------------|
| UNINSULATED BRASS MATE-N-LOK TERMINALS | | | |
| 566.029/25 | Female | 0.5mm ² - 2.5mm ² | 25 |
| 566.030/25 | Male | 0.5mm ² - 2.5mm ² | 25 |

DBG RAIDER LED LIGHTBARS

- » Adjustable feet to suit any vehicle
- » Quick change modules for minimal downtime
- » S/T/I extension kit available
- » ECE R10, ECE R65 (Class 2) approved



See Page 33



DRILLED SOLDERLESS
(POSITIVE)



DRILLED SOLDERLESS
(NEGATIVE)



CARGO TYPE POST
(POSITIVE)



CARGO TYPE POST
(NEGATIVE)



555.BT335N

| SKU | Cable Size | Stud Size | Polarity | Cable Entry Size | Application |
|---|---------------------------------------|-----------|----------|------------------|---------------------|
| DRILLED SOLDERLESS BATTERY TERMINALS | | | | | |
| 555.001 | 25mm ² - 40mm ² | | Positive | 9.5mm | Car |
| 555.002 | 25mm ² - 40mm ² | | Negative | 9.5mm | Car |
| 555.003 | 40mm ² - 60mm ² | | Positive | 11.1mm | Commercial |
| 555.004 | 40mm ² - 60mm ² | | Negative | 11.1mm | Commercial |
| 555.005 | 60mm ² - 70mm ² | | Positive | 14.3mm | Plant / Agriculture |
| 555.006 | 60mm ² - 70mm ² | | Negative | 14.3mm | Plant / Agriculture |

| CARGO TYPE POST BATTERY TERMINALS WITH PLAIN NUT | | | | | |
|---|--|-----|----------|--|--|
| 555.007B | | M8 | Positive | | |
| 555.008B | | M8 | Negative | | |
| 555.007C | | M10 | Positive | | |
| 555.008C | | M10 | Negative | | |

| BATTERY DISCONNECT TERMINALS | | | | | |
|-------------------------------------|--|--|----------|--|-----------------------------|
| 555.BT335N | | | Negative | | Security / Battery Isolator |



STUD COVERS



STRAIGHT COVERS



90° COVERS

| SKU | Type | Polarity | Colour | Cable Size |
|------------------------------------|------------------------|----------|--------|---------------------------------------|
| PVC BATTERY TERMINAL COVERS | | | | |
| 541.TCB200 | Stud Cover | Negative | Black | 4mm ² - 6mm ² |
| 541.TCR202 | Stud Cover | Positive | Red | 8mm ² - 12mm ² |
| 541.TCB202 | Stud Cover | Negative | Black | 8mm ² - 12mm ² |
| 541.TCR205 | Stud Cover | Positive | Red | 13mm ² - 18mm ² |
| 541.TCB205 | Stud Cover | Negative | Black | 13mm ² - 18mm ² |
| 555.051 | Straight Cover | Positive | Red | 25mm ² - 40mm ² |
| 555.050 | Straight Cover | Negative | Black | 25mm ² - 40mm ² |
| 555.015 | Straight Cover | Positive | Red | 50mm ² - 70mm ² |
| 555.014 | Straight Cover | Negative | Black | 50mm ² - 70mm ² |
| 555.024 | 90° Cover (Left Hand) | Positive | Red | |
| 555.025 | 90° Cover (Right Hand) | Negative | Black | |

BESPOKE MANUFACTURING IS OUR SPECIALITY...

- » Add a connector
- » Wiring looms
- » Control systems
- » Switch panels



www.dun-bri.com





270.073



270.033.



270.035



270.036



271.030



271.032

| SKU | Function | Features | Voltage | Cut-out Hole | Connection |
|---|----------|--------------------------------------|---------|--------------|------------|
| BATTERY ISOLATOR / DISCONNECT SWITCHES | | | | | |
| 270.073 | On/Off | Fixed Handle | 24V | 19.5mm | M10 Studs |
| 270.033. | On/Off | Removable Key & Splash-proof Cover | 12/24V | 24mm | M8 Studs |
| 270.035 | On/Off | Removable Key & Splash-proof Cover | 24V | 24mm | M10 Studs |
| 270.036 | On/Off | Fixed Handle | 12/24V | 30.5mm | M10 Studs |
| 271.030 | On/Off | Removable Key | 12/24V | 24mm | M8 Studs |
| 271.031 | | Spare Removable Key for SKU: 271.030 | | | |
| 271.032 | On/Off | Removable Key & Splash-proof Cover | 12/24V | 24mm | M8 Studs |



| SKU | Terminal Size | Cable Size | Pack Quantity |
|---|---------------|---------------------------------------|---------------|
| UNINSULATED FLARED END COPPER TUBE LUG TERMINALS | | | |
| 551.0606/10 | 6mm | 6mm ² | 10 |
| 551.1006/10 | 6mm | 10mm ² | 10 |
| 551.1008/10 | 8mm | 10mm ² | 10 |
| 551.1010/10 | 10mm | 10mm ² | 10 |
| 551.1606/10 | 6mm | 16mm ² | 10 |
| 551.1608/10 | 8mm | 16mm ² | 10 |
| 551.1610/10 | 10mm | 16mm ² | 10 |
| 551.2506/10 | 6mm | 25mm ² | 10 |
| 551.2508/10 | 8mm | 25mm ² | 10 |
| 551.2510/10 | 10mm | 25mm ² | 10 |
| 551.2512/10 | 12mm | 25mm ² | 10 |
| 551.3506/10 | 6mm | 35mm ² | 10 |
| 551.3508/10 | 8mm | 35mm ² | 10 |
| 551.3510/10 | 10mm | 35mm ² | 10 |
| 551.5006/10 | 6mm | 50mm ² | 10 |
| 551.5008/10 | 8mm | 50mm ² | 10 |
| 551.5010/10 | 10mm | 50mm ² | 10 |
| 551.7008/10 | 6mm | 70mm ² | 10 |
| UNINSULATED FLARED END COPPER TUBE LUG TERMINAL ASSORTED BOX | | | |
| 1023.DB9 | Mixed | 10mm ² - 70mm ² | 78 |

DBG LED STROBES

- » Bracket and surface mount available
- » Various shapes & sizes
- » Sync & alt sync available
- » ECE R65 Class II approved available



See Page 35



When ordering Standard Blade Fuses, add the desired quantity to the suffix of the part number. For example, 205.BF001/25 is a pack of 25.

| SKU | Colour | Amps | Quantity Supplied |
|-----------------------------|--------|------|-------------------|
| STANDARD BLADE FUSES | | | |
| 205.BF001/ | | 1A | 25 100 |
| 205.BF002/ | | 2A | 25 100 |
| 205.BF003/ | | 3A | 25 100 |
| 205.BF004/ | | 4A | 25 100 |
| 205.BF005/ | | 5A | 25 100 |
| 205.BF007.5/ | | 7.5A | 25 100 |
| 205.BF010/ | | 10A | 25 100 |
| 205.BF015/ | | 15A | 25 100 |
| 205.BF020/ | | 20A | 25 100 |
| 205.BF025/ | | 25A | 25 100 |
| 205.BF030/ | | 30A | 25 100 |
| 205.BF040/ | | 40A | 25 100 |



| SKU | Voltage | Amps |
|-----------------------------------|---------|------|
| STANDARD BLADE FUSE DIODES | | |
| 205.D1 | 1000V | 1A |
| 205.D2 | 400V | 2A |
| 205.D3 | 400V | 3A |



220.057 | 220.057A



220.075



220.054/5



220.058/5



220.060/10



220.056/5

| SKU | Amps | Quantity |
|---------------------------------------|--------|-------------|
| STANDARD BLADE FUSE MIXED PACK | | |
| 205.BFMIX | 1A-60A | 60 In Pack |
| 1023.DB2 | 3A-40A | 250 In Pack |

| STANDARD BLADE FUSE HOLDERS | | |
|------------------------------------|--------|----|
| 220.057 | 20A | 1 |
| 220.057A | 30A | 1 |
| 220.075 | 2x 10A | 1 |
| 220.054/5 | 30A | 5 |
| 220.058/5 | 30A | 5 |
| 220.060/10 | 30A | 10 |
| 220.056/5 | | 5 |



AXIAL RAISED MOUNT



AXIAL PANEL MOUNT



LATERAL TERMINALS SURFACE MOUNT



LATERAL SURFACE MOUNT



LATERAL TERMINALS & LEDs SURFACE MOUNT



AXIAL PANEL MOUNT

| SKU | Amps | Terminal Exit | Mounting |
|----------------------------------|--------------------|---|----------|
| STANDARD BLADE FUSE BOXES | | | |
| 290.085 | 4x 40A | Axial (Bottom) | Raised |
| 290.086 | 6x 40A | Axial (Bottom) | Raised |
| 290.087 | 8x 40A | Axial (Bottom) | Panel |
| 290.088 | 4x 40A | Lateral (Side) 6.3mm Terminals | Surface |
| 290.089 | 6x 40A | Lateral (Side) 6.3mm Terminals | Surface |
| 290.090 | 8x 40A | Lateral (Side) 6.3mm Terminals | Surface |
| 290.129 | 6x 40A | Lateral (Side) | Surface |
| 290.130 | 12x 40A | Lateral (Side) | Surface |
| 290.132 | 4x 30A (100A Max) | Lateral (Side) 6.3mm Terminals LEDs | Surface |
| 290.133 | 6x 30A (100A Max) | Lateral (Side) 6.3mm Terminals LEDs | Surface |
| 290.134 | 10x 30A (100A Max) | Lateral (Side) 6.3mm Terminals LEDs | Surface |
| 290.135 | 10x 25A (100A Max) | Axial (Bottom) | Panel |



When ordering Mini Blade Fuses, add the desired quantity to the suffix of the part number. For example, 205.BF001M/25 is a pack of 25.

| SKU | Colour | Amps | Quantity Supplied |
|-------------------------|--------|------|-------------------|
| MINI BLADE FUSES | | | |
| 205.BF001M/ | | 1A | 100 |
| 205.BF002M/ | | 2A | 25 100 |
| 205.BF003M/ | | 3A | 25 100 |
| 205.BF004M/ | | 4A | 25 100 |
| 205.BF005M/ | | 5A | 25 100 |
| 205.BF007.5M/ | | 7.5A | 25 100 |
| 205.BF010M/ | | 10A | 25 100 |
| 205.BF015M/ | | 15A | 25 100 |
| 205.BF020M/ | | 20A | 25 100 |
| 205.BF025M/ | | 25A | 25 100 |
| 205.BF030M/ | | 30A | 25 100 |



MICRO II



220.083



220.084



220.085

| SKU | Colour | Amps | Quantity |
|-----------------------------|--------|-------|------------|
| MICRO II BLADE FUSES | | | |
| 205.BF005U2/25 | | 5A | 25 |
| 205.BF075U2/25 | | 7.5A | 25 |
| 205.BF010U2/25 | | 10A | 25 |
| 205.BF015U2/25 | | 15A | 25 |
| 205.BF020U2/25 | | 20A | 25 |
| 205BFU2MIX | Mixed | 5-30A | 35 In Pack |

MICRO II BLADE FUSE HOLDERS

| SKU | Colour | Amps | Quantity |
|---------|--------|--------|----------|
| 220.083 | N/A | 2x 10A | 1 |
| 220.084 | N/A | 25A | 1 |
| 220.085 | N/A | 33A | 1 |



220.051



220.076



220.079

| SKU | Amps | Quantity |
|-----------------------------------|-------|-------------|
| MINI BLADE FUSE MIXED PACK | | |
| 205.BFMMIX | 2-30A | 50 In Pack |
| 1023.DB3 | 2-30A | 200 In Pack |

MINI BLADE FUSE HOLDERS

| SKU | Amps | Quantity |
|---------|--------|----------|
| 220.051 | 30A | 1 |
| 220.076 | 2x 10A | 1 |
| 220.079 | 4x 10A | 1 |



| SKU | Colour | Amps | Quantity |
|-------------------------|--------|---------|------------|
| MAXI BLADE FUSES | | | |
| 205.20MBF/1 | | 20A | 1 |
| 205.30MBF/1 | | 30A | 1 |
| 205.40MBF/1 | | 40A | 1 |
| 205.50MBF/1 | | 50A | 1 |
| 205.60MBF/1 | | 60A | 1 |
| 205.70MBF/1 | | 70A | 1 |
| 205.80MBF/1 | | 80A | 1 |
| 205.100MBF/1 | | 100A | 1 |
| 205.MAXIIMIX | Mixed | 20-100A | 16 In Pack |
| 1023.DB4 | Mixed | 20-100A | 50 In Pack |



| SKU | Colour | Amps | Quantity |
|------------------------------|--------|-------|------------|
| MICRO III BLADE FUSES | | | |
| 205.BF005U3/25 | | 5A | 25 |
| 205.BFU3MIX | Mixed | 5-15A | 20 In Pack |



MICRO LOW-PROFILE



220.082

| SKU | Colour | Amps | Quantity |
|--------------------------------------|--------|-------|------------|
| MICRO LOW-PROFILE BLADE FUSES | | | |
| 205.BF003MLP/10 | | 3A | 10 |
| 205.BF005MLP/10 | | 5A | 10 |
| 205.BF0075MLP/10 | | 7.5A | 10 |
| 205.BF010MLP/10 | | 10A | 10 |
| 205.BF015MLP/10 | | 15A | 10 |
| 205.BF020MLP/10 | | 20A | 10 |
| 205.BF025MLP/10 | | 25A | 10 |
| 205.BF030MLP/10 | | 30A | 10 |
| 205MLPMIX | Mixed | 5-30A | 35 In Pack |

MICRO LOW-PROFILE BLADE FUSE HOLDER

| SKU | Colour | Amps | Quantity |
|---------|--------|--------|----------|
| 220.082 | N/A | 2x 10A | 1 |



| SKU | Colour | Amps | Quantity |
|------------------------|--------|----------|------------|
| MEGA LINK FUSES | | | |
| 205.80MEGA/1 | | 80A | 1 |
| 205.100MEGA/1 | | 110A | 1 |
| 205.125MEGA/1 | | 125A | 1 |
| 205.150MEGA/1 | | 150A | 1 |
| 205.175MEGA/1 | | 175A | 1 |
| 205.200MEGA/1 | | 200A | 1 |
| 205.225MEGA/1 | | 225A | 1 |
| 205.250MEGA/1 | | 250A | 1 |
| 205.300MEGA/1 | | 300A | 1 |
| 205.350MEGA/1 | | 350A | 1 |
| 205.400MEGA/1 | | 400A | 1 |
| 205.500MEGA/1 | | 500A | 1 |
| 1023.DB15 | Mixed | 100-500A | 20 In Pack |



| SKU | Colour | Amps | Quantity |
|------------------------|--------|---------|------------|
| MIDI LINK FUSES | | | |
| 205.MIDI30/1 | | 30A | 1 |
| 205.MIDI40 | | 40A | 1 |
| 205.MIDI50 | | 50A | 1 |
| 205.MIDI60 | | 60A | 1 |
| 205.MIDI70 | | 70A | 1 |
| 205.MIDI80 | | 80A | 1 |
| 205.MIDI100/1 | | 100A | 1 |
| 205.MIDI125/1 | | 125A | 1 |
| 205.MIDI150/1 | | 150A | 1 |
| 205.MIDI200/1 | | 200A | 1 |
| 1023.DB14 | | 30-125A | 40 In Pack |



| SKU | Colour | Amps | Quantity |
|-------------------------|--------|------|----------|
| STRIP LINK FUSES | | | |
| 205.SL30/1 | | 30A | 1 |
| 205.SL40/1 | | 40A | 1 |
| 205.SL50/1 | | 50A | 1 |
| 205.SL60/1 | | 60A | 1 |
| 205.SL80/1 | | 80A | 1 |
| 205.SL100S/1 | | 100A | 1 |



290.091



290.093.



290.093DH

| SKU | Description |
|-----------------------|--|
| JUNCTION BOXES | |
| 290.091 | Rubbolite M108 8-Way |
| 290.093. | Rubbolite M111 8-Way (Standard Height) |
| 290.093DH | Rubbolite M111 8-Way (Double Height) |



290.119



290.120



290.128

| SKU | Description | Amps | Voltage |
|-----------------|----------------------------------|------|---------|
| BUS BARS | | | |
| 290.119 | 1 Positive Post (M6) | 165A | 48V |
| 290.120 | 1 Negative Post (M6) | 165A | 48V |
| 290.128 | 4 Negative Posts (1x M6 & 3x M8) | 210A | 48V |



220.049



220.050



220.077



220.069



220.069A

| SKU | Fuse Type | Maximum Amps |
|--------------------------|-------------------|-----------------------------------|
| LINK FUSE HOLDERS | | |
| 220.049 | MEGA | 500A |
| 220.050 | MEGA | 500A |
| 220.077 | 1x MEGA / 4x MIDI | MEGA: Not Limited / MIDI: 4x 200A |
| 220.069 | MIDI / STRIP | 200A |
| 220.069A | MIDI / STRIP | 200A |



MINI



MINI WITH FUSE



MINI TWIN



MICRO



MINI HEAVY-DUTY



EXTRA HEAVY-DUTY

| SKU | Description | Voltage | Amps | Type | Connectors |
|----------------------|-------------------------------|---------|------|--------|----------------------------------|
| MAKE OR BRAKE | | | | | |
| 255.100 | Mini (4-Pin) | 12V | 30A | Type B | 6.3mm Terminals |
| 255.101 | Mini (4-Pin) | 24V | 20A | Type B | 6.3mm Terminals |
| 255.106 | Mini (4-Pin) | 12V | 30A | Type A | 6.3mm Terminals |
| 255.100D | Mini (4-Pin) w/ Diode | 12V | 30A | Type B | 6.3mm Terminals |
| 255.102W | Mini (4-Pin) w/ Fuse | 12V | 20A | Type B | 6.3mm Terminals |
| 255.111W | Mini Twin (5-Pin) | 12V | 30A | Type B | 6.3mm Terminals |
| 255.112 | Mini Twin (5-Pin) | 24V | 20A | Type B | 6.3mm Terminals |
| 255.100MD | Micro (4-Pin) w/ Diode | 12V | 25A | | 2x 6.3mm & 2x 4.8mm Terminals |
| 255.101MD | Micro (4-Pin) w/ Diode | 24V | 15A | | 2x 6.3mm & 2x 4.8mm Terminals |
| 255.104 | Mini Heavy-Duty (4-Pin) | 12V | 70A | Type B | 2x 6.3mm & 2x 9.5mm Terminals |
| 255.105 | Mini Heavy-Duty (4-Pin) | 24V | 40A | Type B | 2x 6.3mm & 2x 9.5mm Terminals |
| 255.200/12V | Mini Extra Heavy-Duty (4-Pin) | 12V | 200A | | 2x 6.3mm Terminals & 2x M6 Studs |
| 255.100/24V | Mini Extra Heavy-Duty (4-Pin) | 24V | 100A | | 2x 6.3mm Terminals & 2x M6 Studs |

| SKU | Description | Voltage | Amps | Type | Connectors |
|--------------------|--------------------------|---------|--------|--------|-------------------------------|
| CHANGE-OVER | | | | | |
| 255.108 | Mini (5-Pin) | 12V | 30/40A | Type B | 5x 6.3mm Terminals |
| 255.109 | Mini (5-Pin) | 12V | 20/30A | Type B | 5x 6.3mm Terminals |
| 255.110 | Mini (5-Pin) | 24V | 10/20A | Type B | 5x 6.3mm Terminals |
| 255.113 | Mini (5-Pin) | 12V | 20/30A | Type A | 5x 6.3mm Terminals |
| 255.109R | Mini (5-Pin) w/ Resistor | 12V | 20/30A | Type B | 5x 6.3mm Terminals |
| 255.110R | Mini (5-Pin) w/ Resistor | 24V | 10/20A | Type B | 5x 6.3mm Terminals |
| 255.144 | Mini (5-Pin) w/ Diode | 12V | 30/40A | Type B | 5x 6.3mm Terminals |
| 255.145 | Mini (5-Pin) w/ Diode | 24V | 10/20A | Type B | 5x 6.3mm Terminals |
| 255.109MD | Micro (5-Pin) w/ Diode | 12V | 15/25A | | 2x 6.3mm & 3x 4.8mm Terminals |
| 255.110MD | Micro (5-Pin) w/ Diode | 24V | 10/15A | | 2x 6.3mm & 3x 4.8mm Terminals |

| SKU | Description | Voltage | Amps | Connectors |
|--------------------|-------------------------------------|---------|------|-------------------------------|
| MULTI-TIMER | | | | |
| 255.165 | Mini Adjustable Multi-Timer (5-Pin) | 12V | 10A | 3x 6.3mm & 3x 4.8mm Terminals |

| SKU | Description | Voltage | Watts | Connectors |
|-------------------------|-------------------------------------|---------|----------------|-------------------------------|
| HAZARD / FLASHER | | | | |
| 256.001 | Bulb (2-Pin) | 12V | 4x 21W + 1x 5W | |
| 256.002 | Bulb (3-Pin) | 12V | 4x 21W + 2x 5W | |
| 256.003 | Bulb (3-Pin) w/ Bulb Failure | 12V | 4x 21W + 1x 5W | |
| 256.005 | Bulb (4-Pin) w/ Bulb Failure | 12V | 6x 21W + 2x 5W | |
| 256.008 | Bulb (3-Pin) w/ Bulb Failure | 24V | 4x 21W + 1x 5W | |
| 256.009 | Bulb (4-Pin) w/ Bulb Failure | 24V | 6x 21W + 2x 5W | |
| 256.013 | 4x LED (2-Pin) | 12V | 30W | |
| 256.014 | 4x LED (3-Pin) | 12V | 30W | |
| 255.130 | Mini Holder | | | 5x 6.3mm & 4x 2.8mm |
| 255.130T | Mini Holder w/ Terminals | | | 5x 6.3mm & 4x 2.8mm |
| 255.131 | Heavy-Duty Mini Holder w/ Terminals | | | 4x 2.8mm, 3x 6.3mm & 2x 9.5mm |
| 255.130AT | Micro Holder w/ Terminals | | | 2x 2.8mm, 3x 4.8mm & 2x 6.3mm |



| SKU | Colour | Voltage | Connection | Dimensions |
|---------------------------------------|--------|---------|-----------------|-----------------------|
| 12.5mm PUSH-FIT WARNING LIGHTS | | | | |
| 210.080Y | Amber | 12V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |
| 210.080R | Red | 12V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |
| 210.080G | Green | 12V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |
| 210.081Y | Amber | 24V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |
| 210.081R | Red | 24V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |
| 210.081G | Green | 24V | 6.3mm Terminals | 16mm (dia) x 40mm (l) |



| SKU | Colour | Voltage | Connection | Dimensions |
|---------------------------------------|--------|---------|-----------------|-------------------------|
| 20.2mm PUSH FIT WARNING LIGHTS | | | | |
| 210.082A | Amber | 12/24V | 4.8mm Terminals | 23.3mm (dia) x 16mm (l) |
| 210.082R | Red | 12/24V | 4.8mm Terminals | 23.3mm (dia) x 16mm (l) |
| 210.082G | Green | 12/24V | 4.8mm Terminals | 23.3mm (dia) x 16mm (l) |



| SKU | Colour | Voltage | Connection | Dimensions |
|---------------------------------------|--------|---------|------------|------------------------|
| 7.2mm SCREW-FIT WARNING LIGHTS | | | | |
| 210.083A | Amber | 12V | Fly Lead | 8.5mm (dia) x 28mm (l) |
| 210.083R | Red | 12V | Fly Lead | 8.5mm (dia) x 28mm (l) |
| 210.083G | Green | 12V | Fly Lead | 8.5mm (dia) x 28mm (l) |



| SKU | Colour | Voltage | Connection | Dimensions |
|--|--------|---------|-----------------|-----------------------|
| 17.2mm SCREW-FIT WARNING LIGHTS | | | | |
| 210.084Y | Amber | 12V | 6.3mm Terminals | 24mm (dia) x 35mm (l) |
| 210.084R | Red | 12V | 6.3mm Terminals | 24mm (dia) x 35mm (l) |
| 210.084G | Green | 12V | 6.3mm Terminals | 24mm (dia) x 35mm (l) |



PLUGS



DIN Ø12mm



Cigarette Ø21mm



SURFACE MOUNT



FRONT FIXING



REAR FIXING



USB

| SKU | Description | Type | Voltage | Amps |
|----------------|-------------|--|---------|------|
| PLUGS | | | | |
| 330.497 | Pro-Car | DIN Ø12mm & Cigarette Ø21mm | 12/24V | 8A |
| 330.497E | Pro-Car | DIN Ø12mm & Cigarette Ø21mm | 12/24V | 16A |
| SOCKETS | | | | |
| 330.498 | Pro-Car | DIN Ø12mm Splashproof Cap | 12/24V | 16A |
| 330.676070 | Pro-Car | DIN Ø12mm | 12/24V | 16A |
| 330.498B | Pro-Car | Cigarette Ø21mm Clamp Fit Cap | 12/24V | 20A |
| 330.498F | Pro-Car | Cigarette Ø21mm Screw Fit Cap | 12/24V | 20A |
| 331.1207 | Sutars | Cigarette Ø21mm Surface Mount Cap | 12V | 16A |
| 331.1206 | Sutars | Cigarette Ø21mm Rectangle Front Fixing Cap | 12V | 16A |
| 331.1216 | Sutars | Cigarette Ø21mm Round Front Fixing Cap | 12V | 16A |
| 331.1218 | Sutars | Cigarette Ø21mm Round Rear Fixing Cap | 12V | 16A |
| 331.1824 | Sutars | Cigarette Ø21mm Round Rear Fixing Cap | 24V | 16A |
| USB | | | | |
| 331.6750 | Pro-Car | Single | 5V | 3A |
| 331.7321 | Pro-Car | Double | 5V | 5A |



20mm PUSH-FIT ROCKER (ROUND)



12.5mm METAL TOGGLE



270.158



26mm PUSH BUTTON



26mm IGNITION

| SKU | Function | Features | Voltage | Shape |
|-----------------------------------|--|--|---------|-----------|
| 20mm ROUND PUSH-FIT ROCKER | | | | |
| 270.132 | On/Off | Red LED | 12/24V | Round |
| 270.132Y | On/Off | Amber LED | 12/24V | Round |
| 270.132U | On/Off | Blue LED | 12/24V | Round |
| 270.133 | On/Off | | 12/24V | Round |
| 270.134 | Momentary (On)/Off | | 12/24V | Round |
| 270.135 | On/Off | Amber LED w/ Beacon Legend | 12/24V | Round |
| 270.136 | On/Off | Amber LED w/ Work Light Legend | 12/24V | Round |
| 12.5mm TOGGLE | | | | |
| 270.011 | On/Off | Metal | 12V | Rectangle |
| 270.013 | On/Off | Metal Splash-proof Cover | 12V | Rectangle |
| 270.158 | | Aircraft Style Red Cover for Metal Toggle Switches | | |
| 26mm ROUND PUSH BUTTON | | | | |
| 270.030. | Momentary (On)/Off | | 12V | Round |
| 26mm IGNITION | | | | |
| 270.163 | Park / Off / Ignition / Pre-heat / Start | Removable Key | 12/24V | Round |
| 270.165 | Off/On/Start | Removable Key | 12/24V | Round |



270.042



270.167



270.169



270.168



270.170

| SKU | Function | Features | Voltage |
|------------------------|------------------|-------------------------------|---------|
| DOOR / COURTESY | | | |
| 270.042 | Protrudes On/Off | 11.5mm Self-Adjusting Plunger | 12/24V |
| 270.167 | Protrudes On/Off | 11.5mm Long Plunger (25mm) | 12V |
| 270.169 | | Rubber Cover for SKU: 270.167 | |
| 270.168 | Protrudes On/Off | 12.5mm Rubber Gasket | 12V |
| 270.170 | Protrudes On/Off | 10.5mm Cut-to-Length Plunger | 12V |

DBG LED BEACONS

- » Amber and green lenses
- » Multi-voltage
- » Various mountings available
- » ECE R65 approved available



See Page 34



100.207



100.382



100.380



100.149



100.241



100.248



100.581A



100.448



100.453



100.472



100.499



100.466



100.460



100.475



100.499A



100.H11A



100.239



100.501



100.507



100.TEP07

All bulbs listed are E Marked approved

| SKU | British Standard | Type | Base | Voltage | Watts | Pack Quantity |
|------------------|------------------|---------------|---------------------|---------|--------|---------------|
| BAYONET | | | | | | |
| 100.207 | 207 | R5W | BA15s | 12V | 5W | 10 |
| 100.382 | 382 | P21W | BA15s | 12V | 21W | 10 |
| 100.380 | 380 | P21/5W | BAY15d (Offset-Pin) | 12V | 21/5W | 10 |
| 100.149 | 149 | R5W | BA15s | 24V | 5W | 10 |
| 100.241 | 241 | P21W | BA15s | 24V | 21W | 10 |
| 100.248 | 248 | R5W | BA15s | 24V | 5W | 10 |
| 100.581A | 581A | PY21W (Amber) | BAU15s (Offset-Pin) | 24V | 21W | 10 |
| HEADLIGHT | | | | | | |
| 100.448 | 448 | H1 | P14.5s | 12V | 55W | 1 |
| 100.453 | 453 | H3 | PK22a | 12V | 55W | 1 |
| 100.472 | 472 | H4 | P43t | 12V | 60/55W | 1 |
| 100.499 | 499 | H7 | PX26d | 12V | 55W | 1 |
| 100.466 | 466 | H1 | P14.5s | 24V | 70W | 1 |
| 100.460 | 460 | H3 | PK22a | 24V | 70W | 1 |
| 100.475 | 475 | H4 | P43t | 24V | 75/70W | 1 |
| 100.499A | 499A | H7 | PX26d | 24V | 70W | 1 |
| 100.H11A | PH11A | H11A | PGJ19-2 | 24V | 70W | 1 |
| FESTOON | | | | | | |
| 100.239 | 239 | C5W | SV8.5 | 12V | 5W | 10 |
| WEDGE | | | | | | |
| 100.501 | 501 | W5W | W2.1x9.5d | 12V | 5W | 10 |
| 100.507 | 507 | W5W | W2.1x9.5d | 24V | 5W | 10 |

| SKU | Kit Contains | Type | Voltage | Pack Quantity |
|---------------------------|--|------|---------|---------------|
| EMERGENCY BULB KIT | | | | |
| 100.TEP07 | Bulbs: 1x Headlight, 4x Side, 1x Stop/Tail, 1x Interior, 1x Indicator Standard Blade Fuses: 5A, 7.5A, 10A, 15A, 20A | H7 | 12V | 1 |



1035.001



1035.011



1035.VENT2

| SKU | Description | Voltage | Airflow | Dimensions | Approvals |
|-----------------|--|---------|----------|------------------------|-----------|
| AIR FANS | | | | | |
| 1035.001 | Comex Ventfan Extractor Fan | 12V | 1530m³/h | 299mm (dia) x 57mm (h) | ECE R10 |
| 1035.011 | Comex Ventfan Extractor Fan | 24V | 1530m³/h | 299mm (dia) x 57mm (h) | ECE R10 |
| 1035.VENT2 | Comex Ventfan Extractor Fan w/ Shroud & Dome | 12V | 1530m³/h | 320mm (dia) x 60mm (h) | ECE R10 |



1035.003



1035.005



1035.006



1035.007



1035.008

| SKU | Description | Dimensions |
|--------------------------------------|---|----------------------------------|
| AIR FAN INDIVIDUAL COMPONENTS | | |
| 1035.003 | Comex Ventfan Internal Jet Vent Cover | 308mm (dia) x 25mm (h) |
| 1035.005 | Comex Ventfan Internal Finishing Shroud | 300mm (dia) x 40mm (h) |
| 1035.006 | Comex Ventfan Internal Finishing Shroud | 300mm (dia) x 60mm (h) |
| 1035.007 | Comex Ventfan External Mushroom Dome | 320mm (dia) x 41mm (h) |
| 1035.008 | Comex Ventfan External Speed Vent Dome | 362mm (l) x 316mm (w) x 51mm (d) |



HANDEMAN ORIGINAL




HANDEMAN XTRA




| SKU | Description | Voltage | Voltage Sensitive | Water Tank Size | Dimensions |
|---------------------------|------------------------|---------|-------------------|-----------------|-----------------------------------|
| HAND WASH STATIONS | | | | | |
| 876.HANDEMAN12V | HM12 Handeman Original | 12V | | 2.5 Litres | 300mm (w) x 312mm (h) x 175mm (d) |
| 876.HANDEMAN24V | HM24 Handeman Original | 24V | | 2.5 Litres | 300mm (w) x 312mm (h) x 175mm (d) |
| 876.HMX12 | HMX12 Handeman Xtra | 12V | ✓ | 3.3 Litres | 310mm (w) x 370mm (h) x 220mm (d) |
| 876.HMX24 | HMX24 Handeman Xtra | 24V | ✓ | 3.3 Litres | 310mm (w) x 370mm (h) x 220mm (d) |




| SKU | Voltage | Note |
|-------------------|---------|-------------------|
| DISC HORNS | | |
| 830.045 | 12V | High Tone (435Hz) |
| 830.046 | 12V | Low Tone (335Hz) |
| 830.047 | 24V | High Tone (435Hz) |
| 830.048 | 24V | Low Tone (335Hz) |



253.1000



253.2000



253.3000



Our range of cutting-edge inverters are the pinnacle of power technology for today's modern world. Unlock a new realm of energy connectivity designed to elevate your user experience when using electrical devices on the go. Combining innovation & reliability in one sleek package - don't miss your chance to experience seamless power conversion like never before.

- » Seamless smartphone connectivity
- » Smart display with microcontroller integrated
- » Quick Charge 3.0 USB
- » Energy saving mode & intelligent fan control
- » Input & output fully isolated
- » Intelligent PWM output regulation
- » Multiple pre-alarm & shutdown alarm protections
- » Supplied with red & black starter cables

APPLICATIONS: Mobile phones, tablets, computers, cameras, drones, coffee machines, microwaves, refrigerators, drills, vacuum cleaners, chainsaws, lawnmowers, pumps, and more. (Compatibility may vary depending on wattage).



Bluetooth compatible

| SKU | 253.1000 | 253.2000 | 253.3000 |
|------------------|--|----------------------------------|-----------------------------------|
| Continuous Power | 1000W | 2000W | 3000W |
| Surge Power | 2000W | 4000W | 6000W |
| Input Voltage | 12V DC (10 ~ 15V) | | |
| Output Voltage | 220V / 230V / 240V AC | | |
| Output USB Port | 2x USB 3.0 (Quick Charge) | | |
| Standby Current | < 1.0A | < 2.0A | < 2.5A |
| Output Frequency | 50Hz / 60Hz | | |
| Efficiency | > 85% | | |
| Low Voltage | < 10.5V (Pre-alarm) / < 10V (Shutdown) | | |
| Power Overload | > 80% ~ 110% (Pre-alarm) / > 90% ~ 120% (Shutdown) | | |
| Overheating | > 70°C ~ 90°C (Pre-alarm) / > 75°C ~ 95°C (Shutdown) | | |
| Dimensions | 360mm (l) x 227mm (w) x 88mm (h) | 430mm (l) x 227mm (w) x 88mm (h) | 430mm (l) x 200mm (w) x 157mm (h) |

CABLE

- » Single core thinwall
- » 2 core flat thinwall
- » Multiple core thinwall
- » Battery, speaker & more



See Page 04 - 05




DBG 7" AHD Camera Monitor Kit

This 7" AHD Camera Monitor Kit gives you clear imagery with a high-definition camera to enhance your safety and maintain a watchful eye on your surroundings. Expandable up to 3 cameras with triggers on all inputs.



| SKU | Kit Contains |
|------------|--|
| 708.207AHD | CCTV KITS 708.207MAHD - 7" TFT AHD Monitor (3CH) 708.084AHD - AHD 1080p Rear Camera 708.022AHD - 20m Cable |



MONITORS

| | |
|----------------------------|-----------------------------|
| SKU | 708.207MAHD |
| Size | 7 Inch |
| Aspect Ratio | 16:9 |
| Inputs / Triggers | 3 / 3 |
| System | PAL / NTSC (Auto-Switching) |
| Camera Input Resolution | 1080p |
| View | Mirror / Normal |
| Trigger Delays | Yes |
| Viewing Angle | H: 85° / V: 85° |
| Day / Night Sensor | Yes (Auto) |
| On Screen Distance Markers | Yes |
| Supplied With | Speaker & Remote Control |



708.043AHD



708.044AHD



708.084AHD

CAMERAS

| SKU | 708.043AHD | 708.044AHD | 708.084AHD |
|---------------|---------------------------|---------------------------|--------------------------|
| Description | Front Facing | Side Facing | Rear Facing |
| Voltage | 12V | 12V | 12V |
| Sensor | 1/3" CMOS | 1/3" CMOS | 1/3" CMOS |
| System | PAL | PAL | PAL |
| Resolution | AHD 1080p | AHD 1080p | AHD 1080p |
| Night Vision | Yes (9 IR Lamps) | Yes (7 IR Lamps) | Yes (20 IR Lamps) |
| Field of View | 133° (d) 106° (h) 76° (v) | 133° (d) 106° (h) 76° (v) | 120° (d) 95° (h) 70° (v) |
| Colour | Yes | Yes | Yes |
| Audio | No | Yes | No |
| Approvals | EMC R10 / IP69K | EMC R10 / IP69K | EMC R10 / IP69K |

EXTENSION CABLES



| SKU | 708.020AHD | 708.021AHD | 708.022AHD |
|------------|------------|------------|------------|
| Length | 5m | 10m | 20m |
| Connection | 4-Pin | 4-Pin | 4-Pin |



700.BA57



ECCO 500 SERIES



257.008

"Shhh!
Stand well
clear, vehicle
reversing..."



700.BA32NS

| SKU | Description | Features | Voltage | dB(A) |
|----------------------|-----------------------------|------------------------------|---------|------------|
| TONAL REVERSE | | | | |
| 700.BA57 | Brigade BBS-TEK (BA-57) | | 12/24V | 90 dB(A) |
| 702.520 | ECCO 500 Series (520-001) | | 12/24V | 97 dB(A) |
| 257.008 | DBG Approved | Night Silent (Double Engage) | 12/24V | 97-0 dB(A) |
| 700.BA32NS | Brigade BBS-TEK (BA-32(NS)) | Night Silent (Double Engage) | 12/24V | 90-0 dB(A) |
| 702.515004 | ECCO 500 Series (515-004) | Night Silent (Double Engage) | 12/24V | 90-0 dB(A) |



SPEAKING



MULTI-FREQUENCY




CONTINUOUS BEEP

| SKU | Description | Features | Voltage | dB(A) |
|--------------------------------|--------------------------|------------------------|---------|----------|
| SPEAKING | | | | |
| 700.BC01 | Brigade Backchat (BC-01) | Spoken Words (Reverse) | 12/24V | 90 dB(A) |
| MULTI-FREQUENCY REVERSE | | | | |
| 700.BBS82 | Brigade BBS-TEK (BBS-82) | | 12/24V | 82 dB(A) |
| 700.BBS87 | Brigade BBS-TEK (BBS-87) | | 12/24V | 87 dB(A) |
| 700.BBS92 | Brigade BBS-TEK (BBS-92) | | 12/24V | 92 dB(A) |
| 700.BBS97 | Brigade BBS-TEK (BBS-97) | | 12/24V | 97 dB(A) |
| CONTINUOUS BEEP | | | | |
| 700.56212 | Mini Piezo | | 12V | 85 dB(A) |
| 700.56224 | Mini Piezo | | 24V | 85 dB(A) |

ARE YOU READY FOR DVS (PSS)?

- » From 28 October 2024, the HGV permit rules are changing for Greater London
- » Contact us for more information on our Progressive Safe System solutions



www.dun-bri.com





711.041



711.030



711.031



711.038



711.033



711.034



711.034M



711.032



711.035



711.036



711.039



711.040



711.045



711.046



711.014



711.015



711.037



711.044



711.042



711.043



SCENE LIGHTS

| SKU | LEDs | Lumens | Connection | Voltage | Approvals | Dimensions |
|-------------------------------------|------|--------|----------------|---------|-----------------------|----------------------------------|
| STANDARD LED WORK LIGHTS | | | | | | |
| 711.041 | 16 | 1370 | Fly Lead | 12/24V | ECE R10, IP69K | 115mm (w) x 115mm (h) x 28mm (d) |
| 711.030 | 8 | 1920 | Fly Lead | 12/24V | ECE R10, IP68 | 109mm (l) x 109mm (h) x 48mm (d) |
| 711.031 | 8 | 1920 | Fly Lead | 12/24V | ECE R10, IP68 | 116mm (dia) x 138mm (h) |
| 711.038 | 8 | 1920 | Fly Lead | 12/24V | ECE R10, IP68 | 140mm (w) x 96mm (h) x 60mm (d) |
| HONEYCOMB LED WORK LIGHTS | | | | | | |
| 711.033 | 24 | 1920 | Fly Lead | 12/24V | ECE R10, IP68 | 114mm (dia) x 39mm (d) |
| 711.034 | 24 | 1920 | Fly Lead | 12/24V | ECE R10, IP68 | 114mm (dia) x 39mm (d) |
| 711.034M | 24 | 1920 | Cigarette Plug | 12/24V | ECE R10, IP68 | 114mm (dia) x 39mm (d) |
| 711.032 | 30 | 2400 | Fly Lead | 12/24V | ECE R10, IP68 | 111mm (l) x 111mm (h) x 35mm (d) |
| 711.035 | 12 | 960 | Fly Lead | 12/24V | ECE R10, IP68 | 78mm (dia) x 30mm (d) |
| 711.036 | 12 | 960 | Fly Lead | 12/24V | ECE R10, IP68 | 76mm (w) x 76mm (h) x 25mm (d) |
| HIGH-POWERED LED WORK LIGHTS | | | | | | |
| 711.039 | 6 | 2700 | Fly Lead | 12/24V | ECE R10, IP68 | 101mm (l) x 101mm (h) x 76mm (d) |
| 711.040 | 16 | 3840 | Fly Lead | 12/24V | ECE R10, IP68 | 101mm (w) x 101mm (h) x 76mm (d) |
| 711.045 | 8 | 6400 | Deutsch | 12/24V | ECE R10, IP68 | 135mm (l) x 97mm (h) x 83mm (d) |
| 711.046 | 12 | 10,200 | Deutsch | 12/24V | ECE R10, IP69K | 147mm (l) x 119mm (h) x 88mm (d) |
| COMPACT LED WORK LIGHTS | | | | | | |
| 711.014 | 4 | 800 | Fly Lead | 12/24V | ECE R10, IP67, ECE 23 | 72mm (l) x 64mm (h) x 38mm (d) |
| 711.015 | 4 | 840 | Fly Lead | 12/24V | ECE R10, IP68 | 82mm (dia) x 71mm (d) |
| 711.037 | 6 | 2400 | Fly Lead | 12/24V | ECE R10, IP68 | 150mm (l) x 45mm (h) x 56mm (d) |
| 711.044 | 2 | 900 | Fly Lead | 12/60V | ECE R10, IP68 | 98mm (w) x 63mm (h) x 75mm (d) |
| 711.042 | 1 | 900 | Fly Lead | 12/24V | ECE R10, IP68 | 57mm (dia) x 65mm (h) |
| 711.043 | 1 | 900 | Fly Lead | 12/24V | ECE R10, IP68 | 51mm (w) x 51mm (h) x 61mm (d) |

| SKU | LEDs | Lumens | Housing Colour | Voltage | Approvals | Dimensions |
|--------------------------------|------|--------|----------------|---------|----------------|---------------------------------|
| PULSAR LED SCENE LIGHTS | | | | | | |
| 391.SCL10001 | 24 | 1500 | Black | 12/24V | ECE R10, IP69K | 188mm (l) x 60mm (w) x 30mm (d) |
| 391.SCL10002 | 24 | 1500 | White | 12/24V | ECE R10, IP69K | 188mm (l) x 60mm (w) x 30mm (d) |



| SKU | Description | Lens Colour | Connection | Dimensions |
|---------------------------------------|----------------------------|-------------|------------|-----------------------|
| 95mm LED SIGNAL LAMPS (12/24V) | | | | |
| 386.000 | Stop / Tail | Red | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.000C | Stop / Tail | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.001 | Indicator | Amber | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.001C | Indicator | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.002 | Stop / Tail / Indicator | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.003 | Rear Fog | Red | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.003C | Rear Fog | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.004 | Front Position / Indicator | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 386.005 | Reverse | Clear | Fly Lead | 95mm (dia) x 36mm (d) |
| 320.N677800 | Surface Mount Plinth | | | |
| 320.SL9G | Gasket | | | |



| | | | | |
|--|-------------------------|-------|----------|------------------------|
| 122mm LED SIGNAL LAMPS (12/24V) | | | | |
| 386.100C | Stop / Tail | Clear | Fly Lead | 122mm (dia) x 43mm (d) |
| 386.102C | Stop / Tail / Indicator | Clear | Fly Lead | 122mm (dia) x 43mm (d) |
| 386.103C | Rear Fog | Clear | Fly Lead | 122mm (dia) x 43mm (d) |
| 386.106C | Rear Fog / Reverse | Clear | Fly Lead | 122mm (dia) x 43mm (d) |




| | | | | |
|--|-------------------------|-------------|----------|------------------------|
| 140mm LED SIGNAL LAMPS (12/24V) | | | | |
| 386.300 | Stop / Tail / Indicator | Red / Amber | Fly Lead | 140mm (dia) x 25mm (d) |
| 386.301 | Rear Fog | Red | Fly Lead | 140mm (dia) x 25mm (d) |
| 386.302 | Reverse | Clear | Fly Lead | 140mm (dia) x 25mm (d) |
| 386.303 | Rear Fog / Reverse | Clear | Fly Lead | 140mm (dia) x 25mm (d) |



| | | | | |
|---|-------------------------|-------------|----------|----------------------------------|
| LED AUTOLAMPS 80mm LED SIGNAL LAMPS (12/24V) | | | | |
| 309.80RME | Stop / Tail | Red | Fly Lead | 100mm (l) x 100mm (w) x 28mm (d) |
| 309.80BSTIME | Stop / Tail / Indicator | Amber / Red | Fly Lead | 100mm (l) x 100mm (w) x 28mm (d) |



| | | | | |
|--|-------------|-------|----------|------------------------|
| LED AUTOLAMPS 145mm LED SIGNAL LAMPS (12/24V) | | | | |
| 309.145RME | Stop / Tail | Red | Fly Lead | 145mm (dia) x 23mm (d) |
| 309.145AME | Indicator | Amber | Fly Lead | 145mm (dia) x 23mm (d) |



| | | | | |
|---|------|-----|----------|-----------------------------------|
| WAS 237mm LED SLIMLINE SIGNAL LAMPS (12/24V) | | | | |
| 335.682 | Stop | Red | Fly Lead | 237mm (l) x 20.5mm (w) x 22mm (d) |



| SKU | Description | Voltage | Connection | Dimensions |
|------------------------|-------------------------|---------|------------|--------------------------------|
| LOADING MODULES | | | | |
| 309.LR12 | LED Autolamps LR Series | 12V | Fly Lead | 50mm (l) x 15mm (w) x 15mm (d) |
| 309.LR24 | LED Autolamps LR Series | 24V | Fly Lead | 50mm (l) x 15mm (w) x 15mm (d) |



335.1123DDLPLP



335.1129DD



335.1089



335.1290LP

| SKU | Description | Position | Function | | | | | | | Voltage | Connection |
|-----|-------------|----------|----------|------|-----------|-------------------|-----|---------|-----------|---------|------------|
| | | | Stop | Tail | Indicator | Dynamic Indicator | Fog | Reverse | Reflector | | |

WAS REAR COMBINATION LIGHTS

| | | | | | | | | | | | |
|----------------|------------|--------------|---|---|---|---|---|---|---|--------|----------|
| 335.1123DDLPLP | WAS W150DD | Left / Right | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | 12/24V | Fly Lead |
| 335.1129DD | WAS W153DD | Left / Right | ✓ | ✓ | | ✓ | | | | 12/24V | Fly Lead |
| 335.1089 | WAS W145 | Left / Right | ✓ | ✓ | ✓ | | | | | 12/24V | Fly Lead |
| 335.1290LP | WAS W185 | Left / Right | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | 12/24V | Fly Lead |



334.100



309.41BLM



320.NPL2BLEDD



335.244

| SKU | Description | Voltage | Connection | Dimensions |
|-----|-------------|---------|------------|------------|
|-----|-------------|---------|------------|------------|

LED NUMBER PLATE LIGHTS


| | | | | |
|---------------|-------------------------|--------|----------|----------------------------------|
| 334.100 | DBG Valueline | 12/24V | Fly Lead | 72mm (l) x 45mm (h) x 41mm (d) |
| 309.41BLM | LED Autolamps 41 Series | 12/24V | Fly Lead | 70mm (l) x 40mm (w) x 42mm (d) |
| 320.NPL2BLEDD | LITE-wire NPL Series | 12/24V | Fly Lead | 105mm (l) x 48mm (w) x 38mm (d) |
| 335.244 | WAS W52 | 12/24V | Fly Lead | 82.5mm (l) x 31mm (w) x 39mm (d) |




ROUND
SELF-ADHESIVE



ROUND
SCREW-IN



RECTANGLE
SELF-ADHESIVE



RECTANGLE
SCREW-IN

| SKU | Function | Shape | Mounting | Dimensions | Pack Quantity |
|-----|----------|-------|----------|------------|---------------|
|-----|----------|-------|----------|------------|---------------|

REFLECTORS

| | | | | | |
|----------|---------------|-----------|---------------|--------------------------------|----|
| 350.716A | Side (Amber) | Round | Self-Adhesive | 61mm (dia) x 6mm (d) | 10 |
| 350.717A | Rear (Red) | Round | Self-Adhesive | 61mm (dia) x 6mm (d) | 10 |
| 350.718 | Front (White) | Round | Screw-In | 61mm (dia) x 6mm (d) | 10 |
| 350.716 | Side (Amber) | Round | Screw-In | 61mm (dia) x 6mm (d) | 10 |
| 350.717 | Rear (Red) | Round | Screw-In | 61mm (dia) x 6mm (d) | 10 |
| 350.714 | Rear (Red) | Rectangle | Self-Adhesive | 96mm (l) x 42mm (h) x 6mm (d) | 10 |
| 350.720 | Rear (Red) | Rectangle | Screw-In | 103mm (l) x 48mm (h) x 7mm (d) | 1 |



Non-Switched

Switched

PIR Sensor

220mm | 347mm | 575mm

| SKU | Features | Lumens | Voltage | Connection | Dimensions |
|-------------------------|--------------|--------|---------|------------|---------------------------------|
| LED STRIP LIGHTS | | | | | |
| 391.ICL700VV | Non-Switched | 300lm | 12/24V | Fly Lead | 220mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL500VV | Non-Switched | 500lm | 12/24V | Fly Lead | 347mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL501VV | Switched | 500lm | 12/24V | Fly Lead | 347mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL502VV | PIR Sensor | 500lm | 12/24V | Fly Lead | 347mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL503VV | Non-Switched | 1000lm | 12/24V | Fly Lead | 575mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL504VV | Switched | 1000lm | 12/24V | Fly Lead | 575mm (l) x 33mm (w) x 15mm (d) |
| 391.ISL505VV | PIR Sensor | 1000lm | 12/24V | Fly Lead | 575mm (l) x 33mm (w) x 15mm (d) |



Non-Switched

PIR Sensor

PEGASUS (150mm)

PEGASUS (300mm)


| SKU | Features | Lumens | Voltage | Material | Connection | Dimensions |
|---------------------------------|--------------|--------|---------|---------------|------------|----------------------------------|
| PEGASUS LED PANEL LIGHTS | | | | | | |
| 391.MTL100VVW | Non-Switched | 750lm | 12/24V | Aluminium | Fly Lead | 150mm (l) x 100mm (w) x 15mm (d) |
| 391.MTL200VVW | Non-Switched | 1500lm | 12/24V | Aluminium | Fly Lead | 300mm (l) x 100mm (w) x 20mm (d) |
| 391.MTL201VVW | PIR Sensor | 1500lm | 12/24V | Aluminium | Fly Lead | 300mm (l) x 100mm (w) x 20mm (d) |
| 391.ITL200VV | Non-Switched | 1500lm | 12/24V | Polycarbonate | Fly Lead | 300mm (l) x 100mm (w) x 15mm (d) |
| 391.ITL201VV | PIR Sensor | 1500lm | 12/24V | Polycarbonate | Fly Lead | 300mm (l) x 100mm (w) x 15mm (d) |

TERMINALS & CONNECTORS

- » Automotive connectors
- » Insulated & uninsulated
- » Copper tube
- » Strip connectors & more



See Page 10 - 15



613mm / 24"
766mm / 30"
1070mm / 42"
1223mm / 48"
1528mm / 60"

The DBG Raider R65 LED Lightbar has been designed to meet the needs of any application in the most extreme conditions. Features include adjustable feet to suit any vehicle, and quick change LED modules for minimal downtime.

- » 14 flash patterns
- » Xmm (l) x 218mm (w) x 80.7mm (h)
- » ECE R10, ECE R65 (Class 2), CISPR25 (Class 3)

| SKU | Length | LED Colour | No. of LEDs | Voltage | Fitting |
|-----------------------------|--------------|------------|-------------|---------|---------|
| RAIDER LED LIGHTBARS | | | | | |
| 308.R24CR65 | 613mm / 24" | Amber | 108 | 12/24V | 4 Bolt |
| 308.R30CR65 | 766mm / 30" | Amber | 132 | 12/24V | 4 Bolt |
| 308.R42CR65 | 1070mm / 42" | Amber | 180 | 12/24V | 4 Bolt |
| 308.R48CR65 | 1223mm / 48" | Amber | 204 | 12/24V | 4 Bolt |
| 308.R60CR65 | 1528mm / 60" | Amber | 252 | 12/24V | 4 Bolt |



The DBG Raider R65 LED Mini Lightbar is a powerful and versatile lighting solution designed to enhance visibility and safety with a sleek and aerodynamic design, and energy-efficient LED technology.

- » 10 flash patterns
- » ECE R10, ECE R65

| SKU | LED Colour | No. of LEDs | Voltage | Fitting | Dimensions |
|----------------------------------|------------|-------------|---------|---------|------------------------------|
| RAIDER LED MINI LIGHTBARS | | | | | |
| 308.R15CR65 | Amber | 68 | 12/24V | 4 Bolt | 381mm (l) x 218mm (w) x 64mm |



MB11
3 FLASH PATTERNS | ECE R10, ECE R65



MB12
10 FLASH PATTERNS | ECE R10, ECE R65

| SKU | LED Colour | No. of LEDs | Voltage | Fitting | Dimensions |
|--------------------------------|------------|-------------|---------|-------------|----------------------------------|
| MB11 LED MINI LIGHTBARS | | | | | |
| 308.MB11CR65 | Amber | 2x 45 LEDs | 12/24V | Single Bolt | 280mm (l) x 155mm (w) x 55mm (h) |
| MB12 LED MINI LIGHTBARS | | | | | |
| 308.MB12CR65 | Amber | 20 | 12/24V | Single Bolt | 297mm (l) x 175mm (w) x 53mm (h) |
| 308.MB12CR65MAG | Amber | 20 | 12/24V | Mag Mount | 297mm (l) x 175mm (w) x 53mm (h) |

DUN-BRI FIT

- » Over 75 experienced fitters
- » Discounts for multiple fits
- » We cover the UK excluding N. Ireland
- » Get in contact to book a slot



www.dun-bri.com



SLIMLINE (AMBER)



SLIMLINE (GREEN)

| SKU | Lens Colour | Mounting | Voltage | Approvals | Dimensions |
|-----------------------------|-------------|-------------------|---------|-------------------|-------------------------|
| SLIMLINE LED BEACONS | | | | | |
| 311.023/LED | Amber | Single Bolt | 12/24V | ECE R65 / ECE R10 | 150mm (dia) x 63mm (h) |
| 311.020/LED | Amber | Three Bolt | 12/24V | ECE R65 / ECE R10 | 150mm (dia) x 63mm (h) |
| 311.024/LED | Amber | Flexible DIN Pole | 12/24V | ECE R65 / ECE R10 | 150mm (dia) x 154mm (h) |
| 311.019/LED | Amber | Magnetic Mount | 12/24V | ECE R65 / ECE R10 | 150mm (dia) x 73mm (h) |
| 311.023/LEDG | Green | Single Bolt | 12/24V | ECE R10 | 150mm (dia) x 63mm (h) |
| 311.020/LEDG | Green | Three Bolt | 12/24V | ECE R10 | 150mm (dia) x 63mm (h) |
| 311.024/LEDG | Green | Flexible DIN Pole | 12/24V | ECE R10 | 150mm (dia) x 154mm (h) |
| 311.019/LEDG | Green | Magnetic Mount | 12/24V | ECE R10 | 150mm (dia) x 73mm (h) |



VALUELINE (AMBER)



VALUELINE (GREEN)

| SKU | Lens Colour | Mounting | Voltage | Approvals | Dimensions |
|------------------------------|-------------|----------------|---------|-----------|-------------------------|
| VALUELINE LED BEACONS | | | | | |
| 311.009/LED | Amber | Single Bolt | 12/24V | ECE R10 | 128mm (dia) x 170mm (h) |
| 311.010/LED | Amber | Three Bolt | 12/24V | ECE R10 | 140mm (dia) x 170mm (h) |
| 311.011/LED | Amber | DIN Pole | 12/24V | ECE R10 | 128mm (dia) x 190mm (h) |
| 311.012/LED | Amber | Flexi DIN Pole | 12/24V | ECE R10 | 128mm (dia) x 250mm (h) |
| 311.008/LED | Amber | Magnetic Mount | 12/24V | ECE R10 | 140mm (dia) x 170mm (h) |
| 311.009/LEDG | Green | Single Bolt | 12/24V | ECE R10 | 128mm (dia) x 170mm (h) |
| 311.010/LEDG | Green | Three Bolt | 12/24V | ECE R10 | 140mm (dia) x 170mm (h) |
| 311.012/LEDG | Green | Flexi DIN Pole | 12/24V | ECE R10 | 128mm (dia) x 250mm (h) |
| 311.008/LEDG | Green | Magnetic Mount | 12/24V | ECE R10 | 140mm (dia) x 170mm (h) |

CABLE MANAGEMENT

- » Flexible conduit
- » Cable ties
- » Tape
- » Heat shrink & more

See Page 06 - 08



M33 SERIES



M34 SERIES



M35 SERIES



M37 SERIES



M38 SERIES



CYLON



H3 SERIES



LPR SERIES

| SKU | LED Colour | LEDs | Synchronisation | Approvals | Dimensions |
|--|------------|------|-----------------|---|---------------------------------|
| M33 LED STROBE 12/24V IP67 | | | | | |
| 308.033 | Amber | 6 | Sync & Alt Sync | ECE R65 (Class I) / ECE R10 | 142mm (l) x 30mm (h) x 35mm (d) |
| M34 LED STROBE 12/24V IP69K | | | | | |
| 308.032 | Amber | 12 | Sync & Alt Sync | ECE R65 (Class I) / ECE R10 | 74mm (w) x 74mm (h) x 38mm (d) |
| M35 LED STROBES 12/24V IP69K | | | | | |
| 308.HPF306VV | Amber | 6 | Sync & Alt Sync | ECE R65 (Class I) / ECE R10 | 100mm (l) x 28mm (h) x 12mm (d) |
| 308.HPF307VV | Amber | 6 | Sync & Alt Sync | ECE R65 (Class II) / ECE R10 | 100mm (l) x 28mm (h) x 12mm (d) |
| M37 LED STROBES 12/24V IP67 | | | | | |
| 308.HPF303VV | Amber | 3 | Sync | ECE R65 (Class I) / ECE R10 | 82mm (l) x 30mm (h) x 14mm (d) |
| 308.HPF304VV | Amber | 4 | Sync | ECE R65 (Class I) / ECE R10 | 98mm (l) x 30mm (h) x 14mm (d) |
| 308.HPF305VV | Amber | 6 | Sync | ECE R65 (Class I) / ECE R10 | 130mm (l) x 30mm (h) x 14mm (d) |
| M38 LED STROBES 12/24V IP69K | | | | | |
| 308.HPF310VV | Amber | 3 | Sync & Alt Sync | ECE R65 (Class I) / ECE R10 | 82mm (l) x 30mm (h) x 11mm (d) |
| 308.HPF308VV | Amber | 6 | Sync & Alt Sync | ECE R65 (Class II) / ECE R10 | 130mm (l) x 30mm (h) x 11mm (d) |
| 308.HPF309VV | Amber | 12 | Sync & Alt Sync | ECE R65 (Class II) / ECE R10 | 130mm (l) x 40mm (h) x 11mm (d) |
| CYLON LED CORNER STROBES 12/24V IP67 | | | | | |
| 308.017 | Amber | 6 | Sync & Alt Sync | ECE R65 (Class I) / ECE R10 / CISPR CLASS 3 | 177mm (l) x 40mm (h) x 50mm (d) |
| 911 SIGNAL H3 LED STROBES 12/24V IP68 | | | | | |
| 308.008 | Amber | 3 | Sync | ECE R10 | 98mm (l) x 26mm (h) x 38mm (d) |
| LED AUTOLAMPS LPR LED STROBES 12/24V IP67 | | | | | |
| 309.LPR104DVW | White | 4 | Sync | ECE R10 | 131mm (l) x 30mm (h) x 7mm (d) |
| 309.LPR104DVR | Red | 4 | Sync | ECE R10 | 131mm (l) x 30mm (h) x 7mm (d) |

BLOG & KNOWLEDGEBASE

- » Easily digestible technical knowledge
- » Product guides & tips
- » Regulatory information
- » Simple menu system

www.dun-bri.com/blog



35 Series



44 Series



58 Series



129 Series



181 Series



1490/1491 Series



EU38 Series



M11 Series



M50 Series



M60 Series



M70 Series



M594 Series



M850/M851 Series



M876 Series



M890/M891 Series

| SKU | Description | Reflector | Mounting | Connection | Dimensions |
|-------------------------|---------------------------|-----------|-------------------------|------------------|---------------------------------|
| LED SIDE MARKERS | | | | | |
| 309.44AME | LED Autolamps 44 | ✓ | Surface | Fly Lead | 100mm (l) x 44mm (w) x 12mm (d) |
| 309.58AME1 | LED Autolamps 58 | | Surface | Fly Lead | 58mm (l) x 35mm (w) x 19mm (d) |
| 309.129AM | LED Autolamps 129 | ✓ | Surface | Fly Lead | 129mm (l) x 32mm (w) x 13mm (d) |
| 309.1490AM | LED Autolamps 1490 | ✓ | Surface | Fly Lead | 110mm (l) x 40mm (w) x 25mm (d) |
| 309.1491AM | LED Autolamps 1491 | ✓ | Surface / Bracket | Fly Lead | 110mm (l) x 47mm (w) x 65mm (d) |
| 309.EU38AM | LED Autolamps EU38 | ✓ | Surface / Self-Adhesive | Fly Lead | 100mm (l) x 38mm (w) x 13mm (d) |
| 320.SM11 | LITE-wire/Perei M11 (24V) | ✓ | Surface | Superseal | 100mm (l) x 51mm (w) |
| 320.SM50FL | LITE-wire/Perei M50 | ✓ | Surface / Bracket | Fly Lead | 123mm (l) x 45mm (w) x 17mm (d) |
| 320.SM50FLHB/1 | LITE-wire/Perei M50 | ✓ | Bracket | Fly Lead | 123mm (l) x 86mm (w) x 25mm (d) |
| 320.SM50HB | LITE-wire/Perei M50 | ✓ | Bracket | Superseal | 123mm (l) x 86mm (w) x 25mm (d) |
| 320.SM70SS/1 | LITE-wire/Perei M70 (24V) | ✓ | Surface | 2x Superseal | 150mm (l) x 45mm (w) x 39mm (d) |
| 360.5940112 | Rubbolite M594 (24V) | ✓ | Surface | Econo + Fly Lead | 120mm (l) x 45mm (w) |
| 360.5940154 | Rubbolite M594 (24V) | ✓ | Surface | Econoseal | 120mm (l) x 45mm (w) |
| 360.8900304 | Rubbolite M890 | ✓ | Surface | Superseal | 124mm (l) x 38mm (w) x 15mm (d) |
| 360.8902308 | Rubbolite M890 | ✓ | Surface / Bracket | Superseal | 123mm (l) x 77mm (w) x 40mm (d) |
| 360.8910304 | Rubbolite M891 | ✓ | Surface | Fly Lead | 124mm (l) x 38mm (w) x 15mm (d) |
| 335.101P | WAS W17D | ✓ | Surface | Fly Lead | 116mm (l) x 46mm (w) x 21mm (d) |
| 335.217P | WAS W44 | ✓ | Surface | Fly Lead | 98mm (l) x 31mm (w) x 25mm (d) |
| 335.217Z | WAS W44 | ✓ | Surface / Bracket | Fly Lead | 98mm (l) x 58mm (w) x 25mm (d) |
| 335.223 | WAS W46 | ✓ | Surface | Fly Lead | 110mm (l) x 50mm (w) x 23mm (d) |
| 335.223Z | WAS W46 | ✓ | Surface / Bracket | Fly Lead | 110mm (l) x 75mm (w) x 23mm (d) |
| 335.534 | WAS W47WW | ✓ | Surface | Fly Lead | 114mm (l) x 40mm (w) x 25mm (d) |
| 335.308P | WAS W65 | ✓ | Surface | Fly Lead | 102mm (l) x 46mm (w) x 12mm (d) |
| 335.308Z | WAS W65 | ✓ | Surface / Bracket | Fly Lead | 102mm (l) x 68mm (w) x 34mm (d) |
| 335.670 | WAS W80 | | Recessed | Fly Lead | 29mm (dia) x 9.4mm (d) |
| 335.714 | WAS W97.3 | | Surface | Fly Lead | 84mm (l) x 24mm (w) x 10mm (d) |
| 335.1134 | WAS W157 | ✓ | Surface / Bracket | Fly Lead | 114mm (l) x 54mm (w) x 22mm (d) |
| 335.1138 | WAS W158 | ✓ | Surface / Bracket | Fly Lead | 114mm (l) x 54mm (w) x 22mm (d) |
| 335.1223 | WAS W175 | ✓ | Surface / Bracket | Fly Lead | 115mm (l) x 41mm (w) x 20mm (d) |

LED SIDE MARKERS WITH CAT5 INDICATOR

| | | | | | |
|-------------|-----------------|---|-------------------|-----------|---------------------------------|
| 360.8762300 | Truck-Lite M876 | ✓ | Surface / Bracket | Superseal | 124mm (l) x 38mm (w) |
| 335.1137 | WAS W158 | ✓ | Surface / Bracket | Fly Lead | 114mm (l) x 54mm (w) x 22mm (d) |
| 335.1218 | WAS W174 | ✓ | Surface / Bracket | Fly Lead | 115mm (l) x 41mm (w) x 20mm (d) |
| 335.1222 | WAS W175 | ✓ | Surface / Bracket | Fly Lead | 115mm (l) x 41mm (w) x 20mm (d) |

LED REAR ROOF MARKERS

| | | | | | |
|---------|---------|--|---------|----------|----------------------------------|
| 335.131 | WAS W25 | | Surface | Fly Lead | 76mm (l) x 57.5mm (w) x 42mm (h) |
|---------|---------|--|---------|----------|----------------------------------|



| SKU | Description | Suitable For |
|---------------------------------|---|--|
| MARKER LIGHT ACCESSORIES | | |
| 320.SM70BKT/1 | LITE-wire/Perei M70 Horizontal Mounting Pendant Bracket | LITE-wire/Perei M70 Marker Lights |
| 360.8282110 | Rubbolite M828 Side Marker Flasher Unit | Side Markers with Superseal Connection |



| SKU | Description | Reflector | Mounting | Connection | Dimensions |
|-----|-------------|-----------|----------|------------|------------|
|-----|-------------|-----------|----------|------------|------------|

LED FRONT MARKERS

| | | | | | |
|--------------|---------------------|---|-------------------|---------------|----------------------------------|
| 309.181WME | LED Autolamps 181 | | Recessed | Fly Lead | 25mm (dia) x 25mm (d) |
| 320.FM50FL/1 | LITE-wire/Perei M50 | ✓ | Surface / Bracket | Fly Lead | 123mm (l) x 45mm (w) x 17mm (d) |
| 320.FM60FL/1 | LITE-wire/Perei M60 | ✓ | Surface | Fly Lead | 123mm (l) x 45mm (w) |
| 360.8510104 | Rubbolite M851 | | Surface | Fly Lead | 67mm (l) x 37mm (w) x 16mm (d) |
| 360.8510105 | Rubbolite M851 | | Surface | Fly Lead (5m) | 67mm (l) x 37mm (w) x 16mm (d) |
| 360.8900104 | Rubbolite M890 | ✓ | Surface | Superseal | 124mm (l) x 38mm (w) x 15mm (d) |
| 360.8910104 | Rubbolite M891 | ✓ | Surface | Fly Lead | 124mm (l) x 38mm (w) x 15mm (d) |
| 335.309P | WAS W65 | ✓ | Surface | Fly Lead | 102mm (l) x 46mm (w) x 12mm (d) |
| 335.668 | WAS W80 | | Recessed | Fly Lead | 29mm (dia) x 9.4mm (d) |
| 335.716 | WAS W97.3 | | Surface | Fly Lead | 84mm (l) x 24mm (w) x 10.5mm (d) |
| 335.1225 | WAS W175 | ✓ | Surface / Bracket | Fly Lead | 115mm (l) x 41mm (w) x 20mm (d) |

LED REAR MARKERS

| | | | | | |
|--------------|----------------------------|---|-------------------|---------------|-----------------------------------|
| 309.35RME | LED Autolamps 35 | | Surface | Fly Lead | 58mm (l) x 35mm (w) x 19mm (d) |
| 309.58RME | LED Autolamps 58 | | Surface | Fly Lead | 58mm (l) x 35mm (w) x 19mm (d) |
| 309.181RME | LED Autolamps 181 | | Recessed | Fly Lead | 25mm (dia) x 25mm (d) |
| 309.1490RM | LED Autolamps 1490 | ✓ | Surface | Fly Lead | 110mm (l) x 40mm (w) x 25mm (d) |
| 320.RM11/24v | LITE-wire/Perei RM11 (24V) | ✓ | Surface | Superseal | 100mm (l) x 51mm (w) |
| 320.RM50FL/1 | LITE-wire/Perei M50 | ✓ | Surface / Bracket | Fly Lead | 123mm (l) x 45mm (w) x 17mm (d) |
| 320.RM60SS/1 | LITE-wire/Perei M60 | ✓ | Surface | Superseal | 123mm (l) x 45mm (w) |
| 320.RM60FL/1 | LITE-wire/Perei M60 | ✓ | Surface | Fly Lead | 123mm (l) x 45mm (w) |
| 360.8500204 | Rubbolite M850 | | Surface | Superseal | 67mm (l) x 37mm (w) x 16mm (d) |
| 360.8510204 | Rubbolite M851 | | Surface | Fly Lead | 67mm (l) x 37mm (w) x 16mm (d) |
| 360.8510205 | Rubbolite M851 | | Surface | Fly Lead (5m) | 67mm (l) x 37mm (w) x 16mm (d) |
| 360.8900204 | Rubbolite M890 | ✓ | Surface | Superseal | 124mm (l) x 38mm (w) x 15mm (d) |
| 360.8910204 | Rubbolite M891 | ✓ | Surface | Fly Lead | 124mm (l) x 38mm (w) x 15mm (d) |
| 335.224 | WAS W46 | ✓ | Surface | Fly Lead | 110mm (l) x 50.5mm (w) x 23mm (d) |
| 335.669 | WAS W80 | | Recessed | Fly Lead | 29mm (dia) x 9.4mm (d) |
| 335.709 | WAS W97.1 | | Surface | Fly Lead | 84mm (l) x 24mm (w) x 10.5mm (d) |
| 335.715 | WAS W97.3 | | Surface | Fly Lead | 84mm (l) x 24mm (w) x 10.5mm (d) |
| 335.1224 | WAS W175 | ✓ | Surface / Bracket | Fly Lead | 115mm (l) x 41mm (w) x 20mm (d) |



| SKU | Description | Features | Position | Mounting | Connection | Dimensions |
|-----|-------------|----------|----------|----------|------------|------------|
|-----|-------------|----------|----------|----------|------------|------------|

LED END OUTLINE MARKERS

| | | | | | | |
|--------------|----------------|----------------|------------|----------------------|-------------|----------------------------------|
| 360.8410104 | Rubbolite M841 | Side Marker | Right Hand | Surface (Vertical) | Cable Entry | 134mm (l) x 348mm (h) x 40mm (d) |
| 360.8410105 | Rubbolite M841 | Side Marker | Left Hand | Surface (Vertical) | Cable Entry | 134mm (l) x 348mm (h) x 40mm (d) |
| 360.8980106 | Rubbolite M898 | SM / Reflector | Right Hand | Surface / Bracket | Superseal | 100mm (l) x 40mm (w) x 30mm (d) |
| 360.8980107 | Rubbolite M898 | SM / Reflector | Left Hand | Surface / Bracket | Superseal | 100mm (l) x 40mm (w) x 30mm (d) |
| 360.899B0100 | Rubbolite M899 | | L/R Hand | Surface | Superseal | 100mm (l) x 39mm (w) x 31mm (d) |
| 360.899B0500 | Rubbolite M899 | | L/R Hand | Surface | Fly Lead | 100mm (l) x 39mm (w) x 31mm (d) |
| 335.238L | WAS W48 | Side Marker | Left Hand | Surface (60 ° Stalk) | Fly Lead | 79mm (l) x 37mm (w) x 187mm (d) |
| 335.238P | WAS W48 | Side Marker | Right Hand | Surface (60 ° Stalk) | Fly Lead | 79mm (l) x 37mm (w) x 187mm (d) |
| 335.275 | WAS W56 | | L/R Hand | Surface (Stalk) | Fly Lead | 60mm (l) x 52mm (w) x 50.5mm (d) |
| 335.642L | WAS W77.1RR | SM / Reflector | Left Hand | Surface (60 ° Stalk) | Fly Lead | 161mm (l) x 180mm (d) |
| 335.642P | WAS W77.1RR | SM / Reflector | Right Hand | Surface (60 ° Stalk) | Fly Lead | 161mm (l) x 180mm (d) |



810.082A



810.082.



810.082B



811.BC500M



811.BC5L



810.054



811.MS400M

| SKU | Description | Size | Container |
|-----------------|--|-----------|-----------|
| CLEANING | | | |
| 810.082A | Polygard Arctic Concentrated Screen Wash | 1 Litre | Bottle |
| 810.082. | Polygard Arctic Concentrated Screen Wash | 5 Litres | Plastican |
| 810.082B | Polygard Arctic Concentrated Screen Wash | 25 Litres | Plastican |
| 811.BC500M | FIXT Brake & Clutch Cleaner | 400ml | Aerosol |
| 811.BC5L | Polygard Brake & Clutch Cleaner | 5 Litres | Plastican |
| 810.054 | FIXT Electrical Cleaner | 300ml | Aerosol |
| 811.MS400M | FIXT Maintenance Spray | 400ml | Aerosol |



SEALANT



LUBE & GREASE



PAINT

| SKU | Description | Size | Container |
|--------------------------|---------------------------------|-------|-----------|
| SEALANT | | | |
| 810.012 | FIXT Clear RTV Silicone Sealant | 300ml | Cartridge |
| 810.012A | FIXT White RTV Silicone Sealant | 300ml | Cartridge |
| LUBE & GREASE | | | |
| 810.056 | FIXT Silicone Lube | 400ml | Aerosol |
| 811.CL400M | FIXT Wire Rope & Chain Lube | 400ml | Aerosol |
| 811.WGR500M | FIXT White Grease with PTFE | 400ml | Aerosol |
| PAINT | | | |
| 811.GP500M | FIXT Grey Primer | 400ml | Aerosol |
| 811.BG500M | FIXT Gloss Black Paint | 400ml | Aerosol |


POWER CONSUMABLES

- » Fuses
- » Fuse holders
- » Junction boxes
- » Relays


See Page 18 - 21



BODYGUARDS GL895



BODYGUARDS GL897



BODYGUARDS GL100

| SKU | Description | Size | Colour | Powder | Pack Quantity |
|----------------------------------|-------------------------|------------|--------------|-------------|---------------|
| NITRILE DISPOSABLE GLOVES | | | | | |
| 800.1144PF | Polyco Bodyguards GL895 | Large | Blue | Powder Free | 100 |
| 800.1145PF | Polyco Bodyguards GL895 | Xtra Large | Blue | Powder Free | 100 |
| 800.1149PF | Polyco Bodyguards GL897 | Medium | Black | Powder Free | 100 |
| 800.1150PF | Polyco Bodyguards GL897 | Large | Black | Powder Free | 100 |
| 800.1151PF | Polyco Bodyguards GL897 | Xtra Large | Black | Powder Free | 100 |
| 800.1171PF | Polyco Bodyguards GL100 | Medium | Finite Black | Powder Free | 100 |
| 800.1172PF | Polyco Bodyguards GL100 | Large | Finite Black | Powder Free | 100 |
| 800.1173PF | Polyco Bodyguards GL100 | Xtra Large | Finite Black | Powder Free | 100 |



760.EWFA4



760.10350

| SKU | Description | Kit Contains |
|------------------|-----------------------------|---|
| FIRST AID | | |
| 760.EWFA4 | Economy Eyewash Cabinet | 2x Eyewash Bottles 500ml, 2x Eye Pads |
| 760.10350 | Single Person First Aid Kit | 4x Alcohol Free Cleansing Wipes, 1x Pair Gloves, 6x Plasters, 2x Triangular Bandages, 1x Medium Sterile Dressing, 1x First Aid Guidance Leaflet |

BENEFITS OF A CREDIT ACCOUNT

- » Competitive wholesale pricing
- » Bulk purchase discounts
- » Personal account manager
- » 30 day credit facilities



FOR MORE INFORMATION, CONTACT US TODAY!

Dun-Bri Lancashire

58 Roman Way Industrial Estate
Longridge Road
Preston
PR2 5BE
Call: +44 (0)1772 651647

Dun-Bri Cambridgeshire

Fengate, Fengate Road
Peterborough
Cambridgeshire
PE1 5XB
Call: +44 (0)1733 897967

Dun-Bri Yorkshire

4 Eagle Point
Wakefield 41 Industrial Estate
Telford Way
Wakefield
WF2 0XW
Call: +44 (0)1924 577026

Dun-Bri (Head Office)

Watermill Industrial Estate
Aspenden Road
Buntingford
SG9 9JS
Call: +44 (0)1763 274185



www.dun-bri.com

sales@dun-bri.com

THOUSANDS OF
AUTO-ELECTRICAL
PRODUCTS IN STOCK



DAILY DELIVERIES
FROM YOUR LOCAL
BRANCH



DEDICATED
CUSTOMER SERVICES
TEAM



KNOWLEDGEABLE
TECHNICAL
SUPPORT



Stockists of



First Edition - February 2024

