



### **WAS & DUN-BRI:**

## SEE THE LIGHT WITH THE NEW RANGE OF COMMERCIAL VEHICLE LIGHTING



# WAS & DUN-BRI: SEE THE LIGHT WITH THE NEW RANGE OF COMMERCIAL VEHICLE LIGHTING

Since 1989, the Dun-Bri Group has provided a massive range of vehicle and workshop components to an ever-expanding range of customers.

Now, we've partnered with WAS to bring you more than 200 different new commercial vehicle lighting products for the UK and European markets.

With the same quick and reliable delivery you have come to expect from us and the quality and durability of their automotive products, we're sure you'll be more than satisfied.

Call us today on **01763 274185** to get more information, pricing and to order any WAS product.











#### **WAS W68 LED Series**





			Lamp	func	П						
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
<b>✓</b>	✓	<b>√</b>	<b>√</b>				<b>√</b>		LH	12- 24v	335.320
✓	✓	✓		✓			<b>√</b>		LH	12- 24v	335.322
<b>✓</b>	✓	✓		✓			<b>√</b>		RH	12- 24v	335.326
<b>√</b>	✓	✓	✓				<b>✓</b>		RH	12- 24v	335.328

Fly lead connection

163mm (l) x 144mm (h) x 60.3mm (d)
1 year

#### **WAS W95 LED Series**





			Lamp	func	tions				_		
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	/oltage	Part number
<b>✓</b>	<b>√</b>	✓							LH/ RH	12- 24v	335.744

★ Fly lead connection

8 LED

X 140mm (dia) x 27mm (d)

① 1 year

#### WAS W111 LED Series





				Lamp	func		_					
	Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	/oltage	Part number
,	<b>√</b>	✓	✓							LH/ RH	12- 24v	335.821

\* Fly lead connection

8 LED

× 108mm (l) x 47mm (h) x 23mm (d)

1 year

#### WAS W145/146 LED Series







			Lamp	func	tions				_		
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
	✓		<b>√</b>	<b>√</b>	<b>√</b>				LH/ RH	12- 24v	335.1090
	✓		<b>√</b>	✓					LH/ RH	12- 24v	335.1091
<b>√</b>	✓	✓							LH/ RH	12- 24v	335.1089

Fly lead connection LED


108mm (l) x 102mm (h) x 38mm (d)
1 year

#### WAS W150DD LED Series with Dynamic Indicator













236mm (l) x 104mm (h) x 40mm (d)
1 year

#### WAS W153 LED Series with Optional Dynamic Indicator






			Lamp	func	_						
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
<b>√</b>	✓	✓							LH/ RH	12- 24v	335.1128 (Standard DI)
<b>✓</b>	✓	✓							LH/ RH	12- 24v	335.1129DD (Dynamic DI)

Fly lead connection LED

X 142mm (dia) x 38mm (d)

#### **WAS W70D LED Series**





			Lamp	func	_						
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	/oltage	Part number
✓	✓	✓	✓	✓			✓		LH	12- 24v	335.391
✓	<b>√</b>	✓	<b>√</b>	✓			<b>✓</b>		RH	12- 24v	335.392

★ Fly lead connectionb LED

232mm (l) x 142mm (h) x 59mm (d)
1 year

#### WAS W125 LED Series





			Lamp								
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
<b>√</b>	<b>√</b>	✓	<b>√</b>	✓			<b>√</b>		LH	12- 24v	335.915
✓	<b>✓</b>	✓	<b>✓</b>	✓			<b>✓</b>		RH	12- 24v	339.916

Fly lead connection

242mm (l) x 134mm (h) x 58mm (d)
1 year

#### WAS W73/W87 Slim LED Series





Lamp type	С	V	Part number
Stop/Tail/Indicator		12- 24v	335.410
Stop		12- 24v	335.682
Rear Fog/Reverse		12- 24v	335.556

★ Fly lead connectionb LED

237mm (I) x 20.5mm (h) x 22mm (d)

#### WAS W170DD LED Series with Dynamic Indicator





			Lamp	_							
Stop	Tail	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
✓	✓	✓	✓	✓			✓		LH	12- 24v	335.1184DD/IP68
✓	✓	✓	<b>√</b>	✓			✓		RH	12- 24v	335.1187DD/IP68

Fly lead connection LED

350mm (l) x 131mm (h) x 81mm (d)
1 year

#### WAS W171DD LED Series with Dynamic Indicator





			Lamp	_							
Stop	Таii	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
✓	✓	✓	✓	✓			✓		LH	12- 24v	335.1196DD/IP68
✓	✓	✓	<b>√</b>	✓			✓		RH	12- 24v	335.1199DD/IP68



Fly lead connection

350mm (l) x 131mm (h) x 81mm (d)
1 year

#### WAS W138 LED Series







			Lamp								
Stop	Таii	Indicator	Fog	Reverse	N/P lamp	Marker	Reflector	Rev. A.	Fitment	Voltage	Part number
✓	✓	✓	✓	✓	✓		✓		LH	12- 24v	335.1059
✓	✓	✓	✓	✓			✓		RH	12- 24v	335.1062



Fly lead connection LED

350mm (l) x 131mm (h) x 81mm (d)
1 year





#### **WAS W44 LED Front Marker Light**





- C White
- \* Fly lead connection
- 8 LED
- × 98mm (I) x 32mm/59mm (h) x 25mm (d)
- ECE R7, R10, R3, IP68



#### WAS W46

LED Front Marker Light

- 335.225 Surface mount
- 12-24v 335.225Z Bracket mount
- C White
- \* Fly lead connection
- 6 LED
- X 111mm (l) x 51mm (h) x 23mm (d)
- ✓ ECE R7, R10, R3, IP68



LED Front Marker Light

- 12-24v 335.536 Surface mount
- 12-24v 335.536Z Bracket mount
- C White
- \* Fly lead connection
- 8 LED
- X 114mm (l) x 40mm (h) x 24mm (d)
- ✓ ECE R7, R10, R3, IP68





- 12-24v 335.282
- C White
- Fly lead connection
- LED
- 84mm (l) x 24mm (h) x 25mm (d)
- ECE R7, R10, IP68



#### **WAS W65**

**LED Front Marker Light** 

- 12-24v 335.309P
- C White
- \* Fly lead connection
- 6 LED
- × 102mm (l) x 46mm (h) x 12mm (d)
- ECE R7, R10, R3, IP68





#### **WAS W65**

LED Front Marker Light

- 12-24v 335.309Z
- \* Fly lead connection
- ô LED
- X 102mm (I) x 68mm (h) x 34mm (d)
- ECE R7, R10, R3, IP68





#### WAS W80 LED Front Marker Light

335.668

- C White
- Fly lead connection
- ô
- 29mm (dia) x 9.4mm (h)

ECE R7, R10, IP68



#### **WAS W79 Series LED Front Marker Light**

335.676 Standard



- C White
- 🛠 Fly lead connection
- ô
- X 61mm (dia) x 26mm (h)
- ECE R7, R10, R3, IP68





#### **WAS W97.3** LED Front Marker Light

12-24v 335.716

- C White 🛠 Fly lead connection
- 8 LED
- X 84mm (I) x 24mm (h) x 10mm (d)
- ✔ ECE R7, R10, IP68



#### **WAS W115 LED Front Marker Light**

12-24v 335.826

- C White
- \* Fly lead connection
- å LED
- X 238mm (l) x 21mm (h) x 10mm (d)
- ECE R7, R3, R10, IP68



#### **WAS W157**

**LED Front Marker Light** 

12-24v 335.1136 Includes bracket

- White
- \* Fly lead connection
- ô LED
- X 114mm (I) x 54mm (w) x 22mm (d)
- ECE R7, R3, R10, IP68



#### **WAS W158**

**LED Front Marker Light** 

- 12-24v 335.1140 Includes bracket
- C White
- ★ Fly lead connection
- 6 LED
- 114mm (l) x 54mm (w) x 22mm (d)
- ✓ ECE R7, R3, R10, IP68



#### **WAS W174**

**LED Front Marker Light** 

12-24v 335.1221

- C White
- \* Fly lead connection
- LED
- 115mm (I) x 43mm (w) x 21mm (d)
- ECE R7, R3, R10, IP68



#### **WAS W175**

**LED Front Marker Light** 

12-24v 335.1225 Includes bracket

- C White
- \* Fly lead connection
- LED
- 115mm (I) x 43mm (w) x 21mm (d)
- ECE R7, R3, R10, IP68



#### **WAS W44**

LED Side Marker Light

12-24v 335.217P

12-24v 335.217Z Bracket mount

- ★ Fly lead connection
- ô
- ➤ 98mm (I) x 32mm/59mm (h) x 25mm (d)
- ✓ ECE R91, R10, R3, IP68



#### **WAS W46**

LED Side Marker Light

12-24v 335.223Z

- C Amber
- \* Fly lead connection
- 111mm (l) x 76mm (h) x 34mm (d)

✓ ECE R91, R10, R3, IP68



#### **WAS W46**

LED Side Marker Light

335.223

- Fly lead connection
- 111mm (l) x 51mm (h) x 23mm (d)
- ECE R91, R10, R3, IP68



LED Side Marker Light

<sup>2-</sup><sub>4v</sub> 335.534

C Amber

- \* Fly lead connection
- X 114mm (I) x 40mm (h) x 24mm (d)
- ✓ ECE R91, R10, R3, IP68







#### WAS W47WW LED Side Marker Light

- 12-24v 335.534Z
- C Amber
- 🛠 Fly lead connection
- 8 LED
- X 114mm (I) x 40mm (h) x 29mm (d)
- ✔ ECE R91, R3, R10, IP68



**WAS W61** 

LED Side Marker Light





- Fly lead connection
- X 84mm (I) x 24mm (h) x 25mm (d)
- ✓ ECE R91, R10, IP68



#### WAS W65

LED Side Marker Light

12-24v 335.308P Surface mount



- C Amber
- \* Fly lead connection
- ô
- X 102mm (I) x 68mm (h) x 34mm (d)
- ✓ ECE R7, R10, R3, IP68





LED Side Marker Light



- C Amber
- Fly lead connection
- LED
- 61mm (dia) x 26mm (h)
- ECE R91, R10, R3, IP68











LED Side Marker Light





- Fly lead connection
- ô LED
- × 29mm (dia) x 9.4mm (h)
- ✓ ECE R91, R10, IP68







#### **WAS W97.3**

LED Side Marker Light

12-24v 335.714



- 🛠 Fly lead connection
- 8 LED
- X 84mm (I) x 24mm (h) x 10mm (d)
- ✓ ECE R91, R10, IP68









#### **WAS W115**

LED Side Marker Light

12-24v 335.824

- C Amber
- 🛠 Fly lead connection
- 238mm (l) x 21mm (h) x 10mm (d)

✓ ECE R91, R3, R10, IP68



WAS W17D

LED Side Marker Light

12-24v 335.101P

- C Amber
- ★ Fly lead connection
- ô
- 106mm (I) x 46mm (h) x 23mm (d)

ECE R91, R3, R10, IP68



**WAS W157** 

LED Side Marker Light & Indicator

12-24v 335.1134 Marker with bracket



- C Amber
- ★ Fly lead connection
- 8 LED
- X 114mm (I) x 54mm (w) x 22mm (d)
- ► CE R91, R3, R6 (Cat 5), R10, IP68



#### **WAS W158**

LED Side Marker Light & Indicator





- C Amber
- \* Fly lead connection
- 8 LED
- X 114mm (I) x 54mm (w) x 22mm (d)
- ECE R91, R3, R6 (Cat 5), R10, IP68



#### **WAS W174**

LED Side Marker & Indicator Light

335.1219 Marker with bracket



- C Amber
- \* Fly lead connection
- å LED
- × 115mm (I) x 43mm (w) x 21mm (d)
- ECE R91, R3, R6 (Cat 5), R10, IP68



#### **WAS W175**

LED Side Marker & Indicator Light

- 12-24v 335.1223 Marker with bracket
- 12-24v 335.1222 Indicator with bracket
- C Amber
- \* Fly lead connection
- 8 LED
- X 115mm (I) x 43mm (w) x 21mm (d)
- ✓ ECE R91, R3, R6 (Cat 5), R10, IP68



#### **WAS W44**

LED Rear Marker Light

335.218P

12-24v 335.218Z Bracket mount

- C Red
- \* Fly lead connection
- 98mm (I) x 32mm/59mm (h) x 25mm (d)
- ECE R7, R3, R10, IP68



#### **WAS W46**

LED Rear Marker Light

12-24v 335.224

- C Red
- \* Fly lead connection
- ô LED
- 111mm (l) x 51mm (h) x 23mm (d)
- ✓ ECE R7, R3, R10, IP68



#### **WAS W46**

LED Rear Marker Light

12-24v 335.224Z

C Red

- ★ Fly lead connection
- **å** LED
- X 111mm (I) x 76mm (h) x 34mm (d)
- ✓ ECE R7, R3, R10, IP68



#### WAS W47WW

LED Rear Marker Light

335.535 Surface mount 335.535Z Bracket mount

- C Red
- \* Fly lead connection
- ô LED
- 114mm (l) x 40mm (h) x 24mm (d)

ECE R7, R3, R10, IP68



#### **WAS W61**

**LED Rear Marker Light** 

335.284

- C Red
- 🛠 Fly lead connection
- å LED
- **X** 84mm (l) x 24mm (h) x 25mm (d)
- ✓ ECE R7, R10, IP68



#### **WAS W65**

LED Rear Marker Light

12-24v 335.310P

- C Red
- ★ Fly lead connection
- å LED
- X 102mm (l) x 46mm (h) x 12mm (d)
- ✓ ECE R7, R3, R10, IP68

















#### WAS W65

LED Rear Marker Light



- С Red
- \* Fly lead connection
- 8 LED
- X 102mm (I) x 68mm (h) x 34mm (d)
- ECE R7, R3, R10, IP68

#### **WAS W79 Series**

LED Rear Marker Light

12-24v 335.677 Includes bracket



- C Red
- \* Fly lead connection
- 6 LED
- X 61mm (dia) x 26mm (h)
- ✓ ECE R7, R10, IP68

#### **WAS W80** LED Rear Marker Light

- 12-24v 335.669
- C Red
- ★ Fly lead connection
- 8 LED

- × 29mm (dia) x 9.4mm (h)
- ✓ ECE R7, R10, IP68















LED Rear Marker Light



- C Red
- \* Fly lead connection
- ô LED
- X 84mm (I) x 24mm (h) x 10mm (d)
- ECE R7, R10, IP68





LED Rear Marker Light

12-24v 335.825

- C Red
- 🛠 Fly lead connection
- 8 LED
- × 238mm (l) x 21mm (h) x 10mm (d)
- ✓ ECE R7, R3, R10, IP68



#### **WAS W117D**

LED Rear Marker Light

12-24v 335.103P

- C Red
- 🛠 Fly lead connection
- 8 LED
- 106mm (I) x 46mm (h) x 23mm (d)
- ✓ ECE R7, R3, R10, IP68





LED Rear Marker Light

335.1135 Includes bracket

- C Red
- \* Fly lead connection
- ô LED
- 114mm (I) x 54mm (w) x 22mm (d)

ECE R7, R3, R10, IP68



#### **WAS W158**

LED Rear Marker Light

335.1139

- C Red
- ★ Fly lead connection
- 8 LED
- X 114mm (I) x 54mm (w) x 22mm (d)
- ✓ ECE R7, R3, R10, IP68



LED Rear Marker Light

12-24v 335.1220

- C Red
- ★ Fly lead connection
- 8 LED
- 116mm (I) x 42mm (w) x 20mm (d)
- ECE R7, R3, R10, IP68



- 12-24v 335.1224 Includes bracket
- C Red
- \* Fly lead connection
- 8 LED
- × 116mm (I) x 42mm (w) x 20mm (d)
- ECE R7, R3, R10, IP68



**WAS W48** 

LED Outline Marker Light





- C White/Amber/Red
- \* Fly lead connection
- 8 LED
- X 187mm (I) x 165mm (h) x 37mm (d)
- ✔ ECE R7, R91, R10, IP68





LED Outline Marker Light





- C White/Amber/Red
- Fly lead connection
- ô LED
- X 135mm (I) x 114mm (h) x 37mm (d)
- ✔ ECE R7, R91, R10, IP68













#### **WAS W56**

LED Outline Marker Light

- 12-24v 335.275
- White/Red
- \* Fly lead connection
- ô LED
- 60mm (I)  $\times$  50.5mm (h)  $\times$  52mm (d)
- ECE R7, R10, IP68



#### **WAS W62**

LED Outline Marker Light

- 12-24v 335.286
- C White/Amber/Red
- ★ Fly lead connection
- 8 LED
- **X** 84mm (l) x 103mm (h) x 33mm (d)
- ✓ ECE R7, R91, R10, IP68





#### **WAS W21.3RF**

LED Outline Marker Light

12-24v 335.295BCL



- C White/Red
- \* Fly lead connection
- ô
- X 170mm (I) x 186mm (h) x 49mm (d)
- ✓ ECE R7, R10, IP68



**WAS W21.4RF** LED Outline Marker Light

- 335.296BC
- C White/Red
- ★ Fly lead connection
- 8 LED
- 97mm (l) x 78mm (h) x 49mm (d)
- ECE R7, R10, IP68

















- 12-24v 335.641
- C White/Red
- 🛠 Fly lead connection
- 8 LED
- X 69.5mm (I) x 75mm (h)
- ECE R3, R7, R10, IP68









335.633P

- C White/Red
- 🛠 Fly lead connection
- 8 LED
- 190mm (I) x 164mm (h) x 49mm (d)
- ECE R3, R7, R10, IP68









LED Outline Marker Light

41mm (l) x 121mm (h) x 38mm (d)

**WAS W105** 

12-24v 335.818I

C White/Red

8 LED

×

★ Fly lead connection

ECE R7, R10, IP68









LED Outline Marker Light





- C White/Amber/Red
- ★ Fly lead connection
- 8 LED
- 185mm (l) x 145mm (h) x 58mm (d)
- ECE R7, R91, R10, IP68







#### **WAS W77.1RR**

LED Outline Marker Light





- White/Amber/Red
- \* Fly lead connection
- ô LED
- × 161mm (I) x 180mm (h) x 38mm (d)
- ECE R7, E3, R91, R10, IP68

















#### WAS W168.2

LED Outline Marker Light



12-24v 335.1167P

- White/Amber/Red
- \* Fly lead connection
- ô LED
- 146mm (l) x 110mm (h) x 58mm (d)
- ECE R7, R91, R10, IP68



#### WAS W168.3

LED Outline Marker Light

12-24v 335.1169

- C White/Amber/Red
- \* Fly lead connection
- ô LED
- X 87mm (I) x 100mm (h) x 58mm (d)
- ECE R7, R91, R10, IP68



#### WAS W168.4

LED Outline Marker Light

335.1171L

12-24v 335.1171P Right-hand

- C White/Amber/Red
- Fly lead connection
- ô LED
- 185mm (I) x 145mm (h) x 58mm (d)
- ECE R7, R91, R10, IP68















#### **WAS W168.5**

LED Outline Marker Light

- 335.1173L
- 335.1173P
- C White/Amber/Red
- Fly lead connection
- ô LED
- × 146mm (I) x 110mm (h) x 58mm (d)
- ECE R7, R91, R10, IP68





LED O/L Marker with Dynamic Indicator

- 335.1259L Left-hand
- 335.1259P Right-hand
- C White/Amber/Red
- Fly lead connection
- ô
- × 185mm (l) x 145mm (h) x 58mm (d)
- ECE R7, R6, R91, R10, IP68




#### WAS W151/152 LED Tailgate Light

335.1126

335.1127 Triangular

- C Amber
- Fly lead connection
- ô
- × 106mm (l) x 92mm (h) x 13mm (d)
- ECE R6, R10, IP68



X 237mm (I) x 21mm (h) x 22mm (d)

★ Fly lead connection

✔ ECE R10, IP68

8 LED

🛠 Fly lead connection

ECE R10, IP68

X 333mm (I) x 30mm (h) x 22mm (d)

🛠 Fly lead connection

✓ ECE R10, IP68

× 238mm (I) x 21mm (h) x 10mm (d)

8 LED



DAILY **DELIVERIES FROM** YOUR LOCAL BRANCH

**DEDICATED CUSTOMER SERVICE TEAM** 

**COMPETITIVE PRICING** 

**THOUSANDS OF AUTO-ELECTRICAL** PRODUCTS IN STOCK



**NATIONAL BRANCH COVERAGE** 



**NATIONWIDE NEXT DAY DELIVERY** 



**CHECK STOCK** & ORDER ONLINE AT WWW.DUN-BRI.COM



FREE TECHNICAL **SUPPORT FROM OUR KNOWLEDGEABLE TEAM** 



























































